

## 11,12-DHET ELISA References

1. Wang D, Hirase T, Nitto T, Soma M, Node K. Eicosapentaenoic acid increases cytochrome P450 2J2 gene expression and epoxyeicosatrienoic acid production via peroxisome proliferator-activated receptor  $\gamma$  in endothelial cells. *J. Cardiol.* 54, 368-374, 2009.
2. Tsai SH, Hein TW, Kuo L, Yang VC. High glucose impairs EDHF-mediated dilation of coronary arterioles via reduced cytochrome P450 activity. *Microvasc Res.* 2011 Nov;82(3):356-63. doi: 10.1016/j.mvr.2011.09.008. Epub 2011 Oct 1. PMID: 21983453.
3. Chen YH, Lin SJ, Lin FY, Wu TC, Tsao CR, Huang PH, Liu PL, Chen YL, Chen JW. High glucose impairs early and late endothelial progenitor cells by modifying nitric oxide-related but not oxidative stress-mediated mechanisms. *Diabetes.* 2007 Jun;56(6):1559-68. doi: 10.2337/db06-1103. Epub 2007 Mar 26. PMID: 17389326.
4. Ma F, Lin F, Chen C, Cheng J, Zeldin DC, Wang Y, Wang DW. Indapamide lowers blood pressure by increasing production of epoxyeicosatrienoic acids in the kidney. *Mol Pharmacol.* 2013 Aug;84(2):286-95. doi: 10.1124/mol.113.085878. Epub 2013 May 31. PMID: 23729436; PMCID: PMC3716319.
5. Spillman NJ, Dalmia VK, Goldberg DE. Exported Epoxide Hydrolases Modulate Erythrocyte Vasoactive Lipids during Plasmodium falciparum Infection. *mBio.* 2016 Oct 18;7(5):e01538-16. doi: 10.1128/mBio.01538-16. PMID: 27795395; PMCID: PMC5082902.
6. Dai M, Wu L, Wang P, Wen Z, Xu X, Wang DW. CYP2J2 and Its Metabolites EETs Attenuate Insulin Resistance via Regulating Macrophage Polarization in Adipose Tissue. *Sci Rep.* 2017 Apr 25;7:46743. doi: 10.1038/srep46743. PMID: 28440284; PMCID: PMC5404269.
7. Mak SK, Yu CM, Sun WT, He GW, Liu XC, Yang Q. Tetramethylpyrazine suppresses angiotensin II-induced soluble epoxide hydrolase expression in coronary endothelium via anti-ER stress mechanism. *Toxicol Appl Pharmacol.* 2017 Dec 1;336:84-93. doi: 10.1016/j.taap.2017.10.016. Epub 2017 Oct 21. PMID: 29066182.
8. Mak SK, Yu CM, Sun WT, He GW, Liu XC, Yang Q. Tetramethylpyrazine suppresses angiotensin II-induced soluble epoxide hydrolase expression in coronary endothelium via anti-ER stress mechanism. *Toxicol Appl Pharmacol.* 2017 Dec 1;336:84-93. doi: 10.1016/j.taap.2017.10.016. Epub 2017 Oct 21. PMID: 29066182.
9. Akasaka T, Sueta D, Arima Y, Tabata N, Takashio S, Izumiya Y, Yamamoto E, Tsujita K, Kojima S, Kaikita K, Kajiwara A, Morita K, Oniki K, Saruwatari J, Nakagawa K, Hokimoto S. CYP2C19 variants and epoxyeicosatrienoic acids in patients with microvascular angina. *Int J Cardiol Heart Vasc.* 2017 Apr 12;15:15-20. doi: 10.1016/j.ijcha.2017.03.001. PMID: 28616567; PMCID: PMC5458130.
10. Huang X, Wang Y, Zhang Z, Wang Y, Chen X, Wang Y, Gao Y. Ophiopogonin D and EETs ameliorate Ang II-induced inflammatory responses via activating PPAR $\alpha$  in HUVECs. *Biochem Biophys Res Commun.* 2017 Aug 19;490(2):123-133. doi: 10.1016/j.bbrc.2017.06.007. Epub 2017 Jun 3. PMID: 28587983.
11. Gopal Sowjanya, Durgaprasad Rajasekhar, Velam Vanajakshamma, PVLN Srinivasa Rao , PVGK Sarma (2018) Polymorphism of Cytochrome P450 epoxygenase and its association with Endothelial Dysfunction in Patients with Coronary Artery Disease, *Int. J. of. Life Sciences*, Volume 6(2): 477- 486.
12. Huang X, Wang Y, Wang Y, Yang L, Wang J, Gao Y. Ophiopogonin D Reduces Myocardial Ischemia-Reperfusion Injury via Upregulating CYP2J3/EETs in Rats. *Cell Physiol Biochem.* 2018;49(4):1646-1658. doi: 10.1159/000493500. Epub 2018 Sep 18. PMID: 30227401.

13. Navarro-Mabarak C, Mitre-Aguilar IB, Camacho-Carranza R, Arias C, Zentella-Dehesa A, Espinosa-Aguirre JJ. Role of NF- $\kappa$ B in cytochrome P450 epoxygenases down-regulation during an inflammatory process in astrocytes. *Neurochem Int.* 2019 Oct;129:104499. doi: 10.1016/j.neuint.2019.104499. Epub 2019 Jul 2. PMID: 31271766.
14. Ma L, Zhao H, Yu M, Wen Y, Zhao T, Yan M, Liu Q, Jiang Y, Cao Y, Li P, Niu W. Association of Epoxide Hydrolase 2 Gene Arg287Gln with the Risk for Primary Hypertension in Chinese. *Int J Hypertens.* 2020 Feb 28;2020:2351547. doi: 10.1155/2020/2351547. PMID: 32181010; PMCID: PMC7064850.
15. Froogh G, Kandhi S, Duvvi R, Le Y, Weng Z, Alruwaili N, Ashe JO, Sun D, Huang A. The contribution of chymase-dependent formation of ANG II to cardiac dysfunction in metabolic syndrome of young rats: roles of fructose and EETs. *Am J Physiol Heart Circ Physiol.* 2020 Apr 1;318(4):H985-H993. doi: 10.1152/ajpheart.00633.2019. Epub 2020 Mar 13. PMID: 32167781; PMCID: PMC7191492.
16. Wang MH, Ibrahim AS, Hsiao G, Tawfik A, Al-Shabrawey M. A novel interaction between soluble epoxide hydrolase and the AT1 receptor in retinal microvascular damage. *Prostaglandins Other Lipid Mediat.* 2020 Jun;148:106449. doi: 10.1016/j.prostaglandins.2020.106449. Epub 2020 Apr 30. PMID: 32360774.
17. Fang Q, Liu X, Ding J, Zhang Z, Chen G, Du T, Wang Y, Xu R. Soluble Epoxide Hydrolase Inhibition Protected against Diabetic Cardiomyopathy through Inducing Autophagy and Reducing Apoptosis Relying on Nrf2 Upregulation and Transcription Activation. *Oxid Med Cell Longev.* 2022 Mar 25;2022:3773415. doi: 10.1155/2022/3773415. PMID: 35378826; PMCID: PMC8976467.