

| Product Name                              | Catalog # | Protein Name   | Reactivity                                   | Application                            |
|---|-----------|--|--|--|
| Anti-12 Lipoyxygenase/ALOX12 Antibody     | BPAB1     | Arachidonate 12-lipoxygenase, 12S-type(12S-LOX/12S-lipoxygenase) | Human. No cross reactivity with other protei | WB,IHC-P,ICC                           |
| Anti-12 Lipoyxygenase/ALOX12 Antibody     | BPAB2     | Arachidonate 12-lipoxygenase, 12S-type(12S-LOX/12S-lipoxygenase) | Reacts with: human                           | WB                                     |
| Anti-12 Lipoyxygenase/ALOX12 Antibody     | BPAB3     | Arachidonate 12-lipoxygenase, 12S-type                           | Reacts with: human, mouse, rat               | WB                                     |
| Anti-14-3-3 sigma/SFN Antibody            | BPAB4     | 14-3-3 protein sigma   | Reacts with: humanPredicted to work with: r  | WB,IHC-P,ICC                           |
| Anti-14-3-3 sigma/SFN Antibody            | BPAB5     | 14-3-3 protein sigma   | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM,IF,Direct ELISA |
| Anti-14-3-3 zeta/delta/YWHAZ Antibody     | BPAB6     | 14-3-3 protein zeta/delta  | Reacts with: human, mouse, rat               | WB,IHC-P,IF                            |
| Anti-15 Lipoyxygenase 1/ALOX15 Antibody   | BPAB7     | Arachidonate 15-lipoxygenase                                     | Reacts with: human                           | WB,IHC-P                               |
| Anti-5 Lipoyxygenase/ALOX5 Antibody       | BPAB8     | Arachidonate 5-lipoxygenase                                      | Reacts with: human, mouse, rat               | WB,IHC-P                               |
| Anti-5 Lipoyxygenase/ALOX5 Antibody       | BPAB9     | Arachidonate 5-lipoxygenase(5-LO/5-lipoxygenase)                 | Reacts with: human                           | WB,IHC-P                               |
| Anti-53BP1/TP53BP1 Antibody               | BPAB10    | Tumor suppressor p53-binding protein 1                           | Reacts with: human, mouse, rat               | WB,IHC-P,ICC                           |
| Anti-5HT1A Receptor/HTR1A Antibody        | BPAB11    | 5-hydroxytryptamine receptor 1A(5-HT-1A/5-HT1A)                  | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                               |
| Anti-5HT2A Receptor/HTR2A Antibody        | BPAB12    | 5-hydroxytryptamine receptor 2A(5-HT-2/5-HT-2A)                  | Reacts with: human, mouse, rat               | WB,IHC-P                               |
| Anti-5HT2A Receptor/HTR2A Antibody        | BPAB13    | 5-hydroxytryptamine receptor 2A                                  | Reacts with: human, mouse, rat               | WB,IHC-P                               |
| Anti-5HT2B Receptor/HTR2B Antibody        | BPAB14    | 5-hydroxytryptamine receptor 2B                                  | Reacts with: human, rat                      | WB                                     |
|   | BPAB15    |  |  |  |
| Anti-5HT3A receptor/HTR3A Antibody        | BPAB16    | 5-hydroxytryptamine receptor 3A                                  | Reacts with: human, mouse, rat               | WB                                     |
| Anti-67kDa Laminin Receptor/RPSA Antibody | BPAB17    | 40S ribosomal protein SA   | Reacts with: human                           | WB                                     |
| Anti-AAMP Antibody                        | BPAB18    | Angio-associated migratory cell protein                          | Reacts with: human                           | WB,IHC-P                               |
| Anti-ABAT Antibody                        | BPAB19    | 4-aminobutyrate aminotransferase, mitochondrial                  | Reacts with: human, mouse, rat               | WB                                     |
|   | BPAB20    |  |  |  |
|   | BPAB21    |  |  |  |
| Anti-ABCA4 Antibody                       | BPAB22    | Retinal-specific ATP-binding cassette transporter                | Reacts with: human                           | WB                                     |
| Anti-ABCA4 Antibody                       | BPAB23    | Retinal-specific ATP-binding cassette transporter                | Reacts with: mousePredicted to work with: r  | WB                                     |
| Anti-ABCA4 Antibody                       | BPAB24    | Retinal-specific ATP-binding cassette transporter                | Reacts with: mouse, ratPredicted to work wi  | WB                                     |
| Anti-ABCB10 Antibody                      | BPAB25    | ATP-binding cassette sub-family B member 10, mitochondrial       | Reacts with: human, rat                      | WB                                     |
|   | BPAB26    |  |  |  |
| Anti-ABCB11 Antibody                      | BPAB27    | Bile salt export pump  | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,IF,FCM              |
| Anti-ABCB4 Antibody                       | BPAB28    | Phosphatidylcholine translocator ABCB4                           | Reacts with: human                           | WB                                     |
| Anti-ABCB4 Antibody                       | BPAB29    | Phosphatidylcholine translocator ABCB4                           | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM                 |
| Anti-ABCB6 Antibody                       | BPAB30    | ATP-binding cassette sub-family B member 6, mitochondrial        | Reacts with: human                           | WB,IHC-P,ICC                           |
| Anti-ABCE1 Antibody                       | BPAB31    | ATP-binding cassette sub-family E member 1                       | Reacts with: human, mouse, rat               | WB                                     |
| Anti-ABCG1 Antibody                       | BPAB32    | ATP-binding cassette sub-family G member 1                       | Reacts with: humanPredicted to work with: r  | WB                                     |
|   | BPAB33    |  |  |  |
| Anti-ABCG4 Antibody                       | BPAB34    | ATP-binding cassette sub-family G member 4                       | Reacts with: mouse, ratPredicted to work wi  | WB                                     |
| Anti-ABCG5 Antibody                       | BPAB35    | ATP-binding cassette sub-family G member 5                       | Reacts with: human                           | WB,IHC-F,ICC,FCM                       |
| Anti-ABCG5 Antibody                       | BPAB36    | ATP-binding cassette sub-family G member 5                       | Reacts with: human                           | WB                                     |
| Anti-ABCG8 Antibody                       | BPAB37    | ATP-binding cassette sub-family G member 8                       | Reacts with: human, mouse, rat               | WB                                     |
| Anti-Abhd5 Antibody                       | BPAB38    | 1-acylglycerol-3-phosphate O-acyltransferase ABHD5               | Reacts with: human, rat                      | WB,IHC-P,ICC/IF                        |
| Anti-ABI2 Antibody                        | BPAB39    | Abl interactor 2   | Reacts with: human, ratPredicted to work wi  | WB                                     |
| Anti-ABL2 Antibody                        | BPAB40    | Abelson tyrosine-protein kinase 2                                | Reacts with: human, mouse                    | WB,IHC-P,ICC/IF                        |
| Anti-ABP1/AOC1 Antibody                   | BPAB41    | Amiloride-sensitive amine oxidase [copper-containing]            | Reacts with: human, rat                      | WB                                     |
| Anti-ABR Antibody                         | BPAB42    | Active breakpoint cluster region-related protein                 | Reacts with: human, mouse, rat               | WB,IHC-P                               |
| Anti-ACAA2 Antibody                       | BPAB43    | 3-ketoacyl-CoA thiolase, mitochondrial                           | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC/IF,FCM              |
| Anti-ACADVL Antibody                      | BPAB44    | Very long-chain specific acyl-CoA dehydrogenase, mitochondrial   | Reacts with: human, rat                      | WB                                     |
| Anti-ACCN1/ASIC2 Antibody                 | BPAB45    | Acid-sensing ion channel 2                                       | Reacts with: human, rat                      | WB                                     |
| Anti-Acetylcholinesterase/ACHE Antibody   | BPAB46    | Acetylcholinesterase   | Reacts with: human, mouse, rat               | WB                                     |
| Anti-Aconitase 2/ACO2 Antibody            | BPAB47    | Aconitate hydratase, mitochondrial                               | Reacts with: human, mouse, rat               | WB                                     |
| Anti-ACSL1 Antibody                       | BPAB48    | Long-chain-fatty-acid--CoA ligase 1                              | Reacts with: human, mouse, rat               | WB,IHC-P                               |
| Anti-ACSL3 Antibody                       | BPAB49    | Long-chain-fatty-acid--CoA ligase 3                              | Reacts with: human                           | WB                                     |
| Anti-ACSL5 Antibody                       | BPAB50    | Long-chain-fatty-acid--CoA ligase 5                              | Reacts with: mouse, ratPredicted to work wi  | WB                                     |

|  |         |   |  |                        |
|--|---------|---|--|------------------------|
| Anti-ACTH/POMC Antibody                        | BPAB51  | Pro-opiomelanocortin  | Reacts with: mouse, ratPredicted to work w   | IHC-P                  |
| Anti-Actin Antibody (monoclonal, AC-40)        | BPAB52  | Actin, alpha skeletal muscle Actin, alpha cardiac muscle 1 Actin, aor |  | WB,IHC-F               |
| Anti-Actin/ACTA1 Antibody                      | BPAB53  | Actin, alpha skeletal muscle  | Reacts with: human, mouse, rat               | WB,IHC-P               |
| Anti-Actin/ACTA1 Antibody                      | BPAB54  | Actin, alpha skeletal muscle  | Reacts with: human, mouse, rat               | WB,IHC-P               |
| Anti-Actin/ACTG1 Antibody                      | BPAB55  | Actin, cytoplasmic 2  | Reacts with: human, ratPredicted to work wi  | WB,IHC-P               |
| Anti-Actin/ACTG1 Antibody                      | BPAB56  | Actin, cytoplasmic 2  | Reacts with: human, mouse, rat               | WB,IHC-P               |
| Anti-Activin Receptor Type IIA/ACVR2A Antibody | BPAB57  | Activin receptor type-2A  | Reacts with: human, rat                      | WB,IHC-P               |
| Anti-Activin Receptor Type IIB/ACVR2B Antibody | BPAB58  | Activin receptor type-2B  | Reacts with: human, rat                      | WB                     |
| Anti-ACTN3 Antibody                            | BPAB59  | Alpha-actinin-3   | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM |
| Anti-ACTN3 Antibody (monoclonal, 9B5)          | BPAB60  | Alpha-actinin-3   | Reacts with: mouse, rat                      | WB,IHC-P               |
| Anti-ADA Antibody                              | BPAB61  | Adenosine deaminase   | Reacts with: human                           | WB,IHC-P,IHC-F,ICC,FCM |
| Anti-ADA Antibody                              | BPAB62  | Adenosine deaminase   | Reacts with: mouse, rat                      | WB,IHC-P,Direct ELISA  |
| Anti-ADA Antibody                              | BPAB63  | Adenosine deaminase   | Reacts with: mouse, rat                      | WB,IHC-P,ELISA(Cap)    |
| Anti-ADA Antibody (monoclonal, 6D4)            | BPAB64  | Adenosine deaminase   | Reacts with: human                           | WB,IHC-P,FCM           |
| Anti-ADAM10 Antibody                           | BPAB65  | Disintegrin and metalloproteinase domain-containing protein 10        | Reacts with: human, mouse, rat               | WB,Direct ELISA        |
| Anti-ADAM10/ADAM10 Antibody                    | BPAB66  | Disintegrin and metalloproteinase domain-containing protein 10(AD     | Reacts with: human                           | WB                     |
| Anti-ADAM17 Antibody                           | BPAB67  | Disintegrin and metalloproteinase domain-containing protein 17(AD     | Reacts with: humanPredicted to work with: r  | WB                     |
| Anti-ADAM17 Antibody                           | BPAB68  | Disintegrin and metalloproteinase domain-containing protein 17        | Reacts with: human, mouse, rat               | WB,Direct ELISA        |
| Anti-ADAM19 Antibody                           | BPAB69  | Disintegrin and metalloproteinase domain-containing protein 19        | Reacts with: human, ratPredicted to work wi  | WB,IHC-P               |
| Anti-ADAM2 Antibody                            | BPAB70  | Disintegrin and metalloproteinase domain-containing protein 2         | Reacts with: human                           | WB                     |
| Anti-ADAM2 Antibody                            | BPAB71  | Disintegrin and metalloproteinase domain-containing protein 2         | Reacts with: human, mouse, rat               | WB                     |
| Anti-ADAM28 Antibody                           | BPAB72  | Disintegrin and metalloproteinase domain-containing protein 28        | Reacts with: human                           | WB                     |
| Anti-ADAMTS1 Antibody                          | BPAB73  | A disintegrin and metalloproteinase with thrombospondin motifs 1      | Reacts with: ratPredicted to work with: mou  | WB                     |
| Anti-ADAMTS1 Antibody                          | BPAB74  | A disintegrin and metalloproteinase with thrombospondin motifs 1      | Reacts with: mouse, ratPredicted to work wi  | WB                     |
| Anti-ADAMTS13 Antibody                         | BPAB75  | A disintegrin and metalloproteinase with thrombospondin motifs 13     | Reacts with: human, mouse, rat               | WB,ELISA               |
| Anti-ADAMTS2 Antibody                          | BPAB76  | A disintegrin and metalloproteinase with thrombospondin motifs 2(A    | Reacts with: human, ratPredicted to work wi  | WB,IHC-P,IHC-F         |
| Anti-ADAMTS4/ADAMTS4 Antibody                  | BPAB77  | A disintegrin and metalloproteinase with thrombospondin motifs 4(A    | Reacts with: human, mouse, rat               | WB                     |
| Anti-ADAMTS4/ADAMTS4 Antibody                  | BPAB78  | A disintegrin and metalloproteinase with thrombospondin motifs 4      | Reacts with: human                           | WB,IHC-P,ELISA         |
|  | BPAB79  |   |  |                        |
|  | BPAB80  |   |  |                        |
| Anti-ADAR1 Antibody                            | BPAB81  | Double-stranded RNA-specific adenosine deaminase                      | Reacts with: human                           | WB,IHC-P               |
| Anti-Adenylate Kinase 1/AK1 Antibody           | BPAB82  | Adenylate kinase isoenzyme 1  | Reacts with: human, mouse, rat               | WB                     |
| Anti-Adenylosuccinate Lyase/ASL Antibody       | BPAB83  | Argininosuccinate lyase   | Reacts with: human, mouse, rat               | WB,IHC-P               |
| Anti-ADFP/PLIN2 Antibody                       | BPAB84  | Perilipin-2   | Reacts with: human, mouse, rat               | WB,IHC-P               |
| Anti-ADH4 Antibody                             | BPAB85  | Alcohol dehydrogenase 4   | Reacts with: human, mouse, rat               | WB                     |
| Anti-ADH5 Antibody                             | BPAB86  | Alcohol dehydrogenase class-3   | Reacts with: human, mouse, rat               | WB                     |
| Anti-Adiponectin Receptor 1/ADIPOR1 Antibody   | BPAB87  | Adiponectin receptor protein 1  | Reacts with: human, rat                      | WB                     |
| Anti-Adiponectin/ADIPOQ Antibody               | BPAB88  | Adiponectin   | Human. No cross reactivity with other protei | WB,IHC-P               |
| Anti-Adiponectin/ADIPOQ Antibody               | BPAB89  | Adiponectin   | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ELISA   |
| Anti-Adiponectin/ADIPOQ Antibody               | BPAB90  | Adiponectin   | Reacts with: human                           | WB,IHC-P               |
| Anti-Adiponectin/ADIPOQ Antibody               | BPAB91  | 30 kDa adipocyte complement-related protein                           | Reacts with: mouse, rat                      | WB,IHC-P               |
| Anti-ADK Antibody                              | BPAB92  | Adenosine kinase  | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM |
| Anti-ADO Antibody                              | BPAB93  | 2-aminoethanethiol dioxygenase  | Reacts with: human, mouse, rat               | WB,IHC-F,ICC,FCM       |
| Anti-AEBP2 Antibody                            | BPAB94  | Zinc finger protein AEBP2   | Reacts with: human                           | WB,IHC-P               |
| Anti-AES Antibody                              | BPAB95  | Amino-terminal enhancer of split                                      | Reacts with: human, mouse, rat               | WB,Direct ELISA        |
| Anti-AFF4 Antibody                             | BPAB96  | AF4/FMR2 family member 4  | Reacts with: human                           | WB                     |
| Anti-AFG3L2 Antibody                           | BPAB97  | AFG3-like protein 2   | Reacts with: human, mouse, rat               | WB                     |
| Anti-AFP Antibody (monoclonal, C3)             | BPAB98  | Alpha-fetoprotein   | Human  | IHC-P                  |
| Anti-AGFG1 Antibody                            | BPAB99  | Arf-GAP domain and FG repeat-containing protein 1                     | Reacts with: human, rat                      | WB                     |
| Anti-Ago2/eIF2C2 Antibody                      | BPAB100 | Protein argonaute-2   | Reacts with: human, mouse, rat               | WB                     |
| Anti-AGRP Antibody                             | BPAB101 | Agouti-related protein  | Reacts with: human, mouse, rat               | IHC-P,Direct ELISA     |

|  |         |   |  |                              |
|--|---------|---|--|------------------------------|
| Anti-AHA1/AHSA1 Antibody                             | BPAB102 | Activator of 90 kDa heat shock protein ATPase homolog 1             | Reacts with: human, mouse, rat                       | WB,Direct ELISA              |
|  | BPAB103 |   |  |                              |
| Anti-AHR Antibody                                    | BPAB104 | Aryl hydrocarbon receptor   | Reacts with: human, mouse, rat                       | WB,IHC-P,IHC-F,ICC,FCM       |
| Anti-AHSG Antibody                                   | BPAB105 | Alpha-2-HS-glycoprotein   | Reacts with: human                                   | WB                           |
| Anti-AHSG Antibody                                   | BPAB106 | Alpha-2-HS-glycoprotein   | Reacts with: human, rat                              | WB,IHC-P,IHC-F,ICC,FCM,ELISA |
| Anti-AICDA Antibody                                  | BPAB107 | Single-stranded DNA cytosine deaminase                              | Reacts with: human, mouse, rat                       | WB,Direct ELISA              |
| Anti-AIF/AIFM1 Antibody                              | BPAB108 | Apoptosis-inducing factor 1, mitochondrial                          | Reacts with: human, mouse, rat                       | WB,IHC-P,IHC-F,ICC           |
| Anti-AIF/AIFM1 Antibody                              | BPAB109 | Apoptosis-inducing factor 1, mitochondrial                          | Reacts with: human, mouse, rat                       | WB,IHC-P,ICC                 |
| Anti-AIM2 Antibody                                   | BPAB110 | Interferon-inducible protein AIM2                                   | Reacts with: human, mouse, rat                       | WB,IHC-P                     |
| Anti-AIMP2/p38 Antibody                              | BPAB111 | Aminoacyl tRNA synthase complex-interacting multifunctional protein | Reacts with: human, ratPredicted to work with: human | WB,IHC-P                     |
| Anti-AIRE Antibody                                   | BPAB112 | Autoimmune regulator  | Reacts with: human, rat                              | WB,IHC-F,ICC,FCM             |
| Anti-AK2 Antibody                                    | BPAB113 | Adenylate kinase 2, mitochondrial                                   | Reacts with: human, mouse, rat                       | WB,IHC-P                     |
| Anti-AKAP2 Antibody                                  | BPAB114 | A-kinase anchor protein 2   | Reacts with: human, rat                              | WB                           |
| Anti-AKR1B1 Antibody                                 | BPAB115 | Aldose reductase  | Reacts with: human, mouse, rat                       | WB,IHC-P                     |
| Anti-AKR1B10 Antibody                                | BPAB116 | Aldo-keto reductase family 1 member B10                             | Reacts with: human                                   | WB,IHC-P                     |
| Anti-AKR1C1/C2 Antibody                              | BPAB117 | Aldo-keto reductase family 1 member C1/C2                           | Reacts with: human, rat                              | WB                           |
| Anti-AKR1D1 Antibody                                 | BPAB118 | 3-oxo-5-beta-steroid 4-dehydrogenase                                | Reacts with: human, mouse, rat                       | WB,IHC-P                     |
| Anti-AKT1 Antibody                                   | BPAB119 | RAC-alpha serine/threonine-protein kinase                           | Reacts with: mouse, rat                              | WB                           |
| Anti-AKT1/AKT2 Antibody                              | BPAB120 | RAC-alpha serine/threonine-protein kinase                           | Reacts with: human                                   | WB                           |
| Anti-AKT2 Antibody                                   | BPAB121 | RAC-beta serine/threonine-protein kinase                            | Reacts with: human, mouse, rat                       | WB,IHC-P,IHC-F               |
| Anti-AKT2 Antibody (monoclonal, 10C6)                | BPAB122 | RAC-beta serine/threonine-protein kinase                            | Reacts with: human                                   | WB,ICC                       |
| Anti-AKT3 Antibody                                   | BPAB123 | RAC-gamma serine/threonine-protein kinase                           | Reacts with: human, mouse, rat                       | WB,IHC-P,ICC                 |
| Anti-Alcohol Dehydrogenase/ADH1A Antibody            | BPAB124 | Alcohol dehydrogenase 1A  | Reacts with: human, mouse, rat                       | WB,IHC-P,IHC-F,ICC,FCM       |
| Anti-ALDH1A1 Antibody                                | BPAB125 | Retinal dehydrogenase 1(RALDH 1/RALDH1)                             | Reacts with: human, ratPredicted to work with: human | WB,IHC-P                     |
| Anti-ALDH1A2 Antibody                                | BPAB126 | Retinal dehydrogenase 2   | Reacts with: mouse, ratPredicted to work with: mouse | WB                           |
| Anti-ALDH1A3 Antibody                                | BPAB127 | Aldehyde dehydrogenase family 1 member A3                           | Reacts with: human, mouse, rat                       | WB,IHC-P                     |
| Anti-ALDH1B1 Antibody                                | BPAB128 | Aldehyde dehydrogenase X, mitochondrial                             | Reacts with: human, mouse, rat                       | WB                           |
| Anti-ALDH2 Antibody                                  | BPAB129 | Aldehyde dehydrogenase, mitochondrial                               | Reacts with: human, rat                              | WB,IHC-P                     |
| Anti-ALDH2 Antibody                                  | BPAB130 | Aldehyde dehydrogenase, mitochondrial                               | Reacts with: human, mouse, rat                       | WB,IHC-P                     |
| Anti-ALDH3A1 Antibody                                | BPAB131 | Aldehyde dehydrogenase, dimeric NADP-preferring                     | Reacts with: human                                   | WB,IHC-P                     |
| Anti-ALDH3A2 Antibody                                | BPAB132 | Fatty aldehyde dehydrogenase  | Reacts with: human, rat                              | WB,IHC-P                     |
| Anti-ALDH7A1 Antibody                                | BPAB133 | Alpha-aminoadipic semialdehyde dehydrogenase                        | Reacts with: human, mouse, rat                       | WB,IHC-P                     |
| Anti-ALIX/PDCD6IP Antibody                           | BPAB134 | Programmed cell death 6-interacting protein                         | Reacts with: human, mouse, rat                       | WB,IHC-P                     |
| Anti-ALK Antibody                                    | BPAB135 | ALK tyrosine kinase receptor  | Reacts with: human, ratPredicted to work with: human | WB,IHC-P                     |
| Anti-Alkaline Phosphatase/ALPL Antibody              | BPAB136 | Alkaline phosphatase, tissue-nonspecific isozyme(AP-TNAP/TNSALP)    | Reacts with: human, ratPredicted to work with: human | WB,IHC-P                     |
| Anti-Alkaline Phosphatase/ALPL Antibody              | BPAB137 | Alkaline phosphatase, tissue-nonspecific isozyme                    | Reacts with: ratPredicted to work with: mouse        | WB                           |
| Anti-Alkaline Phosphatase/ALPL Antibody              | BPAB138 | Alkaline phosphatase, tissue-nonspecific isozyme                    | Reacts with: human                                   | WB                           |
| Anti-Alpha 1 Acid Glycoprotein/ORM1 Antibody         | BPAB139 | Alpha-1-acid glycoprotein 1   | Reacts with: human, mouse, rat                       | WB,IHC-P,ELISA               |
| Anti-alpha 1 Antichymotrypsin/SERPINA3 Antibody      | BPAB140 | Alpha-1-antichymotrypsin  | Reacts with: human                                   | WB,IHC-P                     |
| Anti-alpha 1 Antitrypsin/SERPINA1 Antibody           | BPAB141 | Alpha-1-antitrypsinase  | Reacts with: mouse, rat                              | WB,IHC-P                     |
| Anti-alpha 1 Antitrypsin/SERPINA1 Antibody           | BPAB142 | Alpha-1-antitrypsin   | Reacts with: human, rat                              | WB                           |
| Anti-alpha 1 Catenin/CTNNA1 Antibody                 | BPAB143 | Catenin alpha-1   | Reacts with: human, mouse, rat                       | WB,IHC-P,IHC-F,ICC,FCM       |
| Anti-alpha 1 Fetoprotein/AFP Antibody                | BPAB144 | Alpha-fetoprotein   | Reacts with: human, mouse, rat                       | WB,IHC-P                     |
| Anti-Alpha 1 Fetoprotein/Afp Antibody                | BPAB145 | Alpha-fetoprotein   | Reacts with: mouse, rat                              | WB,Direct ELISA              |
| Anti-Alpha 1 microglobulin/AMBP Antibody             | BPAB146 | Alpha-1-microglobulin   | Reacts with: human                                   | WB,IHC-P,Direct ELISA        |
| Anti-alpha 1 Sodium Potassium ATPase/ATP1A1 Antibody | BPAB147 | Sodium/potassium-transporting ATPase subunit alpha-1                | Reacts with: human, rat                              | WB                           |
|  | BPAB148 |   |  |                              |
| Anti-alpha 1d Adrenergic Receptor/ADRA1A Antibody    | BPAB149 | Alpha-1A adrenergic receptor  | Reacts with: human, mouse, rat                       | WB                           |
|  | BPAB150 |   |  |                              |
| Anti-alpha 2a Adrenergic Receptor/ADRA2A Antibody    | BPAB151 | Alpha-2A adrenergic receptor  | Reacts with: humanPredicted to work with: human      | WB                           |
| Anti-Alpha A Crystallin/CRYAA Antibody               | BPAB152 | Alpha-crystallin A chain  | Reacts with: human, mouse, rat                       | WB,IHC-P                     |

|  |         |  |   |                     |
|--|---------|--|---|---------------------|
| Anti-Alpha Actinin 4/ACTN4 Antibody                  | BPAB153 | Alpha-actinin-4  | Reacts with: human, mouse, rat              | WB,IHC-P            |
| Anti-Alpha Amylase 1/AMY1A Antibody                  | BPAB154 | Alpha-amylase 1  | Reacts with: human, ratPredicted to work wi | WB,IHC-P            |
| Anti-Alpha Amylase 1/AMY1A/AMY1B/AMY1C Antibody      | BPAB155 | Alpha-amylase 1  | Reacts with: human, mouse, rat              | WB,IHC-P            |
| Anti-Alpha Defensin 1/DEFA1 Antibody                 | BPAB156 | Neutrophil defensin 1  | Reacts with: human, rat                     | WB                  |
| Anti-Alpha Internexin/INA Antibody                   | BPAB157 | Alpha-internexin   | Reacts with: human, mouse, rat              | WB,IHC-P            |
|  | BPAB158 |  |   |                     |
| Anti-alpha Sarcoglycan/SGCA Antibody                 | BPAB159 | Alpha-sarcoglycan  | Reacts with: mouse, ratPredicted to work wi | WB                  |
| Anti-alpha-Actinin Antibody (monoclonal, EA-53)      | BPAB160 | Alpha-actinin-2  | Human, mouse, rat, rabbit                   | WB,IHC-P,IHC-F      |
| Anti-alpha-Adaptin Antibody (monoclonal, 100/2)      | BPAB161 | AP-2 complex subunit alpha-1                                 | Human, rat                                  | WB                  |
| Anti-alpha-Smooth Muscle Actin Antibody (monoclonal) | BPAB162 | Actin, aortic smooth muscle                                  | Human, mouse, rat                           | WB,IHC-P,IHC-F      |
| Anti-alpha-Tubulin Antibody (monoclonal, DM1A)       | BPAB163 |  | Human, mouse, rat, chicken                  | WB,IHC-P            |
| Anti-AMACR Antibody                                  | BPAB164 | Alpha-methylacyl-CoA racemase                                | Reacts with: human, rat                     | WB                  |
| Anti-AMD1 Antibody                                   | BPAB165 | S-adenosylmethionine decarboxylase proenzyme(AdoMetDC)/SAMDC | Reacts with: human, ratPredicted to work wi | WB,IHC-P            |
| Anti-AMD1 Antibody                                   | BPAB166 | S-adenosylmethionine decarboxylase proenzyme                 | Reacts with: human, mouse, rat              | WB,IHC-P            |
| Anti-AMFR Antibody                                   | BPAB167 | E3 ubiquitin-protein ligase AMFR                             | Reacts with: human, rat                     | WB,IHC-P            |
| Anti-AMH Antibody                                    | BPAB168 | Muellerian-inhibiting factor                                 | Reacts with: human                          | WB                  |
| Anti-AMHR2 Antibody                                  | BPAB169 | Anti-Muellerian hormone type-2 receptor                      | Reacts with: human, rat                     | WB                  |
| Anti-AMOTL2 Antibody                                 | BPAB170 | Angiomotin-like protein 2                                    | Reacts with: human, mouse, rat              | WB,Direct ELISA     |
| Anti-Amphiregulin/Areg Antibody                      | BPAB171 | Amphiregulin   | Reacts with: mouse, rat                     | WB,IHC-P,ELISA(Cap) |
| Anti-AMPK alpha 1/PRKAA1 Antibody                    | BPAB172 | 5'-AMP-activated protein kinase catalytic subunit alpha-1    | Reacts with: human, mouse, rat              | WB,Direct ELISA     |
| Anti-AMPK beta 1/PRKAB1 Antibody                     | BPAB173 | 5'-AMP-activated protein kinase subunit beta-1               | Reacts with: human                          | WB                  |
| Anti-AMPK beta 2 Antibody (monoclonal, 6G1)          | BPAB174 | 5'-AMP-activated protein kinase subunit beta-2               | Reacts with: human                          | WB,IHC-F,ICC,FCM    |
| Anti-AMPK beta 2/PRKAB2 Antibody                     | BPAB175 | 5'-AMP-activated protein kinase subunit beta-2               | Reacts with: human, mouse, rat              | WB,IHC-P            |
| Anti-Amyloid beta precursor protein/APP Antibody     | BPAB176 | Amyloid beta A4 protein                                      | Reacts with: human, ratPredicted to work wi | WB,IHC-P            |
| Anti-Androgen Receptor/AR Antibody                   | BPAB177 | Androgen receptor  | Reacts with: human, mouse                   | WB,IHC-P,ICC        |
| Anti-Angiogenin/ANG Antibody                         | BPAB178 | Angiogenin   | Reacts with: human                          | WB,ELISA            |
|  | BPAB179 |  |   |                     |
| Anti-Angiopoietin 1/ANGPT1 Antibody                  | BPAB180 | Angiopoietin-1   | Reacts with: human, ratPredicted to work wi | WB,IHC-P,ELISA      |
| Anti-Angiopoietin 1/ANGPT1 Antibody                  | BPAB181 | Angiopoietin-1   | Reacts with: human                          | WB                  |
| Anti-Angiopoietin 2/ANGPT2 Antibody                  | BPAB182 | Angiopoietin-2   | Reacts with: human, mouse, rat              | IHC-P               |
| Anti-Angiopoietin 2/ANGPT2 Antibody                  | BPAB183 | Angiopoietin-2(ANG-2)  | Reacts with: human                          | WB                  |
| Anti-Angiopoietin-1/ANGPT1 Antibody                  | BPAB184 | Angiopoietin-1   | Reacts with: human                          | WB,ELISA            |
| Anti-Angiopoietin-2/ANGPT2 Antibody                  | BPAB185 | Angiopoietin-2   | Reacts with: human                          | WB,IHC-P,ELISA      |
| Anti-Angiopoietin-like 4?/ANGPTL4 Antibody           | BPAB186 | Angiopoietin-related protein 4                               | Reacts with: human                          | WB,ELISA            |
| Anti-Angiopoietin-like 4/ANGPTL4 Antibody            | BPAB187 | Angiopoietin-related protein 4                               | Reacts with: humanPredicted to work with: r | WB                  |
| Anti-Angiostatin K1-3/PLG Antibody                   | BPAB188 | Plasminogen  | Reacts with: human                          | WB,IHC-P,ELISA      |
| Anti-Angiotensin Converting Enzyme 1/ACE Antibody    | BPAB189 | Angiotensin-converting enzyme                                | Reacts with: human                          | WB,IHC-P            |
| Anti-Angiotensin Converting Enzyme 1/ACE Antibody    | BPAB190 | Angiotensin-converting enzyme                                | Reacts with: humanPredicted to work with: r | WB                  |
| Anti-Angiotensin Converting Enzyme 1/ACE Antibody    | BPAB191 | Angiotensin-converting enzyme                                | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F      |
| Anti-Angiotensin Converting Enzyme 1/Ace Antibody    | BPAB192 | Angiotensin-converting enzyme                                | Reacts with: mouse, rat                     | WB                  |
| Anti-Angiotensin II Type 1 Receptor/AGTR1 Antibody   | BPAB193 | Type-1 angiotensin II receptor                               | Reacts with: human, mouse                   | WB,IHC-P            |
|  | BPAB194 |  |   |                     |
| Anti-Angiotensinogen/AGT Antibody                    | BPAB195 | Angiotensinogen  | Reacts with: mouse, rat                     | WB                  |
| Anti-Angiotensinogen/AGT Antibody                    | BPAB196 | Angiotensinogen  | Reacts with: mouse                          | WB,IHC-P            |
| Anti-ANGPTL1 Antibody                                | BPAB197 | Angiopoietin-related protein 1                               | Reacts with: human, ratPredicted to work wi | WB                  |
| Anti-ANGPTL2 Antibody                                | BPAB198 | Angiopoietin-related protein 2                               | Reacts with: human, mouse, rat              | WB,IHC-P            |
| Anti-ANGPTL3 Antibody                                | BPAB199 | Angiopoietin-related protein 3                               | Reacts with: humanPredicted to work with: r | WB                  |
| Anti-ANGPTL3 Antibody                                | BPAB200 | Angiopoietin-related protein 3                               | Reacts with: human, mouse, rat              | WB                  |
| Anti-Anillin/ANLN Antibody                           | BPAB201 | Anillin  | Reacts with: human, mouse, rat              | WB,IHC-F,ICC,FCM    |
| Anti-Annexin A1/ANXA1 Antibody                       | BPAB202 | Annexin A1   | Reacts with: human                          | WB,IHC-P            |
| Anti-Annexin A1/ANXA1 Antibody                       | BPAB203 | Annexin A1   | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F      |

|   |         |  |  |                               |
|---|---------|--|--|-------------------------------|
| Anti-Annexin A10/ANXA10 Antibody        | BPAB204 | Annexin A10                                    | Reacts with: human, rat                      | WB,IHC-P                      |
| Anti-Annexin A2/ANXA2 Antibody          | BPAB205 | Annexin A2                                     | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F                |
| Anti-Annexin A3/ANXA3 Antibody          | BPAB206 | Annexin A3                                     | Reacts with: human, mouse, rat               | WB,IHC-P                      |
| Anti-Annexin A3/ANXA3 Antibody          | BPAB207 | Annexin A3                                     | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC            |
| Anti-Annexin A3/ANXA3 Antibody          | BPAB208 | Annexin A3                                     | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA         |
|   | BPAB209 |  |  |                               |
| Anti-Annexin IV/ANXA4 Antibody          | BPAB210 | Annexin A4                                     | Reacts with: human, mouse, rat               | WB,IHC-P                      |
| Anti-Annexin IV/ANXA4 Antibody          | BPAB211 | Annexin A4                                     | Reacts with: mouse, rat Predicted to work wi | WB                            |
| Anti-Annexin V/ANXA5 Antibody           | BPAB212 | Annexin A5                                     | Reacts with: human, ratPredicted to work wi  | WB,IHC-P,ICC                  |
| Anti-Annexin V/ANXA5 Antibody           | BPAB213 | Annexin A5                                     | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F                |
| Anti-Annexin VI/ANXA6 Antibody          | BPAB214 | Annexin A6                                     | Reacts with: human, ratPredicted to work wi  | WB,IHC-P,IHC-F                |
| Anti-Annexin VI/ANXA6 Antibody          | BPAB215 | Annexin A6                                     | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA         |
| Anti-Annexin VII/ANXA7 Antibody         | BPAB216 | Annexin A7                                     | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                      |
| Anti-Annexin VII/ANXA7 Antibody         | BPAB217 | Annexin A7                                     | Reacts with: human                           | WB                            |
|   | BPAB218 |  |  |                               |
| Anti-Annexin VIII/ANXA8 Antibody        | BPAB219 | Annexin A8                                     | Reacts with: human                           | WB                            |
| Anti-ANP/NPPA Antibody                  | BPAB220 | Natriuretic peptides A                         | Reacts with: mouse, ratPredicted to work wi  | WB                            |
| Anti-ANP/Nppa Antibody                  | BPAB221 | Natriuretic peptides A                         | Reacts with: mouse, rat                      | WB,IHC-P,Direct ELISA         |
| Anti-ANP/Nppa Antibody                  | BPAB222 | Natriuretic peptides A                         | Reacts with: mouse, rat                      | WB,IHC-P,Direct ELISA         |
| Anti-Anterior Gradient 2/AGR2 Antibody  | BPAB223 | Anterior gradient protein 2 homolog            | Reacts with: human, mouse, rat               | WB,IHC-P                      |
| Anti-Antithrombin III/SERPINC1 Antibody | BPAB224 | Antithrombin-III                               | Reacts with: human, ratPredicted to work wi  | WB                            |
| Anti-AP2 alpha/TFAP2A Antibody          | BPAB225 | Transcription factor AP-2-alpha                | Reacts with: human, rat                      | WB                            |
| Anti-AP2B1 Antibody                     | BPAB226 | AP-2 complex subunit beta                      | Reacts with: human, mouse, rat               | WB                            |
| Anti-AP2M1 Antibody                     | BPAB227 | AP-2 complex subunit mu                        | Reacts with: human, mouse, rat               | WB                            |
|   | BPAB228 |  |  |                               |
|   | BPAB229 |  |  |                               |
| Anti-APC2 Antibody                      | BPAB230 | Adenomatous polyposis coli protein 2           | Reacts with: human                           | WB                            |
| Anti-APE1 Antibody (monoclonal, 5C11)   | BPAB231 | DNA-(apurinic or apyrimidinic site) lyase      | Reacts with: human                           | WB,IHC-P,IHC-F,ICC,FCM        |
| Anti-APE1/APEX1 Antibody                | BPAB232 | DNA-(apurinic or apyrimidinic site) lyase      | Reacts with: human, mouse, rat               | WB,IHC-P                      |
| Anti-APE1/APEX1 Antibody                | BPAB233 | DNA-(apurinic or apyrimidinic site) lyase      | Reacts with: human, mouse, rat               | WB,IHC-P                      |
| Anti-Apelin/APLN Antibody               | BPAB234 | Apelin   | Reacts with: human, ratPredicted to work wi  | WB                            |
| Anti-APEX2 Antibody                     | BPAB235 | DNA-(apurinic or apyrimidinic site) lyase 2    | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                      |
| Anti-APEX2 Antibody                     | BPAB236 | DNA-(apurinic or apyrimidinic site) lyase 2    | Reacts with: ratPredicted to work with: humi | WB                            |
| Anti-Apg3/ATG3 Antibody                 | BPAB237 | Ubiquitin-like-conjugating enzyme ATG3         | Reacts with: human                           | WB                            |
| Anti-APG5L/ATG5 Antibody                | BPAB238 | Autophagy protein 5                            | Reacts with: human, mouse, rat               | WB                            |
| Anti-Apg7/ATG7 Antibody                 | BPAB239 | Ubiquitin-like modifier-activating enzyme ATG7 | Reacts with: human, ratPredicted to work wi  | WB                            |
| Anti-Apg7/ATG7 Antibody                 | BPAB240 | Ubiquitin-like modifier-activating enzyme ATG7 | Reacts with: human, mouse, rat               | WB                            |
| Anti-APH1a Antibody                     | BPAB241 | Gamma-secretase subunit APH-1A                 | Reacts with: human, mouse                    | WB                            |
| Anti-APLP1 Antibody                     | BPAB242 | Amyloid-like protein 1                         | Reacts with: human, mouse, rat               | WB,IHC-P                      |
| Anti-APLP1 Antibody                     | BPAB243 | Amyloid-like protein 1                         | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM        |
|   | BPAB244 |  |  |                               |
| Anti-APLP2 Antibody                     | BPAB245 | Amyloid-like protein 2(APLP-2)                 | Reacts with: human, ratPredicted to work wi  | WB                            |
| Anti-APOBEC3G Antibody                  | BPAB246 | DNA dC->dU-editing enzyme APOBEC-3G            | Reacts with: human                           | WB,IHC-P,IHC-F,ICC,FCM        |
| Anti-Apolipoprotein A I/APOA1 Antibody  | BPAB247 | Apolipoprotein A-I(Apo-AI/ApoA-I)              | Reacts with: human, ratPredicted to work wi  | WB                            |
| Anti-Apolipoprotein A I/APOA1 Antibody  | BPAB248 | Apolipoprotein A-I                             | Reacts with: mouse                           | WB,IHC-P                      |
| Anti-Apolipoprotein A I/APOA1 Antibody  | BPAB249 | Apolipoprotein A-I                             | Reacts with: rat                             | WB,IHC-P                      |
| Anti-Apolipoprotein A I/APOA1 Antibody  | BPAB250 | Apolipoprotein A-I                             | Reacts with: human                           | WB,IHC-P,IHC-F,ICC,FCM,ELISA  |
| Anti-Apolipoprotein B/APOB Antibody     | BPAB251 | Apolipoprotein B-100                           | Reacts with: human                           | WB,IHC-P                      |
| Anti-Apolipoprotein CIII/APOC3 Antibody | BPAB252 | Apolipoprotein C-III                           | Reacts with: mouse, rat Predicted to work wi | WB                            |
| Anti-Apolipoprotein D/APOD Antibody     | BPAB253 | Apolipoprotein D(Apo-D/ApoD)                   | Reacts with: human                           | WB                            |
| Anti-Apolipoprotein E/APOE Antibody     | BPAB254 | Apolipoprotein E                               | Reacts with: human                           | WB,IHC-P,IHC-F,FCM,ELISA(Cap) |

|  |          |   |  |                        |
|--|----------|---|--|------------------------|
| Anti-Apolipoprotein E/APOE Antibody              | BPAB255  | Apolipoprotein E  | Reacts with: mouse, rat                      | WB,IHC-P               |
|  | BPAB256  |   |  |                        |
| Anti-Apolipoprotein J/CLU Antibody               | BPAB257  | Clusterin   | Reacts with: human                           | WB,IHC-P,ELISA         |
| Anti-Apoptosis inhibitor 5/API5 Antibody         | BPAB258  | Apoptosis inhibitor 5(API-5)                                  | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC     |
| Anti-Apoptosis repressor with CARD/NOL3 Antibody | BPAB259  | Nucleolar protein 3   | Reacts with: human, ratPredicted to work wi  | WB                     |
| Anti-APP/C99 Antibody                            | BPAB260  | Amyloid-beta A4 protein                                       | Reacts with: human                           | WB,IHC-P               |
| Anti-APPB1/NAE1 Antibody                         | BPAB261  | NEDD8-activating enzyme E1 regulatory subunit                 | Reacts with: human, mouse, rat               | WB                     |
| Anti-APPL/APPL1 Antibody                         | BPAB262  | DCC-interacting protein 13-alpha(Dip13-alpha)                 | Reacts with: human, ratPredicted to work wi  | WB,IHC-P               |
| Anti-APRIL/TNFSF13 Antibody                      | BPAB263  | Tumor necrosis factor ligand superfamily member 13            | Reacts with: human                           | WB,ELISA               |
| Anti-APRT Antibody                               | BPAB264  | Adenine phosphoribosyltransferase                             | Reacts with: human                           | WB,IHC-F,ICC,FCM       |
| Anti-APRT Antibody                               | BPAB265  | Adenine phosphoribosyltransferase                             | Reacts with: human, mouse, rat               | WB,IHC-P               |
| Anti-AQP11 Antibody                              | BPAB266  | Aquaporin-11  | Reacts with: human, mouse, rat               | WB                     |
| Anti-Aquaporin 0/MIP Antibody                    | BPAB267  | Lens fiber major intrinsic protein                            | Reacts with: mousePredicted to work with: h  | WB                     |
| Anti-Aquaporin 0/MIP Antibody                    | BPAB268  | Lens fiber major intrinsic protein                            | Reacts with: ratPredicted to work with: hum  | WB                     |
| Anti-Aquaporin 1/AQP1 Antibody                   | BPAB269  | Aquaporin-1(AQP-1)  | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM |
| Anti-Aquaporin 1/AQP1 Antibody                   | BPAB270  | Aquaporin-1   | Reacts with: human, mouse, rat               | WB,IHC-P               |
| Anti-Aquaporin 10/AQP10 Antibody                 | BPAB271  | Aquaporin-10  | Reacts with: human                           | WB                     |
| Anti-Aquaporin 2/AQP2 Antibody                   | BPAB272  | Aquaporin-2(AQP-2)  | Reacts with: human, ratPredicted to work wi  | WB,IHC-P,IHC-F         |
| Anti-Aquaporin 2/AQP2 Antibody                   | BPAB273  | Aquaporin-2   | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM |
| Anti-Aquaporin 3/AQP3 Antibody                   | BPAB274  | Aquaporin-3   | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM |
| Anti-Aquaporin 3/Aqp3 Antibody                   | BPAB275  | Aquaporin-3   | Reacts with: mouse, rat Predicted to work wi | WB                     |
| Anti-Aquaporin 4/AQP4 Antibody                   | BPAB276  | Aquaporin-4(AQP-4)  | Reacts with: human, ratPredicted to work wi  | WB                     |
| Anti-Aquaporin 4/AQP4 Antibody                   | BPAB277  | Aquaporin-4   | Reacts with: human, ratPredicted to work wi  | WB,IHC-P               |
| Anti-Aquaporin 4/AQP4 Antibody                   | BPAB278  | Aquaporin-4   | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F         |
| Anti-Aquaporin 5/AQP5 Antibody                   | BPAB279  | Aquaporin-5(AQP-5)  | Reacts with: ratPredicted to work with: mou  | WB,IHC-P               |
| Anti-Aquaporin 5/AQP5 Antibody                   | BPAB280  | Aquaporin-5(AQP-5)  | Reacts with: human                           | WB                     |
| Anti-Aquaporin 5/AQP5 Antibody                   | BPAB281  | Aquaporin-5   | Reacts with: human, mouse, rat               | WB,IHC-P               |
| Anti-Aquaporin 6/AQP6 Antibody                   | BPAB282  | Aquaporin-6   | Reacts with: human                           | WB,IHC-P               |
| Anti-Aquaporin 6/AQP6 Antibody                   | BPAB283  | Aquaporin-6   | Reacts with: human, mouse, rat               | WB,IHC-P               |
| Anti-Aquaporin 7/AQP7 Antibody                   | BPAB284  | Aquaporin-7   | Reacts with: human                           | WB                     |
| Anti-Aquaporin 8/AQP8 Antibody                   | BPAB285  | Aquaporin-8(AQP-8)  | Reacts with: human                           | WB                     |
| Anti-Aquaporin 9/AQP9 Antibody                   | BPAB286  | Aquaporin-9   | Reacts with: mouse                           | WB                     |
| Anti-Aquaporin 9/AQP9 Antibody                   | BPAB287  | Aquaporin-9   | Reacts with: human, mouse, rat               | WB                     |
| Anti-ARA9/AIP Antibody                           | BPAB288  | AH receptor-interacting protein                               | Reacts with: human                           | WB                     |
| Anti-ARA9/AIP Antibody (monoclonal, 10G8)        | BPAB289  | AH receptor-interacting protein                               | Reacts with: human, mouse, rat, monkey       | WB,IHC-P,ICC/IF,FCM    |
| Anti-Arc Antibody                                | BPAB290  | Activity-regulated cytoskeleton-associated protein            | Reacts with: human, ratPredicted to work wi  | WB                     |
| Anti-Arc Antibody                                | BPAB291  | Activity-regulated cytoskeleton-associated protein            | Reacts with: human, mouse, rat               | WB                     |
| Anti-ARAF Antibody                               | BPAB3780 | Serine/threonine-protein kinase A-Raf                         | Reacts with: human, mouse, rat               | WB,Direct ELISA        |
| Anti-AREB6/ZEB1 Antibody                         | BPAB292  | Zinc finger E-box-binding homeobox 1                          | Reacts with: humanPredicted to work with: r  | WB                     |
| Anti-ARF6 Antibody                               | BPAB294  | ADP-ribosylation factor 6                                     | Reacts with: human, mouse, rat               | WB                     |
| Anti-ARFGAP1 Antibody                            | BPAB295  | ADP-ribosylation factor GTPase-activating protein 1           | Reacts with: human, mouse, rat               | WB                     |
| Anti-Arg2 Antibody                               | BPAB296  | Arginase-2, mitochondrial                                     | Reacts with: human, ratPredicted to work wi  | WB,IHC-P               |
| Anti-Argonaute 4/AGO4 Antibody                   | BPAB297  | Protein argonaute-4   | Reacts with: human, rat                      | WB                     |
| Anti-ARHGEF1 Antibody                            | BPAB298  | Rho guanine nucleotide exchange factor 1                      | Reacts with: human, mouse, rat               | WB,IHC-P               |
|  | BPAB299  |   |  |                        |
| Anti-ARID1A Antibody                             | BPAB300  | AT-rich interactive domain-containing protein 1A              | Reacts with: human                           | WB                     |
| Anti-ARID2 Antibody                              | BPAB3781 | AT-rich interactive domain-containing protein 2               | Reacts with: human, mouse, rat               | WB,IHC-P               |
| Anti-ARNTL2 Antibody                             | BPAB301  | Aryl hydrocarbon receptor nuclear translocator-like protein 2 | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA  |
| Anti-ARP2/3 subunit 1B/ARPC1B Antibody           | BPAB3782 | Actin-related protein 2/3 complex subunit 1B                  | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA  |
| Anti-Aromatase/CYP19A1 Antibody                  | BPAB303  | Aromatase   | Reacts with: human                           | WB,IHC-P               |
| Anti-Aromatase/CYP19A1 Antibody                  | BPAB305  | Aromatase   | Reacts with: rat                             | WB,IHC-P               |

|   |          |   |  |                                     |
|---|----------|---|--|-------------------------------------|
| Anti-Aromatase/CYP19A1 Antibody               | BPAB306  | Aromatase   | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA               |
| Anti-ARSA Antibody                            | BPAB307  | Arylsulfatase A   | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-ARSA Antibody (monoclonal, 4C10)         | BPAB308  | Arylsulfatase A   | Reacts with: human                           | WB,IHC-F,ICC,FCM                    |
| Anti-Aryl hydrocarbon Receptor/AHR Antibody   | BPAB309  | Aryl hydrocarbon receptor   | Tested Species: In-house tested species with | WB                                  |
| Anti-Aryl hydrocarbon Receptor/AHR Antibody   | BPAB310  | Aryl hydrocarbon receptor   | Reacts with: mouse                           | WB,IHC-P                            |
| Anti-Aryl hydrocarbon Receptor/AHR Antibody   | BPAB311  | Aryl hydrocarbon receptor   | Reacts with: mouse, rat                      | WB                                  |
| Anti-ASIC3 Antibody                           | BPAB312  | Acid-sensing ion channel 3  | Reacts with: human, mouse, rat               | WB,IHC-F,ICC,FCM                    |
| Anti-Aspartate beta hydroxylase/ASPH Antibody | BPAB313  | Aspartyl/asparaginyl beta-hydroxylase                             | Reacts with: human, mouse, rat               | WB,IHC-P,ICC                        |
| Anti-ASXL1 Antibody                           | BPAB314  | Putative Polycomb group protein ASXL1                             | Reacts with: human, mouse, rat               | WB                                  |
|   | BPAB315  |   |  |                                     |
| Anti-Ataxin 1/ATXN1 Antibody                  | BPAB316  | Ataxin-1  | Reacts with: human                           | WB,IHC-P,IHC-F,ICC,FCM              |
|   | BPAB317  |   |  |                                     |
| Anti-Ataxin 3/ATXN3 Antibody                  | BPAB318  | Ataxin-3  | Reacts with: human, rat                      | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-ATF1 Antibody                            | BPAB319  | Cyclic AMP-dependent transcription factor ATF-1                   | Reacts with: human, rat                      | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-ATF2 Antibody                            | BPAB320  | Cyclic AMP-dependent transcription factor ATF-2                   | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-ATF4 Antibody                            | BPAB321  | Cyclic AMP-dependent transcription factor ATF-4(cAMP-dependent tr | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-ATF4 Antibody                            | BPAB322  | Cyclic AMP-dependent transcription factor ATF-4                   | Reacts with: human                           | WB                                  |
| Anti-ATF4 Antibody                            | BPAB323  | Cyclic AMP-dependent transcription factor ATF-4                   | Reacts with: human                           | WB,IHC-P                            |
|   | BPAB324  |   |  |                                     |
| Anti-ATF6 Antibody                            | BPAB325  | Cyclic AMP-dependent transcription factor ATF-6 alpha             | Reacts with: humanPredicted to work with: r  | WB                                  |
| Anti-ATF6 Antibody                            | BPAB326  | Cyclic AMP-dependent transcription factor ATF-6 alpha             | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-ATG14L?Antibody                          | BPAB327  | Beclin 1-associated autophagy-related key regulator               | Reacts with: human, rat                      | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-ATM Antibody                             | BPAB328  | Serine-protein kinase ATM   | Reacts with: human                           | WB                                  |
| Anti-ATM Antibody                             | BPAB329  | Serine-protein kinase ATM   | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-ATP citrate lyase/ACLY Antibody          | BPAB330  | ATP-citrate synthase  | Reacts with: human, rat                      | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-ATP5G1,2,3/ATP5MC1,2,3 Antibody          | BPAB3783 | ATP synthase F(0) complex subunit C1,2,3, mitochondrial           | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA |
| Anti-ATP5H Antibody                           | BPAB331  | ATP synthase subunit d, mitochondrial                             | Reacts with: human, mouse, rat               | WB,IHC-P,ICC                        |
| Anti-ATP5J Antibody                           | BPAB333  | ATP synthase-coupling factor 6, mitochondrial(ATPase subunit F6)  | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-ATP7b Antibody                           | BPAB334  | Copper-transporting ATPase 2                                      | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-ATP7b Antibody                           | BPAB335  | Copper-transporting ATPase 2                                      | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-ATTY/TAT Antibody                        | BPAB336  | Tyrosine aminotransferase   | Reacts with: human, mouse, rat               | WB                                  |
| Anti-ATX2/ATXN2 Antibody                      | BPAB337  | Ataxin-2  | Reacts with: human, ratPredicted to work wi  | WB,IHC-F,ICC,FCM                    |
| Anti-ATX2/ATXN2 Antibody                      | BPAB338  | Ataxin-2  | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-Aurora A/AURKA Antibody                  | BPAB339  | Aurora kinase A   | Reacts with: mousePredicted to work with: r  | WB                                  |
| Anti-Aurora B/AURKB Antibody                  | BPAB340  | Aurora kinase B   | Reacts with: ratPredicted to work with: mou  | WB                                  |
| Anti-AVPR1A Antibody                          | BPAB341  | Vasopressin V1a receptor  | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-B MyB/MYBL2 Antibody                     | BPAB342  | Myb-related protein B   | Reacts with: human, ratPredicted to work wi  | WB,IHC-P,ICC                        |
| Anti-B Raf/BRAF Antibody                      | BPAB343  | Serine/threonine-protein kinase B-raf                             | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-B Raf/BRAF Antibody                      | BPAB344  | Serine/threonine-protein kinase B-raf                             | Reacts with: human, mouse, rat               | WB                                  |
| Anti-B3GNT8 Antibody                          | BPAB345  | UDP-GlcNAc:betaGal beta-1,3-N-acetylglucosaminyltransferase 8     | Reacts with: human                           | WB,IHC-P                            |
| Anti-B7 DC/PDCD1LG2 Antibody                  | BPAB346  | Programmed cell death 1 ligand 2                                  | Reacts with: human                           | WB                                  |
| Anti-BAFF Receptor/TNFRSF13C Antibody         | BPAB347  | Tumor necrosis factor receptor superfamily member 13C             | Reacts with: human                           | WB                                  |
| Anti-BAFF Receptor/TNFRSF13C Antibody         | BPAB348  | Tumor necrosis factor receptor superfamily member 13C             | Reacts with: human, mouse, rat               | WB,Direct ELISA                     |
| Anti-BAFF Receptor/Tnfrsf13c Antibody         | BPAB349  | Tumor necrosis factor receptor superfamily member 13C             | Reacts with: mouse, rat                      | WB,Direct ELISA                     |
| Anti-BAFF/TNFSF13B Antibody                   | BPAB350  | Tumor necrosis factor ligand superfamily member 13B               | Reacts with: human, mousePredicted to wor    | WB,IHC-P                            |
| Anti-BAFF/TNFSF13B Antibody                   | BPAB351  | Tumor necrosis factor ligand superfamily member 13B               | Reacts with: human, mouse, rat               | WB                                  |
| Anti-Bag1 Antibody                            | BPAB352  | BAG family molecular chaperone regulator 1(BAG-1)                 | Reacts with: human, ratPredicted to work wi  | WB,IHC-P,ICC                        |
| Anti-Bag1 Antibody                            | BPAB353  | BAG family molecular chaperone regulator 1                        | Reacts with: mouse, ratPredicted to work wi  | WB,IHC-P                            |
| Anti-BAG2 Antibody                            | BPAB354  | BAG family molecular chaperone regulator 2                        | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-BAG2 Antibody                            | BPAB355  | BAG family molecular chaperone regulator 2                        | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-Bag3 Antibody                            | BPAB356  | BAG family molecular chaperone regulator 3                        | Reacts with: humanPredicted to work with: r  | WB,IHC-P                            |

|   |          |  |  |                                     |
|---|----------|--|--|-------------------------------------|
| Anti-Bag3 Antibody                                  | BPAB357  | BAG family molecular chaperone regulator 3                         | Reacts with: human, rat                      | WB,IHC-P                            |
| Anti-Bag5 Antibody                                  | BPAB358  | BAG family molecular chaperone regulator 5                         | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                            |
| Anti-Bag5 Antibody                                  | BPAB359  | BAG family molecular chaperone regulator 5                         | Reacts with: human, mouse, rat               | WB                                  |
|   | BPAB360  |  |  |                                     |
| Anti-BAK/BAK1 Antibody                              | BPAB361  | Bcl-2 homologous antagonist/killer                                 | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC                  |
| Anti-Band 3/SLC4A1 Antibody                         | BPAB362  | Band 3 anion transport protein                                     | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F                      |
| Anti-BAP1 Antibody                                  | BPAB363  | Ubiquitin carboxyl-terminal hydrolase BAP1                         | Reacts with: human, mouse, rat               | WB,Direct ELISA                     |
| Anti-BAP1 Antibody (monoclonal, 3C11)               | BPAB364  | Ubiquitin carboxyl-terminal hydrolase BAP1                         | Human  | WB                                  |
| Anti-BAT3/BAG6 Antibody                             | BPAB365  | Large proline-rich protein BAG6                                    | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA |
|   | BPAB366  |  |  |                                     |
| Anti-Bax Antibody                                   | BPAB367  | Apoptosis regulator BAX  | Reacts with: human, ratPredicted to work wi  | WB,IHC-F,ICC,FCM                    |
| Anti-Bax Antibody                                   | BPAB368  | Apoptosis regulator BAX  | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM              |
|   | BPAB369  |  |  |                                     |
| Anti-BCA1/CXCL13 Antibody                           | BPAB370  | C-X-C motif chemokine 13   | Reacts with: human                           | WB,ELISA(Cap)                       |
| Anti-BCA1/CXCL13 Antibody                           | BPAB371  | C-X-C motif chemokine 13   | Reacts with: mouse                           | WB,IHC-P,ELISA                      |
| Anti-BCAR3 Antibody                                 | BPAB372  | Breast cancer anti-estrogen resistance protein 3                   | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-BCAT1 Antibody                                 | BPAB373  | Branched-chain-amino-acid aminotransferase, cytosolic(BCAT(c))     | Reacts with: human                           | WB,IHC-P                            |
| Anti-BCAT2 Antibody                                 | BPAB374  | Branched-chain-amino-acid aminotransferase, mitochondrial(BCAT(m)) | Reacts with: human                           | WB,IHC-P                            |
| Anti-Bcl-2 Antibody (monoclonal, Bcl-2-100)         | BPAB375  | Apoptosis regulator Bcl-2  | Human  | WB,IHC-P,IHC-F,ICC                  |
| Anti-Bcl-2/BCL2 Antibody                            | BPAB376  | Apoptosis regulator Bcl-2  | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-Bcl-2/BCL2 Antibody                            | BPAB377  | Apoptosis regulator Bcl-2  | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA               |
| Anti-Bcl-X/BCL2L1 Antibody                          | BPAB378  | Bcl-2-like protein 1   | Reacts with: human                           | WB,IHC-F,ICC,FCM                    |
| Anti-Bcl-XL/BCL2L1 Antibody                         | BPAB379  | Bcl-2-like protein 1   | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-Bcl-XS/BCL2L1 Antibody                         | BPAB380  | Bcl-2-like protein 1(Bcl2-L-1)                                     | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                            |
| Anti-Bcl10 Antibody                                 | BPAB381  | B-cell lymphoma/leukemia 10  | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-Bcl10 Antibody                                 | BPAB382  | B-cell lymphoma/leukemia 10  | Reacts with: human, rat                      | WB                                  |
| Anti-Bcl2 alpha Antibody                            | BPAB383  | Apoptosis regulator Bcl-2  | Reacts with: human                           | WB,ELISA                            |
| Anti-Bcl2A1 Antibody                                | BPAB384  | Bcl-2-related protein A1   | Reacts with: human                           | WB                                  |
|   | BPAB385  |  |  |                                     |
| Anti-Bcl2L2 Antibody                                | BPAB386  | Bcl-2-like protein 2(Bcl2-L-2)                                     | Reacts with: humanPredicted to work with: r  | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-Bcl3/BCL3 Antibody                             | BPAB387  | B-cell lymphoma 3 protein(BCL-3)                                   | Reacts with: human                           | WB,IHC-P                            |
|   | BPAB388  |  |  |                                     |
| Anti-BCL6 Antibody                                  | BPAB389  | B-cell lymphoma 6 protein  | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-BCL9L Antibody                                 | BPAB3784 | B-cell CLL/lymphoma 9-like protein                                 | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA               |
| Anti-BCMA/TNFRSF17 Antibody                         | BPAB390  | Tumor necrosis factor receptor superfamily member 17               | Reacts with: human                           | WB,IHC-P,ELISA(Cap)                 |
| Anti-BCMA/Tnfrsf17 Antibody                         | BPAB392  | Tumor necrosis factor receptor superfamily member 17               | Reacts with: mouse, rat                      | WB,ELISA(Cap)                       |
| Anti-BCMA/Tnfrsf17 Antibody                         | BPAB393  | TNF receptor superfamily member 17                                 | Reacts with: mouse, rat                      | WB,Direct ELISA                     |
| Anti-Bcr Antibody                                   | BPAB394  | Breakpoint cluster region protein                                  | Reacts with: human, mouse, rat               | WB                                  |
| Anti-BCRP/ABCG2 Antibody                            | BPAB395  | ATP-binding cassette sub-family G member 2                         | Reacts with: human                           | WB                                  |
| Anti-BCRP/ABCG2 Antibody                            | BPAB396  | ATP-binding cassette sub-family G member 2                         | Reacts with: mouse, rat                      | WB                                  |
| Anti-BCRP/ABCG2 Antibody                            | BPAB397  | ATP-binding cassette sub-family G member 2                         | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-BDKRB2 Antibody                                | BPAB398  | B2 bradykinin receptor   | Reacts with: human                           | WB                                  |
| Anti-BDNF Antibody                                  | BPAB399  | Brain-derived neurotrophic factor(BDNF)                            | Reacts with: human, mouse, rat               | WB                                  |
| Anti-BDNF Antibody                                  | BPAB400  | Brain-derived neurotrophic factor                                  | Reacts with: mouse, ratPredicted to work wit | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-Beclin 1/BECN1 Antibody                        | BPAB401  | Beclin-1   | Reacts with: humanPredicted to work with: r  | WB                                  |
| Anti-Beclin 1/BECN1 Antibody                        | BPAB402  | Beclin-1   | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-Bestrophin/BEST1 Antibody                      | BPAB403  | Bestrophin-1   | Reacts with: human                           | WB,IHC-F,ICC,FCM                    |
| Anti-beta 2 Adrenergic Receptor?/ADRB2 Antibody     | BPAB404  | Beta-2 adrenergic receptor   | Reacts with: ratPredicted to work with: humi | WB                                  |
|   | BPAB405  |  |  |                                     |
| Anti-Beta 2 Microglobulin Antibody (monoclonal, 2H: | BPAB406  | Beta-2-microglobulin   | Reacts with: human, monkey                   | WB,IHC-P,FCM                        |
| Anti-Beta 2 Microglobulin/B2M Antibody              | BPAB407  | Beta-2-microglobulin   | Reacts with: human                           | WB,IHC-P,IHC-F,ICC/IF,FCM           |



|  |          |   |   |  |
|--|----------|---|---|--|
|  | BPAB408  |   |   |  |
| Anti-beta Amyloid/APP Antibody                   | BPAB409  | Amyloid beta A4 protein                                       | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC/IF,FCM              |
| Anti-beta Arrestin 1/ARRB1 Antibody              | BPAB410  | Beta-arrestin-1   | Reacts with: human, ratPredicted to work wi | WB,IHC-P                               |
| Anti-Beta Arrestin 2/ARRB2 Antibody              | BPAB411  | Beta-arrestin-2   | Reacts with: human, ratPredicted to work wi | WB,IHC-P                               |
| Anti-beta Catenin Antibody (monoclonal, 1F6)     | BPAB412  | Catenin beta-1  | Reacts with: human, mouse, rat              | WB,IHC-P,ICC,FCM                       |
| Anti-beta Catenin/CTNNB1 Antibody                | BPAB413  | Catenin beta-1  | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC                     |
| Anti-beta Catenin/CTNNB1 Antibody                | BPAB414  | Catenin beta-1  | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC                     |
| Anti-beta Catenin/CTNNB1 Antibody                | BPAB415  | Catenin beta-1  | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC/IF,FCM,Direct ELISA |
| Anti-beta Defensin 1/DEFB1 Antibody              | BPAB416  | Beta-defensin 1(BD-1/hBD-1)                                   | Reacts with: human                          | WB,IHC-P                               |
| Anti-beta glucuronidase (GUSB) Antibody          | BPAB417  | Beta-glucuronidase  | Reacts with: human                          | WB                                     |
| Anti-Beta Tubulin/TUBB Antibody                  | BPAB418  | Tubulin beta chain  | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-beta-Actin Antibody (monoclonal, AC-15)     | BPAB419  | Actin, cytoplasmic 1  | Human, mouse, rat                           | WB,IHC-P                               |
|  | BPAB420  |   |   |  |
| Anti-beta-HCG Antibody (monoclonal, PC-2)        | BPAB421  | Choriogonadotropin subunit beta                               | Human                                       | IHC-P                                  |
| Anti-beta-Tubulin Antibody (monoclonal, TUB 2.1) | BPAB422  |   | Human, mouse, rat                           | WB,IHC-P                               |
| Anti-Betacellulin/Btc Antibody                   | BPAB423  | Betacellulin  | Reacts with: mouse, rat                     | WB,IHC-P,Direct ELISA                  |
| Anti-BHC80/PHF21A Antibody                       | BPAB3849 | PHD finger protein 21A  | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA                  |
| Anti-Bid Antibody                                | BPAB424  | BH3-interacting domain death agonist                          | Reacts with: mouse, rat                     | WB,IHC-P                               |
| Anti-Bid Antibody                                | BPAB426  | BH3-interacting domain death agonist                          | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM                 |
| Anti-Bid Antibody                                | BPAB427  | BH3-interacting domain death agonist                          | Reacts with: mouse, rat                     | WB,IHC-P                               |
| Anti-Bik Antibody                                | BPAB428  | Bcl-2-interacting killer                                      | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM                 |
| Anti-Bikunin/AMBP Antibody                       | BPAB429  | Inter-alpha-trypsin inhibitor light chain                     | Reacts with: human, mouse, rat              | WB,Direct ELISA                        |
| Anti-Bile Acid Receptor NR1H4 Antibody           | BPAB430  | Bile acid receptor  | Species Reacts with: human, mouse           | WB                                     |
| Anti-BIN1 Antibody (monoclonal, 99D)             | BPAB431  | Myc box-dependent-interacting protein 1                       | Human, mouse, rat                           | WB,IHC-F,ICC                           |
| Anti-BMAL1/ARNTL Antibody                        | BPAB432  | Aryl hydrocarbon receptor nuclear translocator-like protein 1 | Reacts with: human                          | WB                                     |
| Anti-Bmi1 Antibody                               | BPAB433  | Polycomb complex protein BMI-1                                | Reacts with: human                          | WB                                     |
| Anti-Bmi1 Antibody                               | BPAB434  | Polycomb complex protein BMI-1                                | Reacts with: human, mouse, rat              | WB                                     |
| Anti-BMP15 Antibody                              | BPAB435  | Bone morphogenetic protein 15                                 | Reacts with: human                          | WB                                     |
| Anti-BMP15 Antibody                              | BPAB436  | Bone morphogenetic protein 15                                 | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-BMP2 Antibody                               | BPAB437  | Bone morphogenetic protein 2                                  | Reacts with: human, rat                     | WB,IHC-P,ELISA                         |
| Anti-BMP4 Antibody                               | BPAB438  | Bone morphogenetic protein 4                                  | Reacts with: human, mouse                   | WB,ELISA                               |
| Anti-BMP4 Antibody                               | BPAB439  | Bone morphogenetic protein 4                                  | Reacts with: human, mouse, rat              | WB,ELISA(Cap)                          |
| Anti-BMP5 Antibody                               | BPAB440  | Bone morphogenetic protein 5                                  | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM,ELISA           |
| Anti-BMP6 Antibody                               | BPAB441  | Bone morphogenetic protein 6                                  | Reacts with: human                          | WB,IHC-F,ICC,FCM,ELISA                 |
|  | BPAB442  |   |   |  |
| Anti-BMPR1B Antibody                             | BPAB443  | Bone morphogenetic protein receptor type-1B                   | Reacts with: humanPredicted to work with: r | WB                                     |
| Anti-BMPR1B Antibody                             | BPAB444  | Bone morphogenetic protein receptor type-1B                   | Reacts with: human                          | WB,IHC-P                               |
| Anti-BMPR2 Antibody                              | BPAB445  | Bone morphogenetic protein receptor type-2                    | Reacts with: human, mouse, rat              | WB,Direct ELISA                        |
| Anti-BNIP3 Antibody                              | BPAB446  | BCL2/adenovirus E1B 19 kDa protein-interacting protein 3      | Reacts with: humanPredicted to work with: r | WB                                     |
| Anti-BNIP3 Antibody                              | BPAB447  | BCL2/adenovirus E1B 19 kDa protein-interacting protein 3      | Reacts with: human, mouse, rat              | WB                                     |
| Anti-BNP/NPPB Antibody                           | BPAB448  | Natriuretic peptides B  | Reacts with: human, mouse                   | WB,Direct ELISA                        |
| Anti-BOB1/POU2AF1 Antibody                       | BPAB449  | POU domain class 2-associating factor 1                       | Reacts with: mouse, rat                     | WB,IHC-P                               |
| Anti-BOC Antibody                                | BPAB450  | Brother of CDO  | Reacts with: mousePredicted to work with: r | WB                                     |
| Anti-Bone Sialoprotein/IBSP Antibody             | BPAB451  | Bone sialoprotein 2   | Reacts with: human, ratPredicted to work wi | WB,IHC-P                               |
| Anti-Bone Sialoprotein/IBSP Antibody             | BPAB452  | Bone sialoprotein 2   | Reacts with: mouse, rat                     | WB,IHC-P                               |
| Anti-Bonzo/CXCR6 Antibody                        | BPAB453  | C-X-C chemokine receptor type 6                               | Reacts with: human                          | WB,IHC-P                               |
| Anti-Bonzo/CXCR6 Antibody                        | BPAB454  | C-X-C chemokine receptor type 6                               | Reacts with: mouse, rat                     | WB,IHC-P                               |
| Anti-BRCA1 Antibody                              | BPAB455  | Breast cancer type 1 susceptibility protein                   | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-BRCA1 Antibody                              | BPAB456  | Breast cancer type 1 susceptibility protein                   | Reacts with: human                          | WB                                     |
| Anti-BRCA2 Antibody                              | BPAB457  | Breast cancer type 2 susceptibility protein                   | Human, Mouse, Rat. No cross reactivity with | WB                                     |
| Anti-BRD7 Antibody                               | BPAB458  | Bromodomain-containing protein 7                              | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA                  |

|   |          |   |  |                               |
|---|----------|---|--|-------------------------------|
| Anti-BRG1/SMARCA4 Antibody                          | BPAB459  | Transcription activator BRG1  | Reacts with: human, mouse, rat               | WB,IHC-P,ICC/IF,Direct ELISA  |
| Anti-BRMS1 Antibody                                 | BPAB460  | Breast cancer metastasis-suppressor 1                                   | Reacts with: human, mouse, rat               | WB                            |
| Anti-BRMS1 Antibody                                 | BPAB461  | Breast cancer metastasis-suppressor 1                                   | Reacts with: human, mouse, rat               | WB                            |
| Anti-BRN3A/POU4F1 Antibody                          | BPAB462  | POU domain, class 4, transcription factor 1                             | Reacts with: human, mouse, rat               | WB,Direct ELISA               |
| Anti-BTC Antibody                                   | BPAB463  | Probetacellulin   | Reacts with: human                           | WB,IHC-P,ELISA(Cap)           |
| Anti-BTG2 Antibody                                  | BPAB464  | Protein BTG2  | Reacts with: human, mouse, rat               | WB,IHC-F,ICC,FCM              |
| Anti-BTK Antibody                                   | BPAB465  | Tyrosine-protein kinase BTK   | Reacts with: human, mouse, rat               | WB,IHC-P                      |
| Anti-Bub1 Antibody                                  | BPAB466  | Mitotic checkpoint serine/threonine-protein kinase BUB1                 | Reacts with: human, mouse, rat               | WB                            |
| Anti-Bub3 Antibody                                  | BPAB467  | Mitotic checkpoint protein BUB3   | Reacts with: human, ratPredicted to work wi  | WB,IHC-P,IHC-F,ICC            |
| Anti-Butyrylcholinesterase/BCHE Antibody            | BPAB468  | Cholinesterase  | Reacts with: mouse                           | WB                            |
| Anti-c Abl/ABL1 Antibody                            | BPAB469  | Tyrosine-protein kinase ABL1  | Reacts with: human, rat                      | WB                            |
| Anti-C Reactive Protein/CRP Antibody                | BPAB470  | C-reactive protein  | Reacts with: human                           | WB                            |
| Anti-C Reactive Protein/Crp Antibody                | BPAB471  | C-reactive protein  | Reacts with: mouse, rat                      | WB,IHC-P,ELISA                |
| Anti-C Reactive Protein/Crp Antibody                | BPAB472  | C-reactive protein  | Reacts with: rat                             | WB,IHC-P,Direct ELISA         |
| Anti-C Reactive Protein/CRP Antibody                | BPAB473  | C-reactive protein  | Reacts with: human, mouse                    | WB,IHC-P                      |
| Anti-c-Fos Antibody                                 | BPAB474  | Proto-oncogene c-Fos  | Reacts with: human, ratPredicted to work wi  | WB                            |
| Anti-c-Kit Antibody                                 | BPAB475  | Mast/stem cell growth factor receptor Kit                               | Reacts with: human                           | WB,IHC-P,IHC-F,ICC,FCM        |
| Anti-c-Myb Antibody                                 | BPAB476  | Transcriptional activator Myb   | Reacts with: human                           | WB                            |
| Anti-c-Myc Antibody                                 | BPAB477  | Myc proto-oncogene protein  | Reacts with: humanPredicted to work with: r  | WB                            |
| Anti-c-Myc Antibody                                 | BPAB478  | Myc proto-oncogene protein  | Reacts with: human, mouse, rat               | WB,IHC-P                      |
| Anti-c-Myc Antibody (monoclonal, 9E10)              | BPAB479  | Myc proto-oncogene protein  | Human  | WB,IHC-P,ICC                  |
| Anti-c-Rel Antibody                                 | BPAB480  | Proto-oncogene c-Rel  | Reacts with: human, mouse, rat               | WB,IHC-P                      |
| Anti-C19orf80/ANGPTL8 Antibody                      | BPAB481  | Angiopoietin-like protein 8   | Reacts with: human                           | WB                            |
| Anti-C4A Antibody                                   | BPAB482  | Complement C4-A   | Reacts with: human, mouse, rat               | WB                            |
| Anti-C5/C5a Antibody                                | BPAB483  | Complement C5   | Reacts with: mouse, rat                      | WB,IHC-P                      |
|   | BPAB484  |   |  |                               |
| Anti-C5/C5a Antibody                                | BPAB485  | Complement C5   | Reacts with: rat                             | WB,IHC-P                      |
| Anti-CA2 Antibody (monoclonal, 10E11)               | BPAB486  | Carbonic anhydrase 2  | Reacts with: human, mouse, rat               | WB,IHC-P                      |
| Anti-CACNA1A Antibody                               | BPAB487  | Voltage-dependent P/Q-type calcium channel subunit alpha-1A             | Reacts with: ratPredicted to work with: humi | WB,IHC-F,ICC,FCM              |
| Anti-CACNA1C Antibody                               | BPAB488  | Voltage-dependent L-type calcium channel subunit alpha-1C               | Reacts with: mouse, ratPredicted to work wit | WB,IHC-F,ICC,FCM              |
|   | BPAB489  |   |  |                               |
| Anti-CACNA2D2 Antibody                              | BPAB490  | Voltage-dependent calcium channel subunit alpha-2/delta-2               | Reacts with: human, mouse, rat               | WB,IHC-F,ICC,FCM,Direct ELISA |
| Anti-CAD/CAD Antibody                               | BPAB491  | CAD protein   | Reacts with: human, mouse                    | WB,Direct ELISA               |
| Anti-Cadherin R/CDH4 Antibody                       | BPAB3787 | Cadherin-4  | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA         |
| Anti-Calbindin-D Antibody (monoclonal, CB-955)      | BPAB492  | Calbindin   | Human, bovine, mouse, rat                    | WB,IHC-P                      |
| Anti-Calbindin/CALB1 Antibody                       | BPAB494  | Calbindin   | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM        |
| Anti-Calbindin/CALB1 Antibody                       | BPAB495  | Calbindin   | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA         |
| Anti-Calcineurin A/PPP3CA Antibody                  | BPAB496  | Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform | Reacts with: human                           | WB                            |
| Anti-Calcineurin alpha Antibody (monoclonal, CN-A1) | BPAB497  | Calcineurin subunit B type 1  | Human, bovine, rat                           | WB,IHC-P                      |
| Anti-Calcitonin/CALCA Antibody                      | BPAB498  | Calcitonin gene-related peptide 1                                       | Reacts with: human                           | IHC-P                         |
| Anti-Calcitonin/CALCA Antibody                      | BPAB499  | Calcitonin gene-related peptide 1                                       | Reacts with: mouse, rat                      | IHC-P                         |
| Anti-Calcitonin/Calca Antibody                      | BPAB500  | Calcitonin  | Reacts with: human, mouse, rat               | IHC-P                         |
| Anti-Calcium Sensing Receptor/CASR Antibody         | BPAB501  | Extracellular calcium-sensing receptor                                  | Reacts with: human, mouse, rat               | WB,IHC-P                      |
| Anti-Caldesmon(smooth) Antibody (monoclonal, hHC    | BPAB502  | Caldesmon   | Human, mouse, rabbit                         | WB,IHC-P                      |
| Anti-Caldesmon/CALD1 Antibody                       | BPAB503  | Caldesmon   | Reacts with: human, mouse, rat               | WB,IHC-P                      |
| Anti-Calmodulin Antibody (monoclonal, 6D4)          | BPAB504  | Calmodulin  | Chicken, rat                                 | WB                            |
| Anti-Calmodulin/CALM1/CALM2/CALM3 Antibody          | BPAB505  | Calmodulin(CaM)   | Reacts with: human, mouse, rat               | WB,IHC-P                      |
| Anti-Calpain 1/CAPN1 Antibody                       | BPAB506  | Calpain-1 catalytic subunit   | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC            |
| Anti-Calpain 1/CAPN1 Antibody                       | BPAB507  | Calpain-1 catalytic subunit   | Reacts with: human, mouse, rat               | WB,IHC-P                      |
| Anti-Calpain 2 Antibody (monoclonal, 8I6)           | BPAB508  | Calpain-2 catalytic subunit   | Reacts with: human, mouse, monkey            | WB,IHC-P,IF,FCM               |
| Anti-Calpain 2/CAPN2 Antibody                       | BPAB509  | Calpain-2 catalytic subunit   | Reacts with: human, mouse, rat               | WB,IHC-P                      |

|  |         |   |  |
|--|---------|---|--|
| Anti-Calpastatin/CAST Antibody               | BPAB510 |   |  |
| Anti-Calponin Antibody (monoclonal, CP-93)   | BPAB511 | Calpastatin   | Reacts with: human WB,IHC-P,IHC-F,ICC,FCM                          |
| Anti-Calponin/CNN1 Antibody                  | BPAB512 | Calponin-2  | Human, chicken, turkey WB,IHC-P,ICC                                |
| Anti-Calretinin/CALB2 Antibody               | BPAB513 | Calponin-1  | Reacts with: human, mouse, rat WB,IHC-P                            |
| Anti-Calretinin/CALB2 Antibody               | BPAB514 | Calretinin(CR)  | Reacts with: humanPredicted to work with: r WB,IHC-P               |
| Anti-Calretinin/CALB2 Antibody               | BPAB515 | Calretinin  | Reacts with: human, mouse, rat WB,IHC-P                            |
| Anti-CaMKII alpha/CAMK2A Antibody            | BPAB516 | Calcium/calmodulin-dependent protein kinase type II subunit alpha | Reacts with: human, mouse, rat WB,Direct ELISA                     |
| Anti-CaMKK/CAMKK1 Antibody                   | BPAB517 | Calcium/calmodulin-dependent protein kinase kinase 1(CaM-KK 1/Ca  | Reacts with: human, mouse, rat WB,IHC-P                            |
| Anti-CAMKK2 Antibody                         | BPAB518 | Calcium/calmodulin-dependent protein kinase kinase 2(CaM-KK 2/Ca  | Reacts with: human, mouse, rat WB,IHC-P,ICC                        |
| Anti-Cannabinoid Receptor I/CNR1 Antibody    | BPAB519 | Cannabinoid receptor 1  | Reacts with: human, mouse, rat WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA |
| Anti-CAP1 Antibody                           | BPAB520 | Adenylyl cyclase-associated protein 1                             | Reacts with: human, mouse, rat WB                                  |
| Anti-Carbonic Anhydrase I?/CA1 Antibody      | BPAB521 | Carbonic anhydrase 1  | Reacts with: human, rat WB,IHC-P                                   |
| Anti-Carbonic Anhydrase I/CA1 Antibody       | BPAB522 | Carbonic anhydrase 1  | Reacts with: human, rat WB   |
|  | BPAB523 |   |  |
| Anti-Carbonic Anhydrase II/CA2 Antibody      | BPAB524 | Carbonic anhydrase 2  | Reacts with: human, mouse, rat WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-Carbonic Anhydrase III/CA3 Antibody     | BPAB525 | Carbonic anhydrase 3  | Reacts with: human, ratPredicted to work wi WB,IHC-P               |
| Anti-Carbonic Anhydrase III/CA3 Antibody     | BPAB526 | Carbonic anhydrase 3  | Reacts with: human, mouse, rat WB,IHC-P                            |
| Anti-Carbonic Anhydrase IV/CA4 Antibody      | BPAB527 | Carbonic anhydrase 4  | Reacts with: mouse, ratPredicted to work wi WB                     |
| Anti-Carboxypeptidase A/CPA1 Antibody        | BPAB528 | Carboxypeptidase A1   | Reacts with: human, mouse, rat WB                                  |
| Anti-Carboxypeptidase B2/CPB2 Antibody       | BPAB529 | Carboxypeptidase B2   | Reacts with: human WB,IHC-P,ELISA                                  |
| Anti-Carboxypeptidase B2/CPB2 Antibody       | BPAB530 | Carboxypeptidase B2   | Reacts with: mouse WB  |
| Anti-Carboxypeptidase M/CPM Antibody         | BPAB531 | Carboxypeptidase M  | Reacts with: human WB,FCM  |
| Anti-CARD12/NLRC4 Antibody                   | BPAB532 | NLR family CARD domain-containing protein 4                       | Reacts with: human, mouse, rat WB                                  |
| Anti-CARD4/NOD1 Antibody                     | BPAB533 | Nucleotide-binding oligomerization domain-containing protein 1    | Reacts with: human, rat WB,IHC-P,ICC                               |
| Anti-Cardiac FABP Antibody (monoclonal, 6C4) | BPAB534 | Fatty acid-binding protein, heart                                 | Reacts with: mouse, rat WB,IHC-P,ELISA(Cap)                        |
| Anti-Cardiac FABP/FABP3 Antibody             | BPAB535 | Fatty acid-binding protein, heart                                 | Reacts with: human, mouse, rat WB,IHC-P,IHC-F                      |
| Anti-Cardiac FABP/FABP3 Antibody             | BPAB536 | Fatty acid-binding protein, heart                                 | Reacts with: mouse, ratPredicted to work wi WB,IHC-P               |
| Anti-Cardiac FABP/Fabp3 Antibody             | BPAB537 | Fatty acid-binding protein, heart                                 | Reacts with: human, mouse, rat WB,ELISA(Cap)                       |
| Anti-Cardiac FABP/FABP3 Antibody             | BPAB538 | Fatty acid-binding protein, heart                                 | Reacts with: human, mouse, rat WB,IHC-P,Direct ELISA               |
| Anti-cardiac Troponin C/TNNC1 Antibody       | BPAB539 | Troponin C, slow skeletal and cardiac muscles                     | Reacts with: human, ratPredicted to work wi WB,IHC-P               |
| Anti-Cardiac Troponin T/TNNT2 Antibody       | BPAB540 | Troponin T, cardiac muscle  | Reacts with: human, mouse, rat WB,Direct ELISA                     |
| Anti-CARS Antibody                           | BPAB541 | Cysteine--tRNA ligase, cytoplasmic                                | Reacts with: human, mouse, rat WB,Direct ELISA                     |
| Anti-Casein Kinase 1 alpha/CSNK1A1 Antibody  | BPAB542 | Casein kinase I isoform alpha                                     | Reacts with: human, mouse, rat WB,IHC-P                            |
| Anti-Caspase 3/CASP3 Antibody                | BPAB543 | Caspase-3(CASP-3)   | Reacts with: human, ratPredicted to work wi WB                     |
| Anti-Caspase 4/CASP4 Antibody                | BPAB544 | Caspase-4   | Reacts with: human WB,IHC-P  |
| Anti-Caspase 4/CASP4 Antibody                | BPAB545 | Caspase-4   | Reacts with: human WB,IHC-P,IHC-F,ICC,FCM,IF,Direct ELISA          |
| Anti-Caspase 4/Casp4 Antibody                | BPAB546 | Caspase-4   | Reacts with: human, mouse, rat WB,Direct ELISA                     |
| Anti-Caspase 8/CASP8 Antibody                | BPAB547 | Caspase-8   | Reacts with: human, mouse, rat WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-Caspase 8/CASP8 Antibody                | BPAB548 | Caspase-8   | Reacts with: human, mouse, rat WB,Direct ELISA                     |
| Anti-Caspase 9/CASP9 Antibody                | BPAB549 | Caspase-9(CASP-9)   | Reacts with: human WB,IHC-P  |
| Anti-Caspase-1(P10)/CASP1 Antibody           | BPAB550 | Caspase-1(CASP-1)   | Reacts with: human WB,IHC-P  |
| Anti-Caspase-1(P20)/CASP1 Antibody           | BPAB551 | Caspase-1(CASP-1)   | Reacts with: human WB,IHC-P  |
| Anti-Caspase-1(P20)/CASP1 Antibody           | BPAB552 | Caspase-1   | Reacts with: mouse, rat WB   |
| Anti-Caspase-10/CASP10 Antibody              | BPAB553 | Caspase-10(CASP-10)   | Reacts with: human WB,IHC-P  |
| Anti-Caspase-12/CASP12 Antibody              | BPAB554 | Inactive caspase-12   | Reacts with: human WB,IHC-P  |
| Anti-Caspase-14/CASP14 Antibody              | BPAB555 | Caspase-14  | Reacts with: human, mouse, rat WB,IHC-P                            |
| Anti-Caspase-2/CASP2 Antibody                | BPAB556 | Caspase-2(CASP-2)   | Reacts with: human, ratPredicted to work wi WB                     |
| Anti-Caspase-2/CASP2 Antibody                | BPAB557 | Caspase-2   | Reacts with: human, mouse, rat WB                                  |
| Anti-Caspase-2/CASP2 Antibody                | BPAB558 | Caspase-2   | Reacts with: human, mouse, rat WB,IHC-P,Direct ELISA               |
|  | BPAB559 |   |  |
| Anti-Caspase-3 (P10)/CASP3 Antibody          | BPAB560 | Caspase-3(CASP-3)   | Reacts with: human WB,IHC-P,ICC                                    |

|   |         |   |  |
|---|---------|---|--|
|   | BPAB561 |   |  |
| Anti-Caspase-3 Antibody (monoclonal, 15G8)            | BPAB562 | Caspase-3   | Reacts with: human WB,IHC-P                                    |
| Anti-Caspase-3 Antibody (monoclonal, 8B6)             | BPAB563 | Caspase-3   | Reacts with: human WB,IHC-P                                    |
| Anti-Caspase-3(P17)/CASP3 Antibody                    | BPAB564 | Caspase-3   | Reacts with: human WB  |
| Anti-Caspase-3(P17)/CASP3 Antibody                    | BPAB565 | Caspase-3   | Reacts with: ratPredicted to work with: mou WB,IHC-P           |
| Anti-Caspase-3/CASP3 Antibody                         | BPAB566 | Caspase-3   | Reacts with: human, mouse, rat WB,IHC-P,IHC-F,ICC,FCM          |
| Anti-Caspase-6(P18)/CASP6 Antibody                    | BPAB567 | Caspase-6(CASP-6)   | Reacts with: human WB,IHC-P                                    |
| Anti-Caspase-6(P18)/CASP6 Antibody                    | BPAB568 | Caspase-6   | Reacts with: mouse, rat WB,IHC-P,IHC-F                         |
| Anti-Caspase-6/CASP6 Antibody                         | BPAB569 | Caspase-6   | Reacts with: mouse, ratPredicted to work wi WB                 |
| Anti-Caspase-7(P11)/CASP7 Antibody                    | BPAB570 | Caspase-7(CASP-7)   | Reacts with: human, ratPredicted to work wi WB,IHC-P           |
| Anti-Caspase-7/CASP7 Antibody                         | BPAB571 | Caspase-7   | Reacts with: human, rat WB,IHC-P                               |
| Anti-Caspase-8 (P18)/CASP8 Antibody                   | BPAB572 | Caspase-8(CASP-8)   | Reacts with: human, ratPredicted to work wi WB                 |
| Anti-Caspase-8(P10)/CASP8 Antibody                    | BPAB573 | Caspase-8(CASP-8)   | Reacts with: human WB,IHC-P                                    |
| Anti-Caspase-8(p18)/CASP8 Antibody                    | BPAB574 | Caspase-8(CASP-8)   | Reacts with: human WB,IHC-P                                    |
| Anti-Caspase-8/CASP8 Antibody                         | BPAB575 | Caspase-8   | Reacts with: mouse WB  |
| Anti-Caspase-9/CASP9 Antibody                         | BPAB576 | Caspase-9   | Reacts with: human WB  |
| Anti-CASR Antibody (monoclonal, 11E9)                 | BPAB577 | Extracellular calcium-sensing receptor                    | Reacts with: human WB,IHC-P,IHC-F,ICC,FCM                      |
| Anti-CAT1/SLC7A1 Antibody                             | BPAB578 | High affinity cationic amino acid transporter 1           | Reacts with: human WB  |
| Anti-Catalase Antibody                                | BPAB579 | Catalase  | Reacts with: human, mouse, rat WB,IHC-P                        |
| Anti-Catenin gamma(Plakoglobin) Antibody (monoclonal) | BPAB580 | Junction plakoglobin                                      | Human, bovine WB,IHC-F,ICC                                     |
| Anti-Cathepsin B/CTSB Antibody                        | BPAB581 | Cathepsin B   | Reacts with: human WB  |
| Anti-Cathepsin D Antibody (monoclonal, CTD-19)        | BPAB582 | Cathepsin D   | Human WB,IHC-P   |
| Anti-Cathepsin D/CTSD Antibody                        | BPAB583 | Cathepsin D   | Reacts with: human WB,IHC-P                                    |
| Anti-Cathepsin D/CTSD Antibody                        | BPAB584 | Cathepsin D   | Reacts with: mouse, rat WB,IHC-P                               |
| Anti-Cathepsin D/CTSD Antibody                        | BPAB585 | Cathepsin D   | Reacts with: human WB,IHC-P,IHC-F,ICC,FCM                      |
| Anti-Cathepsin D/Ctsd Antibody                        | BPAB586 | Cathepsin D   | Reacts with: mouse, rat WB,Direct ELISA                        |
| Anti-Cathepsin E/CTSE Antibody                        | BPAB587 | Cathepsin E   | Reacts with: human, mouse, rat WB,IHC-P,ELISA(Cap)             |
| Anti-Cathepsin G/CTSG Antibody                        | BPAB588 | Cathepsin G   | Reacts with: ratPredicted to work with: hum WB                 |
| Anti-Cathepsin G/CTSG Antibody                        | BPAB589 | Cathepsin G   | Reacts with: mouse WB  |
| Anti-Cathepsin G/CTSG Antibody                        | BPAB590 | Cathepsin G   | Reacts with: human WB,IHC-P                                    |
| Anti-Cathepsin K/CTSK Antibody                        | BPAB591 | Cathepsin K   | Reacts with: human WB,IHC-P                                    |
| Anti-Cathepsin L Antibody (monoclonal, 33/2)          | BPAB592 | Cathepsin L1  | Human, mouse, rat WB,IHC-F                                     |
| Anti-CaV1.3/CACNA1D Antibody                          | BPAB593 | Voltage-dependent L-type calcium channel subunit alpha-1D | Reacts with: ratPredicted to work with: hum WB                 |
| Anti-CaV1.3/CACNA1D Antibody                          | BPAB594 | Voltage-dependent L-type calcium channel subunit alpha-1D | Reacts with: mouse, ratPredicted to work wi WB,IHC-F,ICC,FCM   |
| Anti-Caveolin-1/CAV1 Antibody                         | BPAB595 | Caveolin-1  | Reacts with: human, ratPredicted to work wi WB,IHC-P,IHC-F,ICC |
| Anti-Caveolin-1/CAV1 Antibody                         | BPAB596 | Caveolin-1  | Reacts with: human, mouse, rat WB,IHC-P,IHC-F,ICC,IF           |
| Anti-Caveolin-1/CAV1 Antibody (monoclonal, 12C7)      | BPAB597 | Caveolin-1  | Reacts with: human WB,IHC-P,IHC-F                              |
| Anti-Caveolin-2/CAV2 Antibody                         | BPAB598 | Caveolin-2  | Reacts with: human, ratPredicted to work wi WB,IHC-P           |
| Anti-Caveolin-2/CAV2 Antibody                         | BPAB599 | Caveolin-2  | Reacts with: human, mouse WB,IHC-P,IHC-F                       |
|   | BPAB600 |   |  |
| Anti-Caveolin-3/CAV3 Antibody                         | BPAB601 | Caveolin-3  | Reacts with: human, mouse, rat WB,IHC-P,Direct ELISA           |
| Anti-CBFb Antibody                                    | BPAB602 | Core-binding factor subunit beta                          | Reacts with: human, mouse, rat WB,IHC-P,Direct ELISA           |
| Anti-CBL Antibody                                     | BPAB603 | E3 ubiquitin-protein ligase CBL                           | Reacts with: human, ratPredicted to work wi WB                 |
| Anti-CBL Antibody                                     | BPAB604 | E3 ubiquitin-protein ligase CBL                           | Reacts with: human WB  |
| Anti-CBS Antibody                                     | BPAB605 | Cystathionine beta-synthase                               | Reacts with: human, rat WB,IHC-P                               |
| Anti-CBS Antibody                                     | BPAB606 | Cystathionine beta-synthase                               | Reacts with: human WB,IHC-P                                    |
| Anti-CCDC36 Antibody                                  | BPAB607 | Interactor of HORMAD1 protein 1                           | Reacts with: human WB,IHC-P,Direct ELISA                       |
| Anti-CCDC6 Antibody                                   | BPAB608 | Coiled-coil domain-containing protein 6                   | Reacts with: human, rat WB                                     |
| Anti-CKBR Antibody                                    | BPAB609 | Gastrin/cholecystokinin type B receptor                   | Reacts with: human, mouse, rat WB,IHC-F,ICC,FCM                |
| Anti-CCL16 Antibody                                   | BPAB610 | C-C motif chemokine 16                                    | Reacts with: human WB,ELISA(Cap)                               |
| Anti-CCL2 Antibody                                    | BPAB611 | C-C motif chemokine 2                                     | Reacts with: mouse, rat WB,ELISA(Cap)                          |

|   |          |  |   |                               |
|---|----------|--|---|-------------------------------|
| Anti-CCL3/Macrophage Inflammatory Protein 1 alpha | BPAB612  | C-C motif chemokine 3  | Reacts with: rat                            | WB,ELISA                      |
| Anti-CCL3/Macrophage Inflammatory Protein 1 alpha | BPAB613  | C-C motif chemokine 3  | Reacts with: human                          | WB,ELISA                      |
| Anti-CCL6 Antibody                                | BPAB614  | C-C motif chemokine 6  | Reacts with: mouse, rat                     | WB,IHC-P,ELISA(Cap)           |
| Anti-CCL8 Antibody                                | BPAB615  | C-C motif chemokine 8  | Reacts with: mouse, rat                     | IHC-P,ELISA(Cap)              |
| Anti-CCN1/CYR61 Antibody                          | BPAB616  | Protein CYR61  | Reacts with: human, rat                     | WB                            |
| Anti-CCR1 Antibody                                | BPAB617  | C-C chemokine receptor type 1                                | Reacts with: mouse, rat                     | WB,IHC-P,IHC-F,ICC,FCM        |
| Anti-CCR1 Antibody                                | BPAB618  | C-C chemokine receptor type 1                                | Reacts with: ratPredicted to work with: mou | WB                            |
| Anti-CCR2 Antibody                                | BPAB3785 | C-C chemokine receptor type 2                                | Reacts with: human, mouse, rat              | WB,Direct ELISA               |
| Anti-CCR3 Antibody                                | BPAB619  | C-C chemokine receptor type 3                                | Reacts with: human                          | WB,IHC-P,ICC                  |
| Anti-CCR3 Antibody                                | BPAB621  | C-C chemokine receptor type 3                                | Reacts with: human, mouse, rat              | WB,IHC-F,ICC,FCM              |
|   | BPAB622  |  |   |                               |
| Anti-CCR4 Antibody                                | BPAB623  | C-C chemokine receptor type 4(C-C CKR-4/CC-CKR-4/CCR-4/CCR4) | Reacts with: mouse, rat                     | WB                            |
| Anti-CCR4 Antibody                                | BPAB624  | C-C chemokine receptor type 4                                | Reacts with: human, mouse, rat              | WB                            |
| Anti-CCR5 Antibody                                | BPAB625  | C-C chemokine receptor type 5(C-C CKR-5/CC-CKR-5/CCR-5/CCR5) | Reacts with: human, mousePredicted to wor   | WB                            |
| Anti-CCR5 Antibody                                | BPAB626  | C-C chemokine receptor type 5                                | Reacts with: human                          | WB                            |
| Anti-CCR5 Antibody                                | BPAB627  | C-C chemokine receptor type 5                                | Reacts with: mouse                          | WB                            |
| Anti-CCR5 Antibody                                | BPAB628  | C-C chemokine receptor type 5                                | Reacts with: human, mouse, rat              | WB                            |
| Anti-CCR6/CCR6 Antibody                           | BPAB629  | C-C chemokine receptor type 6(C-C CKR-6/CC-CKR-6/CCR-6)      | Reacts with: human, ratPredicted to work wi | WB                            |
|   | BPAB630  |  |   |                               |
| Anti-CCR9 Antibody                                | BPAB631  | C-C chemokine receptor type 9                                | Reacts with: human                          | WB                            |
| Anti-CCT3 Antibody                                | BPAB632  | T-complex protein 1 subunit gamma                            | Reacts with: human, rat                     | WB,IHC-P,IHC-F,ICC,FCM        |
| Anti-CCT3 Antibody (monoclonal, 12H4)             | BPAB633  | T-complex protein 1 subunit gamma                            | Reacts with: human                          | WB                            |
| Anti-CD8 alpha/Cd8a Antibody                      | BPAB3786 | T-cell surface glycoprotein CD8 alpha chain                  | Reacts with: rat                            | WB,IHC-P,Direct ELISA         |
| Anti-CD10/MME Antibody                            | BPAB634  | Neprilysin   | Reacts with: human, mouse, rat              | WB,IHC-P                      |
| Anti-CD105/ENG Antibody                           | BPAB636  | Endoglin   | Reacts with: human                          | WB,IHC-P                      |
| Anti-CD105/ENG Antibody                           | BPAB637  | Endoglin   | Reacts with: human                          | WB                            |
| Anti-CD105/ENG Antibody                           | BPAB638  | Endoglin   | Reacts with: human, mouse, rat              | WB                            |
| Anti-CD105/Eng Antibody                           | BPAB639  | Endoglin   | Reacts with: mouse, rat                     | WB,IHC-P,Direct ELISA         |
|   | BPAB640  |  |   |                               |
| Anti-CD11a/ITGAL Antibody                         | BPAB641  | Integrin alpha-L   | Reacts with: human                          | WB,IHC-F,ICC,FCM              |
| Anti-CD11b/ITGAM Antibody                         | BPAB642  | Integrin alpha-M   | Reacts with: mouse                          | WB                            |
| Anti-CD11b/ITGAM Antibody                         | BPAB643  | Integrin alpha-M   | Reacts with: human                          | WB                            |
| Anti-CD11b/ITGAM Antibody                         | BPAB644  | Integrin alpha-M   | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM        |
| Anti-CD11b/ITGAM Antibody                         | BPAB645  | Integrin alpha-M   | Reacts with: mouse                          | WB                            |
| Anti-CD11b/ITGAM Antibody                         | BPAB646  | Integrin alpha-M   | Reacts with: human, mouse, rat              | WB,IHC-F,ICC,FCM,Direct ELISA |
| Anti-CD11c/ITGAX Antibody                         | BPAB647  | Integrin alpha-X   | Reacts with: human, mouse                   | WB,IHC-P,Direct ELISA         |
| Anti-CD134/OX40/TNFRSF4 Antibody                  | BPAB648  | Tumor necrosis factor receptor superfamily member 4          | Reacts with: human                          | WB                            |
| Anti-CD134/OX40/TNFRSF4 Antibody                  | BPAB649  | Tumor necrosis factor receptor superfamily member 4          | Reacts with: mouse                          | WB                            |
| Anti-CD134/OX40/TNFRSF4 Antibody                  | BPAB650  | Tumor necrosis factor receptor superfamily member 4          | Reacts with: rat                            | WB                            |
| Anti-CD134/OX40/TNFRSF4 Antibody                  | BPAB651  | Tumor necrosis factor receptor superfamily member 4          | Reacts with: human                          | WB,IHC-P,IHC-F,ICC,FCM        |
| Anti-CD134/OX40/Tnfrsf4 Antibody                  | BPAB652  | Tumor necrosis factor receptor superfamily member 4          | Reacts with: mouse, rat                     | WB,Direct ELISA               |
| Anti-CD137/Tnfrsf9 Antibody                       | BPAB653  | Tumor necrosis factor receptor superfamily member 9          | Reacts with: mouse, rat                     | WB,ELISA(Cap)                 |
| Anti-CD14 Antibody                                | BPAB654  | Monocyte differentiation antigen CD14                        | Reacts with: mouse                          | WB                            |
| Anti-CD14 Antibody                                | BPAB655  | Monocyte differentiation antigen CD14                        | Reacts with: human, mouse, rat              | WB,IHC-P                      |
| Anti-CD14 Antibody                                | BPAB656  | Monocyte differentiation antigen CD14                        | Reacts with: mouse, rat                     | WB,IHC-P,ELISA(Cap)           |
| Anti-CD146/MCAM Antibody                          | BPAB657  | Cell surface glycoprotein MUC18                              | Reacts with: human                          | WB,IHC-P                      |
| Anti-CD146/MCAM Antibody                          | BPAB658  | Cell surface glycoprotein MUC18                              | Reacts with: humanPredicted to work with: r | WB,IHC-P                      |
| Anti-CD147/BSG Antibody                           | BPAB659  | Basigin  | Reacts with: human                          | WB                            |
| Anti-CD147/BSG Antibody                           | BPAB660  | Basigin  | Reacts with: human                          | WB,IHC-F,ICC,FCM              |
| Anti-CD147/Emmprin/BSG Antibody                   | BPAB661  | Basigin  | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM,ELISA  |
| Anti-CD151 Antibody                               | BPAB662  | CD151 antigen  | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM        |

|   |          |  |   |                                     |
|---|----------|--|---|-------------------------------------|
| Anti-CD153/TNFSF8 Antibody                | BPAB663  | Tumor necrosis factor ligand superfamily member 8          | Reacts with: human                            | IHC-P,IHC-F,ICC,FCM                 |
| Anti-CD16/FCGR3A Antibody                 | BPAB664  | Low affinity immunoglobulin gamma Fc region receptor III-A | Reacts with: human, mouse, rat                | WB,Direct ELISA                     |
| Anti-CD160 Antibody                       | BPAB3816 | CD160 antigen  | Reacts with: human, mouse                     | WB,Direct ELISA                     |
| Anti-CD163 Antibody                       | BPAB665  | Scavenger receptor cysteine-rich type 1 protein M130       | Reacts with: human                            | WB                                  |
| Anti-CD163 Antibody                       | BPAB667  | Scavenger receptor cysteine-rich type 1 protein M130       | Reacts with: human                            | WB,IHC-P                            |
| Anti-CD163 Antibody                       | BPAB668  | Scavenger receptor cysteine-rich type 1 protein M130       | Reacts with: human, mouse, rat                | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA |
| Anti-CD166/ALCAM Antibody                 | BPAB669  | CD166 antigen  | Reacts with: human, mouse, rat                | WB,IHC-P                            |
| Anti-CD168/HMMR Antibody                  | BPAB670  | Hyaluronan mediated motility receptor                      | Reacts with: human                            | WB,IHC-P                            |
| Anti-CD18 Antibody (monoclonal, 1A3/2A10) | BPAB671  | Integrin beta-2  | Reacts with: human                            | WB,IHC-P                            |
| Anti-CD18/ITGB2 Antibody                  | BPAB672  | Integrin beta-2  | Reacts with: human                            | WB,IHC-P                            |
| Anti-CD18/ITGB2 Antibody                  | BPAB673  | Integrin beta-2  | Reacts with: human, ratPredicted to work wi   | WB,IHC-P                            |
| Anti-CD18/ITGB2 Antibody                  | BPAB674  | Integrin beta-2  | Reacts with: human                            | WB,IHC-P,IF,ICC                     |
| Anti-CD19 Antibody                        | BPAB675  | B-lymphocyte antigen CD19                                  | Reacts with: human                            | WB,IHC-P                            |
| Anti-CD19 Antibody                        | BPAB676  | B-lymphocyte antigen CD19                                  | Reacts with: human, mouse                     | WB,Direct ELISA                     |
| Anti-CD19 Antibody                        | BPAB677  | B-lymphocyte antigen CD19                                  | Reacts with: human, mouse, rat                | WB,Direct ELISA                     |
| Anti-CD1a Antibody                        | BPAB678  | T-cell surface glycoprotein CD1a                           | Reacts with: human                            | WB                                  |
| Anti-CD1b Antibody                        | BPAB679  | T-cell surface glycoprotein CD1b                           | Reacts with: human, mouse, rat                | WB,IHC-P                            |
| Anti-CD1c Antibody                        | BPAB680  | T-cell surface glycoprotein CD1c                           | Reacts with: human                            | WB                                  |
| Anti-CD1d Antibody                        | BPAB681  | Antigen-presenting glycoprotein CD1d                       | Reacts with: human                            | WB,IHC-P                            |
| Anti-CD2/CD2 Antibody                     | BPAB682  | T-cell surface antigen CD2                                 | Reacts with: mouse, rat                       | WB                                  |
| Anti-CD2/CD2 Antibody                     | BPAB683  | T-cell surface antigen CD2                                 | Reacts with: mouse                            | WB,IHC-P                            |
| Anti-CD20/MS4A1 Antibody                  | BPAB684  | B-lymphocyte antigen CD20                                  | Reacts with: human                            | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-CD200/OX2 Antibody                   | BPAB685  | OX-2 membrane glycoprotein                                 | Reacts with: human, mouse, rat                | WB,Direct ELISA                     |
|   | BPAB686  |  |   |                                     |
| Anti-CD22 Antibody                        | BPAB687  | B-cell receptor CD22                                       | Reacts with: human                            | WB,IHC-P                            |
| Anti-CD22 Antibody                        | BPAB688  | B-cell receptor CD22                                       | Reacts with: human                            | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-CD229/LY9 Antibody                   | BPAB689  | T-lymphocyte surface antigen Ly-9                          | Reacts with: human, mouse, rat                | IHC-P,IHC-F,ICC,FCM                 |
| Anti-CD23/FCER2 Antibody                  | BPAB690  | Low affinity immunoglobulin epsilon Fc receptor            | Reacts with: human, mouse, rat                | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-CD23/FCER2 Antibody                  | BPAB691  | Low affinity immunoglobulin epsilon Fc receptor            | Reacts with: human, rat                       | WB,Direct ELISA                     |
| Anti-CD24 Antibody                        | BPAB692  | Signal transducer CD24                                     | Reacts with: human, mouse, rat                | WB                                  |
| Anti-CD244 Antibody                       | BPAB693  | Natural killer cell receptor 2B4                           | Reacts with: human                            | WB,IHC-P                            |
| Anti-CD252/Tnfsf4 Antibody                | BPAB694  | Tumor necrosis factor ligand superfamily member 4          | Reacts with: mouse                            | WB,ELISA(Cap)                       |
| Anti-CD26/DPP4 Antibody                   | BPAB695  | Dipeptidyl peptidase 4                                     | Reacts with: human, rat                       | WB                                  |
| Anti-CD27 Antibody                        | BPAB696  | CD27 antigen   | Reacts with: huamn                            | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-CD272/BTLA Antibody                  | BPAB697  | B- and T-lymphocyte attenuator                             | Reacts with: human, mouse                     | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-CD2AP Antibody                       | BPAB698  | CD2-associated protein                                     | Reacts with: human, mouse, rat                | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA |
| Anti-CD2AP Antibody (monoclonal, 5F8)     | BPAB699  | CD2-associated protein                                     | Reacts with: human, mouse, rat                | WB,IHC-P,FCM                        |
| Anti-CD3 Antibody (monoclonal, CA-3)      | BPAB700  | T-cell surface glycoprotein CD3 epsilon chain              | Human   | IHC-F,ICC,FCM                       |
| Anti-CD3 epsilon/CD3E Antibody            | BPAB701  | T-cell surface glycoprotein CD3 epsilon chain              | Human, Mouse, Rat. No cross reactivity with   | WB                                  |
| Anti-CD3 epsilon/CD3E Antibody            | BPAB702  | T-cell surface glycoprotein CD3 epsilon chain              | Reacts with: human, mouse, rat                | WB,IHC-P,IHC-F,ICC,IF               |
| Anti-CD3 epsilon/Cd3e Antibody            | BPAB703  | T-cell surface glycoprotein CD3 epsilon chain              | Reacts with: mouse, rat                       | WB,Direct ELISA                     |
| Anti-CD30/TNFRSF8 Antibody                | BPAB704  | Tumor necrosis factor receptor superfamily member 8        | Reacts with: human                            | WB                                  |
| Anti-CD31/PECAM1 Antibody                 | BPAB705  | Platelet endothelial cell adhesion molecule                | Rat. No cross reactivity with other proteins. | WB,IHC-P,IHC-F                      |
| Anti-CD31/PECAM1 Antibody                 | BPAB706  | Platelet endothelial cell adhesion molecule                | Reacts with: mouse                            | WB                                  |
| Anti-CD31/PECAM1 Antibody                 | BPAB707  | Platelet endothelial cell adhesion molecule                | Reacts with: human                            | WB,IHC-P,IHC-F                      |
| Anti-CD31/PECAM1 Antibody                 | BPAB708  | Platelet endothelial cell adhesion molecule                | Reacts with: human, rat                       | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-CD31/Pecam1 Antibody                 | BPAB709  | Platelet endothelial cell adhesion molecule                | Reacts with: mouse                            | WB,Direct ELISA                     |
| Anti-CD33 Antibody                        | BPAB710  | Myeloid cell surface antigen CD33                          | Reacts with: mouse                            | WB,IHC-P                            |
| Anti-CD33 Antibody                        | BPAB711  | Myeloid cell surface antigen CD33                          | Reacts with: huamn                            | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-CD34 Antibody                        | BPAB712  | Hematopoietic progenitor cell antigen CD34                 | Reacts with: human, mouse, rat                | WB,IHC-P,IHC-F                      |
| Anti-CD34 Antibody                        | BPAB713  | Hematopoietic progenitor cell antigen CD34                 | Reacts with: human, mouse, rat                | WB,IHC-P,IHC-F,ICC,FCM              |

|   |          |  |                                |  |
|---|----------|--|--------------------------------|--|
| Anti-CD36 Antibody                          | BPAB714  | Platelet glycoprotein 4  | Reacts with: human, mouse, rat | WB,IHC-P                               |
| Anti-CD4 Antibody (monoclonal, CA-4)        | BPAB715  | T-cell surface glycoprotein CD4                                | Human                          | IHC-F,ICC,FCM                          |
| Anti-CD40 Antibody                          | BPAB716  | Tumor necrosis factor receptor superfamily member 5            | Reacts with: mouse             | WB                                     |
| Anti-CD40 Antibody                          | BPAB717  | Tumor necrosis factor receptor superfamily member 5            | Reacts with: human             | WB                                     |
| Anti-CD40 Antibody                          | BPAB718  | Tumor necrosis factor receptor superfamily member 5            | Reacts with: human             | WB,ELISA                               |
| Anti-CD40 Antibody                          | BPAB719  | Tumor necrosis factor receptor superfamily member 5            | Reacts with: human, mouse      | WB,IHC-P,IHC-F,ICC,ELISA,FCM           |
| Anti-CD40/Cd40 Antibody                     | BPAB720  | CD40 molecule  | Reacts with: mouse, rat        | WB,Direct ELISA                        |
| Anti-CD40L/CD40LG Antibody                  | BPAB721  | CD40 ligand(CD40-L)  | Reacts with: human             | WB,IHC-P                               |
| Anti-CD40L/CD40LG Antibody                  | BPAB722  | CD40 ligand  | Reacts with: human             | WB,Direct ELISA                        |
| Anti-CD40L/Cd40Ig Antibody                  | BPAB723  | CD40 ligand  | Reacts with: human, mouse, rat | WB,IHC-P,Direct ELISA                  |
| Anti-CD40L/CD40LG Antibody                  | BPAB724  | CD40 ligand  | Reacts with: human, mouse, rat | WB                                     |
| Anti-CD41/Integrin alpha 2b/ITGA2B Antibody | BPAB725  | Integrin alpha-lib   | Reacts with: human, mouse, rat | WB,IHC-P                               |
| Anti-CD41/Integrin alpha 2b/ITGA2B Antibody | BPAB726  | Integrin alpha-lib   | Reacts with: human, mouse, rat | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA    |
| Anti-CD43/SPN Antibody                      | BPAB727  | Leukosialin  | Reacts with: human, mouse, rat | WB,IHC-P,IHC-F,ICC,FCM                 |
|   | BPAB728  |  |                                |  |
|   | BPAB729  |  |                                |  |
| Anti-CD44 Antibody                          | BPAB730  | CD44 antigen   | Reacts with: human, mouse, rat | WB,IHC-P,IHC-F,ICC                     |
| Anti-CD44 Antibody                          | BPAB731  | CD44 antigen   | Reacts with: human             | WB,IHC-P                               |
| Anti-CD44 Antibody                          | BPAB732  | CD44 antigen   | Reacts with: human, mouse, rat | WB,IHC-P,Direct ELISA                  |
| Anti-CD45/PTPRC Antibody                    | BPAB733  | Receptor-type tyrosine-protein phosphatase C                   | Reacts with: human             | WB,IHC-P,ICC,IF                        |
| Anti-CD45/PTPRC Antibody                    | BPAB734  | Receptor-type tyrosine-protein phosphatase C                   | Reacts with: human             | WB,IHC-P                               |
| Anti-CD45/PTPRC Antibody                    | BPAB3850 | Receptor-type tyrosine-protein phosphatase C                   | Reacts with: human, mouse      | WB,Direct ELISA                        |
| Anti-CD45/PTPRC Antibody                    | BPAB735  | Receptor-type tyrosine-protein phosphatase C                   | Reacts with: human             | WB,IHC-P,IHC-F,IF,FCM                  |
| Anti-CD46 Antibody                          | BPAB737  | Membrane cofactor protein                                      | Reacts with: human, mouse, rat | WB,IHC-P,IHC-F,ICC,FCM                 |
| Anti-CD46 Antibody                          | BPAB738  | Membrane cofactor protein                                      | Reacts with: mouse             | WB                                     |
| Anti-CD47 Antibody                          | BPAB739  | Leukocyte surface antigen CD47                                 | Reacts with: human, rat        | WB,IHC-P                               |
| Anti-CD47 Antibody                          | BPAB740  | Leukocyte surface antigen CD47                                 | Reacts with: human             | WB                                     |
| Anti-CD47 Antibody                          | BPAB741  | Leukocyte surface antigen CD47                                 | Reacts with: human, mouse, rat | WB,IHC-P,IHC-F,ICC/IF,FCM,Direct ELISA |
| Anti-CD48 Antibody                          | BPAB742  | CD48 antigen   | Reacts with: human             | WB                                     |
| Anti-CD5 Antibody                           | BPAB743  | T-cell surface glycoprotein CD5                                | Reacts with: human, mouse, rat | WB,IHC-F,ICC,FCM                       |
| Anti-CD5 Antibody                           | BPAB744  | T-cell surface glycoprotein CD5                                | Reacts with: human, mouse, rat | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA    |
| Anti-CD55 Antibody                          | BPAB745  | Complement decay-accelerating factor                           | Reacts with: human, mouse      | WB,IHC-P                               |
| Anti-CD59 Antibody                          | BPAB746  | CD59 glycoprotein  | Reacts with: human             | IHC-P,IHC-F,ICC,FCM                    |
| Anti-CD59/Cd59a Antibody                    | BPAB747  | CD59a glycoprotein   | Reacts with: mouse, rat        | WB,IHC-P,Direct ELISA                  |
|   | BPAB748  |  |                                |  |
| Anti-CD62L/SELL Antibody                    | BPAB749  | L-selectin   | Reacts with: mouse, rat        | WB                                     |
| Anti-CD62L/SELL Antibody                    | BPAB750  | L-selectin   | Reacts with: human, mouse, rat | WB,IHC-P,ELISA                         |
| Anti-CD62L/SELL Antibody                    | BPAB751  | L-selectin   | Reacts with: human             | WB,ELISA                               |
| Anti-CD62P/SELP Antibody                    | BPAB752  | P-selectin   | Reacts with: human             | WB,IHC-P                               |
| Anti-CD62P/SELP Antibody                    | BPAB753  | P-selectin   | Reacts with: human             | WB,IHC-P,IHC-F,ICC,FCM,ELISA           |
| Anti-CD62P/Selp Antibody                    | BPAB754  | P-selectin   | Reacts with: mouse, rat        | WB,IHC-F,ICC,FCM,Direct ELISA          |
| Anti-CD63 Antibody                          | BPAB755  | CD63 antigen   | Reacts with: human             | WB,IHC-P                               |
| Anti-CD68 Antibody                          | BPAB756  | Macrosialin  | Reacts with: mouse, rat        | WB,IHC-P,IHC-F,IF                      |
|   | BPAB757  |  |                                |  |
| Anti-CD68 Antibody                          | BPAB758  | Macrosialin  | Reacts with: human             | WB,IHC-P                               |
| Anti-CD68 Antibody                          | BPAB759  | Macrosialin  | Reacts with: human             | WB                                     |
| Anti-CD7 Antibody                           | BPAB760  | T-cell antigen CD7   | Reacts with: human             | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA    |
|   | BPAB761  |  |                                |  |
| Anti-CD72 Antibody                          | BPAB762  | B-cell differentiation antigen CD72                            | Reacts with: human             | WB,Direct ELISA                        |
| Anti-CD79a Antibody                         | BPAB763  | B-cell antigen receptor complex-associated protein alpha chain | Reacts with: human, rat        | WB,IHC-P,ICC                           |
| Anti-CD79b Antibody                         | BPAB764  | B-cell antigen receptor complex-associated protein beta chain  | Reacts with: human, mouse, rat | WB,IHC-P,ICC                           |

|  |          |  |  |                                     |
|--|----------|--|--|-------------------------------------|
| Anti-CD8 alpha/CD8A Antibody               | BPAB765  | T-cell surface glycoprotein CD8 alpha chain                              | Reacts with: human                                   | WB,IHC-P                            |
| Anti-CD8 alpha/Cd8a Antibody               | BPAB766  | T-cell surface glycoprotein CD8 alpha chain                              | Reacts with: mouse, rat                              | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA |
| Anti-CD8 Antibody (monoclonal, CA-8)       | BPAB767  | T-cell surface glycoprotein CD8 alpha chain; T-cell surface glycoprotein | Human  | IHC-F,ICC,FCM                       |
| Anti-CD80 Antibody                         | BPAB768  | T-lymphocyte activation antigen CD80                                     | Reacts with: human                                   | WB                                  |
| Anti-CD80 Antibody                         | BPAB769  | CD80 antigen, isoform CRA_a  | Reacts with: rat                                     | WB                                  |
| Anti-CD80 Antibody                         | BPAB770  | T-lymphocyte activation antigen CD80                                     | Reacts with: human, rat                              | IHC-P,Direct ELISA                  |
|  | BPAB771  |  |  |                                     |
| Anti-CD82 Antibody                         | BPAB772  | CD82 antigen   | Reacts with: human                                   | WB,IHC-P                            |
| Anti-CD84 Antibody                         | BPAB773  | SLAM family member 5   | Reacts with: human                                   | IHC-F,ICC,FCM,Direct ELISA          |
| Anti-CD86 Antibody                         | BPAB774  | T-lymphocyte activation antigen CD86                                     | Reacts with: mouse                                   | WB                                  |
| Anti-CD86 Antibody                         | BPAB775  | T-lymphocyte activation antigen CD86                                     | Reacts with: human                                   | WB,IHC-F,ICC,FCM                    |
| Anti-CD86 Antibody                         | BPAB776  | CD86 molecule  | Reacts with: mouse, rat                              | WB,Direct ELISA                     |
| Anti-CD89/FCAR Antibody                    | BPAB777  | Immunoglobulin alpha Fc receptor(IgA Fc receptor)                        | Reacts with: human                                   | WB                                  |
| Anti-CD9 Antibody                          | BPAB778  | CD9 antigen  | Reacts with: mouse                                   | WB,IHC-P                            |
|  | BPAB779  |  |  |                                     |
| Anti-CD90/Thy1 Antibody                    | BPAB780  | Thy-1 membrane glycoprotein  | Reacts with: ratPredicted to work with: human        | WB                                  |
| Anti-CD90/Thy1 Antibody                    | BPAB781  | Thy-1 membrane glycoprotein  | Reacts with: mouse, rat                              | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-CDA Antibody                          | BPAB782  | Cytidine deaminase   | Reacts with: human, mouse, rat                       | WB,IHC-P                            |
| Anti-Cdc20 Antibody                        | BPAB783  | Cell division cycle protein 20 homolog                                   | Reacts with: ratPredicted to work with: mouse        | WB                                  |
| Anti-Cdc20 Antibody                        | BPAB784  | Cell division cycle protein 20 homolog                                   | Reacts with: human, mouse, rat                       | WB,IHC-P                            |
|  | BPAB785  |  |  |                                     |
| Anti-Cdc25B Antibody                       | BPAB786  | M-phase inducer phosphatase 2  | Reacts with: human, rat                              | WB,IHC-P                            |
| Anti-Cdc25B Antibody                       | BPAB787  | M-phase inducer phosphatase 2  | Reacts with: mouse, ratPredicted to work with: human | WB,IHC-P                            |
| Anti-Cdc25C Antibody                       | BPAB788  | M-phase inducer phosphatase 3  | Reacts with: human, rat                              | WB                                  |
| Anti-Cdc25C Antibody                       | BPAB789  | M-phase inducer phosphatase 3  | Reacts with: human                                   | WB                                  |
| Anti-CDC25C Antibody (monoclonal, DCS-193) | BPAB790  | M-phase inducer phosphatase 3  | Human  | WB                                  |
|  | BPAB791  |  |  |                                     |
| Anti-Cdc37 Antibody                        | BPAB792  | Hsp90 co-chaperone Cdc37   | Reacts with: human                                   | WB                                  |
| Anti-Cdc37 Antibody                        | BPAB793  | Hsp90 co-chaperone Cdc37   | Reacts with: human                                   | WB                                  |
| Anti-CDC42 Antibody                        | BPAB794  | Cell division control protein 42 homolog(Cdc42 homolog)                  | Reacts with: human, bovine, mouse, rat               | WB,IHC-P                            |
| Anti-CDC42 Antibody                        | BPAB3817 | Cell division control protein 42 homolog                                 | Reacts with: human, mouse, rat                       | WB,IHC-P,Direct ELISA               |
| Anti-CDC45L Antibody                       | BPAB795  | Cell division control protein 45 homolog                                 | Reacts with: human, mouse, rat                       | WB,Direct ELISA                     |
| Anti-CDC5L Antibody                        | BPAB797  | Cell division cycle 5-like protein                                       | Reacts with: human, rat                              | WB                                  |
| Anti-Cdc6 Antibody                         | BPAB798  | Cell division control protein 6 homolog                                  | Reacts with: human                                   | WB                                  |
| Anti-Cdc6 Antibody                         | BPAB799  | Cell division control protein 6 homolog                                  | Reacts with: human, rat                              | WB,IHC-P                            |
| Anti-CDC6 Antibody (monoclonal, DCS-180)   | BPAB800  | Cell division control protein 6 homolog                                  | Human  | WB                                  |
| Anti-CDCP1 Antibody                        | BPAB801  | CUB domain-containing protein 1  | Reacts with: human, mouse, rat                       | WB,IHC-P                            |
| Anti-CDK1 Antibody                         | BPAB802  | Cyclin-dependent kinase 1(CDK1)  | Reacts with: human                                   | WB                                  |
| Anti-CDK1 Antibody                         | BPAB803  | Cyclin-dependent kinase 1  | Reacts with: human, mouse, rat                       | WB,IHC-P,IHC-F,ICC/IF,FCM           |
| Anti-CDK1 Antibody (monoclonal, A17)       | BPAB804  | Cyclin-dependent kinase 1  | Human, chicken, mouse                                | WB,IHC-P,IHC-F                      |
| Anti-CDK1 Antibody (monoclonal, PSTAIR)    | BPAB805  | Cyclin-dependent kinase 1  | Human, mouse   | WB                                  |
| Anti-Cdk2 Antibody                         | BPAB806  | Cyclin-dependent kinase 2  | Reacts with: humanPredicted to work with: rat        | WB                                  |
| Anti-Cdk2 Antibody                         | BPAB807  | Cyclin-dependent kinase 2  | Reacts with: human, mouse, rat                       | WB,IHC-P,ICC/IF                     |
|  | BPAB808  |  |  |                                     |
| Anti-Cdk4 Antibody                         | BPAB809  | Cyclin-dependent kinase 4  | Reacts with: human, ratPredicted to work with: human | WB                                  |
| Anti-Cdk4 Antibody                         | BPAB810  | Cyclin-dependent kinase 4  | Reacts with: human, mouse, rat                       | WB,IHC-P                            |
| Anti-CDK4 Antibody (monoclonal, DCS-31)    | BPAB811  | Cyclin-dependent kinase 4  | Human, mouse, rat                                    | WB,ICC                              |
| Anti-Cdk5 Antibody                         | BPAB812  | Cyclin-dependent-like kinase 5   | Reacts with: human, ratPredicted to work with: human | WB                                  |
| Anti-CDK5 Antibody                         | BPAB3818 | Cyclin-dependent-like kinase 5   | Reacts with: human, mouse, rat                       | WB,IHC-P,Direct ELISA               |
|  | BPAB813  |  |  |                                     |
| Anti-Cdk6 Antibody                         | BPAB815  | Cyclin-dependent kinase 6  | Reacts with: human, ratPredicted to work with: human | WB                                  |



|  |          |   |  |                                     |
|--|----------|---|--|-------------------------------------|
| Anti-Cdk6 Antibody                             | BPAB816  | Cyclin-dependent kinase 6   | Reacts with: human, rat                      | WB,IHC-P                            |
| Anti-Cdk6 Antibody                             | BPAB817  | Cyclin-dependent kinase 6   | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA               |
| Anti-CDK6 Antibody (monoclonal, DCS-90)        | BPAB818  | Cyclin-dependent kinase 6   | Human, mouse, rat                            | WB,ICC                              |
| Anti-Cdk7 Antibody                             | BPAB819  | Cyclin-dependent kinase 7   | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-Cdk7 Antibody                             | BPAB820  | Cyclin-dependent kinase 7   | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-Cdk7 Antibody                             | BPAB821  | Cyclin-dependent kinase 7   | Reacts with: human                           | WB                                  |
| Anti-Cdk7/CAK Antibody (monoclonal, MO-1.1)    | BPAB822  | Cyclin-dependent kinase 7   | Human  | WB,IHC-F,ICC                        |
| Anti-Cdk8 Antibody                             | BPAB823  | Cyclin-dependent kinase 8   | Reacts with: human                           | WB,Direct ELISA                     |
| Anti-Cdk9 Antibody                             | BPAB824  | Cyclin-dependent kinase 9   | Reacts with: human, rat                      | WB,IHC-P                            |
| Anti-CDR2 Antibody                             | BPAB825  | Cerebellar degeneration-related protein 2                           | Reacts with: human, mouse                    | WB                                  |
| Anti-CEACAM5 Antibody                          | BPAB826  | Carcinoembryonic antigen-related cell adhesion molecule 5           | Reacts with: human                           | WB,IHC-P,ELISA                      |
| Anti-CEACAM5/Cd66e Antibody (monoclonal, C6G9) | BPAB827  | Carcinoembryonic antigen-related cell adhesion molecule 5           | Human  | WB,IHC-P                            |
| Anti-CEBP Alpha/CEBPA Antibody                 | BPAB828  | CCAAT/enhancer-binding protein alpha(C/EBP alpha)                   | Reacts with: human, ratPredicted to work wi  | WB,IHC-P,ICC                        |
| Anti-CEBP Beta/CEBPB Antibody                  | BPAB829  | CCAAT/enhancer-binding protein beta                                 | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F                      |
| Anti-CENPA Antibody                            | BPAB830  | Histone H3-like centromeric protein A                               | Reacts with: human, rat                      | WB                                  |
| Anti-CEP68 Antibody                            | BPAB831  | Centrosomal protein of 68 kDa                                       | Reacts with: human, mouse, rat               | WB                                  |
| Anti-Ceruloplasmin/CP Antibody                 | BPAB832  | Ceruloplasmin   | Reacts with: human                           | WB,IHC-P                            |
| Anti-Ceruloplasmin/CP Antibody                 | BPAB833  | Ceruloplasmin   | Reacts with: mouse, rat                      | WB,IHC-P                            |
| Anti-CETP Antibody                             | BPAB834  | Cholesteryl ester transfer protein                                  | Reacts with: human                           | WB                                  |
| Anti-CFP Antibody                              | BPAB835  | Properdin   | Reacts with: human, mouse, rat               | WB,IHC-P                            |
|  | BPAB836  |   |  |                                     |
| Anti-CHD2 Antibody                             | BPAB837  | Chromodomain-helicase-DNA-binding protein 2                         | Species Reacts with: human, rat              | WB,IHC-P                            |
| Anti-CHI3L1 Antibody                           | BPAB838  | Chitinase-3-like protein 1  | Reacts with: mouse                           | WB,Direct ELISA                     |
| Anti-Chk1/CHEK1 Antibody                       | BPAB839  | Serine/threonine-protein kinase Chk1                                | Reacts with: human, mouse, rat               | WB                                  |
| Anti-Chk1/CHEK1 Antibody                       | BPAB840  | Serine/threonine-protein kinase Chk1                                | Reacts with: human                           | WB                                  |
| Anti-Chk2/CHEK2 Antibody                       | BPAB841  | Serine/threonine-protein kinase Chk2                                | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-Chk2/CHEK2 Antibody                       | BPAB842  | Serine/threonine-protein kinase Chk2                                | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-Chk2/CHEK2 Antibody                       | BPAB843  | Serine/threonine-protein kinase Chk2                                | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-CHM Antibody                              | BPAB844  | Rab proteins geranylgeranyltransferase component A 1                | Reacts with: human, mouse, rat               | WB,Direct ELISA                     |
| Anti-CHM Antibody                              | BPAB845  | Rab proteins geranylgeranyltransferase component A 1                | Reacts with: human, mouse, rat               | WB,IHC-P,ICC/IF,IHC-F,FCM           |
| Anti-Choline Acetyltransferase/CHAT Antibody   | BPAB846  | Choline O-acetyltransferase   | Reacts with: human                           | WB                                  |
| Anti-Choline Acetyltransferase/CHAT Antibody   | BPAB847  | Choline O-acetyltransferase   | Reacts with: mouse, ratPredicted to work wi  | WB,IHC-P                            |
|  | BPAB848  |   |  |                                     |
| Anti-CHX10/VSX2 Antibody                       | BPAB849  | Visual system homeobox 2  | Reacts with: mousePredicted to work with: h  | WB                                  |
| Anti-clAP1/BIRC2 Antibody                      | BPAB850  | Baculoviral IAP repeat-containing protein 2                         | Reacts with: human, mouse, rat               | WB,IHC-F,ICC,FCM,Direct ELISA       |
| Anti-clAP2/BIRC3 Antibody                      | BPAB851  | Baculoviral IAP repeat-containing protein 3                         | Reacts with: human                           | WB                                  |
| Anti-CIAS1/NALP3/NLRP3 Antibody                | BPAB852  | NACHT, LRR and PYD domains-containing protein 3                     | Reacts with: human, ratPredicted to work wi  | WB,IHC-P,IHC-F,ICC/IF,FCM           |
| Anti-CIAS1/NALP3/NLRP3 Antibody                | BPAB853  | NACHT, LRR and PYD domains-containing protein 3                     | Reacts with: human                           | WB                                  |
| Anti-CIB1 Antibody                             | BPAB854  | Calcium and integrin-binding protein 1                              | Reacts with: human, mouse, rat               | WB                                  |
| Anti-CIC Antibody                              | BPAB855  | Protein capicua homolog   | Reacts with: human, mouse, rat               | IHC-P,Direct ELISA                  |
| Anti-CITA Antibody                             | BPAB856  | MHC class II transactivator   | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-CISH Antibody                             | BPAB857  | Cytokine-inducible SH2-containing protein(CIS)                      | Reacts with: human, ratPredicted to work wi  | WB,IHC-P,ICC                        |
| Anti-CKAP4 Antibody                            | BPAB858  | Cytoskeleton-associated protein 4                                   | Reacts with: mouse                           | WB                                  |
| Anti-ch TOG/CKAP5 Antibody                     | BPAB3819 | Cytoskeleton-associated protein 5                                   | Reacts with: human, mouse, rat               | WB,IHC-P,ICC/IF,Direct ELISA        |
| Anti-Claudin 2/CLDN2 Antibody                  | BPAB859  | Claudin-2   | Reacts with: human, rat                      | WB,IHC-P                            |
| Anti-Claudin 5/CLDN5 Antibody                  | BPAB861  | Claudin-5   | Reacts with: ratPredicted to work with: humi | WB                                  |
| Anti-Claudin 6/CLDN6 Antibody                  | BPAB862  | Claudin-6   | Reacts with: human                           | WB                                  |
| Anti-CLEC9A Antibody                           | BPAB863  | C-type lectin domain family 9 member A                              | Reacts with: human                           | IHC-F,ICC,FCM                       |
| Anti-CLPP Antibody                             | BPAB864  | ATP-dependent Clp protease proteolytic subunit, mitochondrial       | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA |
| Anti-CLPX Antibody                             | BPAB865  | ATP-dependent Clp protease ATP-binding subunit clpX-like, mitochond | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA |
| Anti-CNPase Antibody                           | BPAB866  | 2',3'-cyclic-nucleotide 3'-phosphodiesterase                        | Reacts with: human, mouse, rat               | WB                                  |

|  |         |  |   |  |
|--|---------|--|---|--|
| Anti-CNTF Antibody                                   | BPAB867 | Ciliary neurotrophic factor  | Reacts with: human                          | WB,IHC-P                               |
| Anti-CNTF Antibody                                   | BPAB868 | Ciliary neurotrophic factor  | Reacts with: mouse, rat                     | WB,IHC-P                               |
| Anti-CNTF Antibody                                   | BPAB869 | Ciliary neurotrophic factor  | Reacts with: mouse, rat                     | WB,IHC-P,ELISA                         |
| Anti-CNTF Antibody                                   | BPAB870 | Ciliary neurotrophic factor  | Reacts with: human                          | WB,ELISA                               |
| Anti-COBRA1/NELFB Antibody                           | BPAB871 | Negative elongation factor B   | Reacts with: human, mouse, rat              | WB,Direct ELISA                        |
| Anti-Cofilin 2/CFL2 Antibody                         | BPAB872 | Cofilin-2  | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-Cofilin/CFL1 Antibody                           | BPAB873 | Cofilin-1  | Reacts with: human, mouse, rat              | WB,IHC-P,ELISA                         |
| Anti-Cofilin/CFL1 Antibody                           | BPAB874 | Cofilin-1  | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-COL18A1 Antibody                                | BPAB875 | Collagen alpha-1(XVIII) chain  | Reacts with: human, mouse, rat              | WB,ELISA(Cap)                          |
|  | BPAB876 |  |   |  |
| Anti-Collagen I/COL1A1 Antibody                      | BPAB877 | Collagen alpha-1(I) chain  | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,IF                  |
| Anti-Collagen I/COL1A1 Antibody                      | BPAB878 | Collagen alpha-1(I) chain  | Reacts with: human                          | WB,IHC-P                               |
| Anti-Collagen I/COL1A1 Antibody                      | BPAB879 | Collagen alpha-1(I) chain  | Reacts with: mouse, rat                     | WB,IHC-P                               |
| Anti-Collagen II/COL2A1 Antibody                     | BPAB880 | Collagen alpha-1(II) chain   | Reacts with: humanPredicted to work with: r | WB                                     |
| Anti-Collagen II/COL2A1 Antibody                     | BPAB881 | Collagen alpha-1(II) chain   | Reacts with: mouse, rat                     | WB,IHC-F                               |
| Anti-Collagen II/COL2A1 Antibody                     | BPAB882 | Collagen alpha-1(II) chain   | Reacts with: human, mouse, rat              | WB                                     |
| Anti-Collagen III/COL3A1 Antibody                    | BPAB883 | Collagen alpha-1(III) chain  | Reacts with: human                          | WB                                     |
| Anti-Collagen III/COL3A1 Antibody                    | BPAB884 | Collagen alpha-1(III) chain  | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA                  |
| Anti-Collagen IV Antibody (monoclonal, 3G3)          | BPAB885 | Collagen alpha-1(IV) chain   | Reacts with: human                          | WB,IHC-P                               |
| Anti-Collagen IV/COL4A1 Antibody                     | BPAB886 | Collagen alpha-1(IV) chain   | Reacts with: human, ratPredicted to work wi | WB                                     |
|  | BPAB887 |  |   |  |
| Anti-Collagen IV/COL4A1 Antibody                     | BPAB888 | Collagen alpha-1(IV) chain   | Reacts with: human                          | WB,IHC-P                               |
| Anti-Collagen IV/COL4A2 Antibody                     | BPAB889 | Collagen alpha-2(IV) chain   | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC                     |
| Anti-Collagen XVII/COL17A1 Antibody                  | BPAB890 | Collagen alpha-1(XVII) chain   | Reacts with: human                          | WB                                     |
| Anti-Collagen, Type III Antibody (monoclonal, FH-7A) | BPAB891 | Collagen alpha-1(III) chain  | Human, rat                                  | WB,IHC-F                               |
| Anti-Collagen, Type IV Antibody (monoclonal, COL-94) | BPAB892 | Collagen alpha-1(IV) chain; Collagen alpha-3(IV) chain; Collagen alpha | Human                                       | IHC-P,IHC-F                            |
| Anti-COMP Antibody                                   | BPAB893 | Cartilage oligomeric matrix protein                                    | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC/IF,FCM,Direct ELISA |
| Anti-Complement C7 Antibody                          | BPAB894 | Complement component C7  | Reacts with: human, mouse, rat              | WB,Direct ELISA                        |
| Anti-Complement C9 Antibody                          | BPAB895 | Complement component C9  | Reacts with: human, mouse                   | WB,Direct ELISA                        |
| Anti-COMT Antibody                                   | BPAB896 | Catechol O-methyltransferase   | Reacts with: human                          | WB,IHC-P                               |
| Anti-COMT Antibody                                   | BPAB897 | Catechol O-methyltransferase   | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC                     |
| Anti-COMT Antibody                                   | BPAB898 | Catechol O-methyltransferase   | Reacts with: mouse, rat                     | WB,Direct ELISA                        |
| Anti-Connexin 32/GJB1 Antibody                       | BPAB899 | Gap junction beta-1 protein  | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-Connexin 32/GJB1 Antibody                       | BPAB900 | Gap junction beta-1 protein  | Reacts with: mouse, ratPredicted to work wi | WB                                     |
| Anti-Connexin 37/GJA4 Antibody                       | BPAB901 | Gap junction alpha-4 protein   | Reacts with: human, mouse, rat              | WB,IHC-P,ICC                           |
| Anti-Connexin 40/GJA5 Antibody                       | BPAB902 | Gap junction alpha-5 protein   | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-Connexin 43/GJA1 Antibody                       | BPAB903 | Gap junction alpha-1 protein   | Reacts with: human, mouse, rat              | WB,IHC-P,IF                            |
| Anti-Connexin 43/GJA1 Antibody                       | BPAB904 | Gap junction alpha-1 protein   | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC                     |
| Anti-Connexin 45/GJA7/GJC1 Antibody                  | BPAB905 | Gap junction gamma-1 protein   | Reacts with: humanPredicted to work with: r | WB                                     |
| Anti-Connexin 45/GJA7/GJC1 Antibody                  | BPAB906 | Gap junction gamma-1 protein   | Reacts with: human, rat                     | WB                                     |
| Anti-Connexin 45/GJA7/GJC1 Antibody                  | BPAB907 | Gap junction gamma-1 protein   | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-COPE Antibody                                   | BPAB908 | Coatomer subunit epsilon   | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM                 |
| Anti-CORD2/CRX Antibody                              | BPAB909 | Cone-rod homeobox protein  | Reacts with: human                          | WB                                     |
| Anti-Cortactin/CTTN Antibody                         | BPAB910 | Src substrate cortactin  | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM,IF,Direct ELISA |
|  | BPAB911 |  |   |  |
| Anti-Corticotropin Releasing Factor/CRH Antibody     | BPAB912 | Corticoliberin   | Reacts with: human, mouse                   | WB,IHC-P                               |
| Anti-Cortisol Binding Globulin/SERPINA6 Antibody     | BPAB913 | Corticosteroid-binding globulin  | Reacts with: human                          | WB,IHC-P,ICC                           |
| Anti-COX IV/COX4I1 Antibody                          | BPAB914 | Cytochrome c oxidase subunit 4 isoform 1, mitochondrial                | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA                  |
|  | BPAB915 |  |   |  |
| Anti-COX1/Cyclooxygenase 1/PTGS1 Antibody            | BPAB916 | Prostaglandin G/H synthase 1   | Reacts with: human, rat                     | WB,IHC-P                               |
| Anti-COX2/Cyclooxygenase 2/PTGS2 Antibody            | BPAB917 | Prostaglandin G/H synthase 2   | Reacts with: human, ratPredicted to work wi | WB,IHC-P                               |

|   |          |   |   |                           |
|---|----------|---|---|---------------------------|
| Anti-COX2/Cyclooxygenase 2/PTGS2 Antibody         | BPAB918  | Prostaglandin G/H synthase 2                                      | Reacts with: human                            | WB,IHC-P,IHC-F            |
|   | BPAB919  |   |   |                           |
| Anti-COX2/Cyclooxygenase 2/PTGS2 Antibody         | BPAB920  | Prostaglandin G/H synthase 2                                      | Reacts with: human, mouse, rat                | WB                        |
| Anti-Coxsackie Adenovirus Receptor/CXADR Antibody | BPAB921  | Coxsackievirus and adenovirus receptor(CAR/hCAR)                  | Reacts with: human, ratPredicted to work wi   | WB                        |
| Anti-CP110/CCP110 Antibody                        | BPAB922  | Centriolar coiled-coil protein of 110 kDa                         | Reacts with: human, mouse, rat                | WB,IHC-P,Direct ELISA     |
| Anti-CPAMD8 Antibody                              | BPAB923  | C3 and PZP-like alpha-2-macroglobulin domain-containing protein 8 | Reacts with: human                            | WB,IHC-P,Direct ELISA     |
| Anti-CPI17 alpha/PPP1R14A Antibody                | BPAB924  | Protein phosphatase 1 regulatory subunit 14A                      | Reacts with: human, mouse, rat                | WB,IHC-P                  |
| Anti-Cpn10/HsPE1 Antibody                         | BPAB925  | 10 kDa heat shock protein, mitochondrial(Hsp10)                   | Reacts with: human, mouse, rat                | WB,IHC-P,ICC,IF           |
| Anti-CPT1B Antibody                               | BPAB926  | Carnitine O-palmitoyltransferase 1, muscle isoform                | Reacts with: human, mouse, rat                | WB,IHC-P,IHC-F            |
| Anti-CRB1 Antibody                                | BPAB927  | Protein crumbs homolog 1  | Reacts with: human                            | WB,Direct ELISA           |
| Anti-CRB1 Antibody                                | BPAB3820 | Protein crumbs homolog 1  | Reacts with: human, mouse, rat                | WB,IHC-P                  |
| Anti-Creatine kinase B type/CKB Antibody          | BPAB928  | Creatine kinase B-type  | Reacts with: human, mouse, rat                | WB,IHC-P,Direct ELISA     |
| Anti-Creatine Kinase MM/CKM Antibody              | BPAB930  | Creatine kinase M-type  | Reacts with: human, mouse, rat                | WB,IHC-P,Direct ELISA     |
| Anti-CREB/CREB1 Antibody                          | BPAB931  | Cyclic AMP-responsive element-binding protein 1                   | Reacts with: human, rat                       | WB                        |
| Anti-CREB3L1 Antibody                             | BPAB932  | Cyclic AMP-responsive element-binding protein 3-like protein 1    | Reacts with: human                            | WB                        |
| Anti-Crk p38 Antibody                             | BPAB933  | Adapter molecule crk  | Reacts with: human, mouse, rat                | WB,IHC-P                  |
| Anti-CrkL Antibody                                | BPAB934  | Crk-like protein  | Reacts with: human, ratPredicted to work wi   | WB                        |
| Anti-CRLF2 Antibody                               | BPAB935  | Cytokine receptor-like factor 2                                   | Reacts with: human                            | WB,ELISA(Cap)             |
| Anti-CRM1 Antibody (monoclonal, 5G3)              | BPAB936  | Exportin-1  | Reacts with: human                            | WB,IHC-P,IHC-F,ICC,FCM    |
| Anti-CRM1/XPO1 Antibody                           | BPAB937  | Exportin-1  | Reacts with: human, mouse, rat                | WB,IHC-P,IHC-F,ICC/IF,FCM |
| Anti-CRY2 Antibody                                | BPAB938  | Cryptochrome-2  | Reacts with: human, mouse, rat                | WB,IHC-P                  |
| Anti-Cryptochrome I/CRY1 Antibody                 | BPAB939  | Cryptochrome-1  | Reacts with: human, mouse, rat                | WB,IHC-P                  |
| Anti-CSB/ERCC6 Antibody                           | BPAB940  | DNA excision repair protein ERCC-6                                | Reacts with: human, rat                       | WB                        |
| Anti-CSEN/KCNIP3 Antibody                         | BPAB941  | Calsenilin  | Reacts with: human                            | WB                        |
| Anti-CSF1 Antibody                                | BPAB942  | Macrophage colony-stimulating factor 1                            | Reacts with: human, mouse                     | WB,Direct ELISA           |
| Anti-Csk Antibody                                 | BPAB943  | Tyrosine-protein kinase CSK                                       | Reacts with: human, mouse, rat                | WB,IHC-P                  |
|   | BPAB944  |   |   |                           |
| Anti-CtBP1 Antibody                               | BPAB945  | C-terminal-binding protein 1(CtBP1)                               | Reacts with: human, ratPredicted to work wi   | WB,IHC-P                  |
| Anti-CtBP1 Antibody                               | BPAB946  | C-terminal-binding protein 1                                      | Reacts with: human, mouse, rat                | WB,IHC-P                  |
| Anti-CTBP2 Antibody                               | BPAB947  | C-terminal-binding protein 2(CtBP2)                               | Reacts with: human, mouse, rat                | WB,IHC-P,IHC-F,ICC        |
| Anti-CTBP2 Antibody                               | BPAB948  | C-terminal-binding protein 2                                      | Reacts with: human, mouse, rat                | WB,IHC-P                  |
| Anti-CTCF Antibody                                | BPAB949  | Transcriptional repressor CTCF                                    | Reacts with: human, mouse, rat                | WB,IHC-P                  |
| Anti-CTGF Antibody                                | BPAB950  | Connective tissue growth factor                                   | Reacts with: human, rat                       | WB,IHC-P                  |
| Anti-CTLA4 Antibody                               | BPAB951  | Cytotoxic T-lymphocyte protein 4                                  | Reacts with: mouse, rat                       | WB,IHC-P,ELISA            |
| Anti-CUEDC2 Antibody                              | BPAB952  | CUE domain-containing protein 2                                   | Reacts with: humanPredicted to work with: r   | WB,IHC-P                  |
| Anti-CUL2 Antibody                                | BPAB953  | Cullin-2  | Reacts with: human, mouse, rat                | WB,IHC-P,Direct ELISA     |
| Anti-Cullin 1/Cul1 Antibody                       | BPAB954  | Cullin-1(CUL-1)   | Reacts with: humanPredicted to work with: r   | WB,IHC-P                  |
| Anti-Cullin 1/CUL1 Antibody                       | BPAB955  | Cullin-1  | Reacts with: human, mouse, rat                | WB                        |
| Anti-Cullin 2/CUL2 Antibody                       | BPAB956  | Cullin-2  | Reacts with: human, ratPredicted to work wi   | WB                        |
| Anti-Cullin 3/CUL3 Antibody                       | BPAB957  | Cullin-3  | Reacts with: human, ratPredicted to work wi   | WB                        |
| Anti-Cullin 4a/CUL4A Antibody                     | BPAB958  | Cullin-4A   | Reacts with: human, mouse, rat                | WB,Direct ELISA           |
| Anti-Cullin 4B/CUL4B Antibody                     | BPAB959  | Cullin-4B(CUL-4B)   | Reacts with: human, rat, ZebrafishPredicted i | WB,IHC-P                  |
| Anti-Cullin 5/CUL5 Antibody                       | BPAB960  | Cullin-5  | Reacts with: human, mouse, rat                | WB,Direct ELISA           |
| Anti-CX3CL1 Antibody                              | BPAB961  | Fractalkine   | Reacts with: human                            | WB                        |
| Anti-CX3CL1 Antibody                              | BPAB962  | Fractalkine   | Reacts with: mouse, rat                       | WB,IHC-P,IHC-F            |
| Anti-CXCL12 Antibody                              | BPAB963  | Stromal cell-derived factor 1                                     | Reacts with: mouse, rat                       | WB                        |
| Anti-CXCL12 Antibody                              | BPAB964  | Stromal cell-derived factor 1                                     | Reacts with: human, mouse, rat                | WB,IHC-P,Direct ELISA     |
| Anti-CXCL14 Antibody                              | BPAB965  | C-X-C motif chemokine 14  | Reacts with: human, mouse, rat                | WB,IHC-P,Direct ELISA     |
| Anti-CXCL16 Antibody                              | BPAB966  | C-X-C motif chemokine 16  | Reacts with: mouse                            | WB,IHC-P                  |
| Anti-CXCL16 Antibody                              | BPAB967  | C-X-C motif chemokine 16  | Reacts with: human                            | WB,ELISA                  |
| Anti-CXCL2 Antibody                               | BPAB968  | C-X-C motif chemokine 2   | Reacts with: human                            | WB,ELISA                  |

|   |          |  |   |                         |
|---|----------|--|---|-------------------------|
| Anti-CXCL2 Antibody                             | BPAB969  | C-X-C motif chemokine 2                                  | Reacts with: mouse, rat                     | WB,ELISA                |
| Anti-CXCL5 Antibody                             | BPAB970  | C-X-C motif chemokine 5                                  | Reacts with: rat                            | WB,ELISA                |
| Anti-CXCR1 Antibody                             | BPAB971  | C-X-C chemokine receptor type 1                          | Reacts with: human                          | WB,IHC-P                |
| Anti-CXCR2 Antibody                             | BPAB972  | C-X-C chemokine receptor type 2(CXC-R2/CXCR-2)           | Reacts with: human, mouse, rat              | WB                      |
| Anti-CXCR3 Antibody                             | BPAB973  | C-X-C chemokine receptor type 3                          | Reacts with: human, rat                     | WB,IHC-P                |
| Anti-CXCR4 Antibody                             | BPAB974  | C-X-C chemokine receptor type 4(CXC-R4/CXCR-4)           | Reacts with: human, ratPredicted to work wi | WB,IHC-P                |
| Anti-CXCR4 Antibody                             | BPAB975  | C-X-C chemokine receptor type 4                          | Reacts with: human                          | WB                      |
| Anti-CXCR4 Antibody                             | BPAB976  | C-X-C chemokine receptor type 4                          | Reacts with: human                          | WB                      |
| Anti-CXCR4 Antibody                             | BPAB977  | C-X-C chemokine receptor type 4                          | Reacts with: human, mouse, rat              | WB,Direct ELISA         |
| Anti-CXCR5 Antibody                             | BPAB978  | C-X-C chemokine receptor type 5                          | Reacts with: human, ratPredicted to work wi | WB                      |
| Anti-Cyclin A Antibody (monoclonal, CY-A1)      | BPAB979  | Cyclin-A2  | Human, bovine , mouse                       | WB,ICC                  |
| Anti-Cyclin A1/CCNA1 Antibody                   | BPAB980  | Cyclin-A1  | Reacts with: human                          | WB                      |
| Anti-Cyclin A2/CCNA2 Antibody                   | BPAB981  | Cyclin-A2  | Reacts with: human, rat                     | WB,IHC-P                |
| Anti-Cyclin B1/CCNB1 Antibody                   | BPAB982  | G2/mitotic-specific cyclin-B1                            | Reacts with: human                          | WB,IHC-P,ICC,FCM        |
| Anti-Cyclin D1 Antibody (monoclonal, DCS-6)     | BPAB983  | G1/S-specific cyclin-D1                                  | Human, mouse, rat                           | WB,IHC-P,IHC-F,ICC      |
| Anti-Cyclin D1/CCND1 Antibody                   | BPAB984  | G1/S-specific cyclin-D1                                  | Human, Mouse, Rat. No cross reactivity with | WB                      |
| Anti-Cyclin D1/CCND1 Antibody                   | BPAB985  | G1/S-specific cyclin-D1                                  | Reacts with: human, ratPredicted to work wi | WB                      |
| Anti-Cyclin D1/CCND1 Antibody                   | BPAB986  | G1/S-specific cyclin-D1                                  | Reacts with: human, rat                     | WB                      |
| Anti-Cyclin D1/CCND1 Antibody                   | BPAB987  | G1/S-specific cyclin-D1                                  | Reacts with: human                          | WB                      |
| Anti-Cyclin D2 Antibody (monoclonal, DCS-3)     | BPAB988  | G1/S-specific cyclin-D2                                  | Human, mouse                                | WB,ICC                  |
|   | BPAB989  |  |   |                         |
| Anti-Cyclin D2/CCND2 Antibody                   | BPAB990  | G1/S-specific cyclin-D2                                  | Reacts with: human, ratPredicted to work wi | WB                      |
| Anti-Cyclin D3/CCND3 Antibody                   | BPAB991  | G1/S-specific cyclin-D3                                  | Reacts with: human, rat                     | WB,IHC-F,ICC,FCM        |
| Anti-Cyclin T1/CCNT1 Antibody                   | BPAB992  | Cyclin-T1  | Reacts with: human, mouse, rat              | WB,IHC-P                |
|   | BPAB993  |  |   |                         |
| Anti-Cyclophilin A/PPIA Antibody                | BPAB994  | Peptidyl-prolyl cis-trans isomerase A                    | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM  |
|   | BPAB995  |  |   |                         |
| Anti-Cyclophilin B/PPIB Antibody                | BPAB996  | Peptidyl-prolyl cis-trans isomerase B                    | Reacts with: humanPredicted to work with: r | WB,IHC-P                |
| Anti-Cyclophilin B/PPIB Antibody                | BPAB997  | Peptidyl-prolyl cis-trans isomerase B                    | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA   |
| Anti-CYLD Antibody                              | BPAB998  | Ubiquitin carboxyl-terminal hydrolase CYLD               | Reacts with: human, rat                     | WB                      |
| Anti-CYP11A1 Antibody                           | BPAB999  | Cholesterol side-chain cleavage enzyme, mitochondrial    | Reacts with: human                          | WB,IHC-P,IHC-F          |
| Anti-CYP11A1 Antibody                           | BPAB1000 | Cholesterol side-chain cleavage enzyme, mitochondrial    | Reacts with: mouse, rat                     | WB                      |
| Anti-CYP11A1 Antibody                           | BPAB1001 | Cholesterol side-chain cleavage enzyme, mitochondrial    | Reacts with: human, rat                     | WB                      |
| Anti-CYP11B1 Antibody                           | BPAB1002 | Cytochrome P450 11B1, mitochondrial                      | Reacts with: human                          | WB                      |
| Anti-CYP1B1 Antibody                            | BPAB1003 | Cytochrome P450 1B1                                      | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM  |
| Anti-CYP24A1 Antibody                           | BPAB1004 | 1,25-dihydroxyvitamin D(3) 24-hydroxylase, mitochondrial | Reacts with: human, mouse, rat              | WB,IHC-P                |
| Anti-CYP27A1 Antibody                           | BPAB1005 | Sterol 26-hydroxylase, mitochondrial                     | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA   |
| Anti-CYP27B1 Antibody                           | BPAB1006 | 25-hydroxyvitamin D-1 alpha hydroxylase, mitochondrial   | Reacts with: human, mouse, rat              | WB,IHC-P                |
| Anti-CYP2U1 Antibody                            | BPAB1007 | Cytochrome P450 2U1                                      | Reacts with: human                          | WB,IHC-P,ICC            |
| Anti-CYP7A1 Antibody                            | BPAB1008 | Cholesterol 7-alpha-monooxygenase                        | Reacts with: mouse, ratPredicted to work wi | WB                      |
|   | BPAB1009 |  |   |                         |
| Anti-Cystathionase/CTH Antibody                 | BPAB1010 | Cystathionine gamma-lyase                                | Reacts with: human, ratPredicted to work wi | WB,IHC-P                |
| Anti-Cystathionase/CTH Antibody                 | BPAB1011 | Cystathionine gamma-lyase                                | Reacts with: human, ratPredicted to work wi | WB,IHC-P,ICC            |
| Anti-Cystathionase/CTH Antibody                 | BPAB1012 | Cystathionine gamma-lyase                                | Reacts with: mouse, ratPredicted to work wi | WB                      |
| Anti-Cystatin A/CSTA Antibody                   | BPAB1013 | Cystatin-A   | Reacts with: human                          | WB,IHC-P                |
| Anti-Cystatin A/CSTA Antibody                   | BPAB1014 | Cystatin-A   | Reacts with: human                          | WB,IHC-P                |
| Anti-Cystatin C/CST3 Antibody                   | BPAB1015 | Cystatin-C   | Reacts with: human                          | WB,IHC-P,ICC            |
| Anti-Cystatin C/CST3 Antibody                   | BPAB1016 | Cystatin-C   | Reacts with: human, mouse                   | WB,IHC-P,Direct ELISA   |
| Anti-Cystatin C/Cst3 Antibody                   | BPAB1017 | Cystatin-C   | Reacts with: mouse, rat                     | WB,ELISA(Cap)           |
| Anti-Cystatin C/CST3 Antibody (monoclonal, 4H8) | BPAB1018 | Cystatin-C   | Reacts with: human                          | WB,IHC-P,FCM,ELISA(Cap) |
| Anti-Cystatin C/CST3 Antibody (monoclonal, 8D1) | BPAB1019 | Cystatin-C   | Reacts with: human                          | ELISA(Det)              |

|   |          |   |  |                                     |
|---|----------|---|--|-------------------------------------|
| Anti-Cystatin C/CST3 Antibody (monoclonal, 8H7)     | BPAB1020 | Cystatin-C  | Reacts with: human                           | ELISA(Cap)                          |
| Anti-Cytochrome C Antibody (monoclonal, 15F10)      | BPAB1021 | Cytochrome c  | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-Cytochrome C/CYCS Antibody                     | BPAB1022 | Cytochrome c  | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC                  |
| Anti-Cytochrome C/CYCS Antibody                     | BPAB1023 | Cytochrome c  | Reacts with: human, mouse, rat               | WB,IHC-P,ICC,IF                     |
| Anti-Cytochrome C/Cycs Antibody                     | BPAB1024 | Cytochrome c, somatic                               | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-Cytochrome P450 17A1/CYP17A1 Antibody          | BPAB1025 | Steroid 17-alpha-hydroxylase/17,20 lyase            | Reacts with: human                           | WB,IHC-P                            |
| Anti-Cytochrome P450 17A1/Cyp17a1 Antibody          | BPAB1026 | Steroid 17-alpha-hydroxylase/17,20 lyase            | Reacts with: mouse, rat                      | WB,IHC-P,Direct ELISA               |
| Anti-Cytochrome P450 1A1/CYP1A1 Antibody            | BPAB1027 | Cytochrome P450 1A1                                 | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-Cytochrome P450 1A2/CYP1A2 Antibody            | BPAB1028 | Cytochrome P450 1A2                                 | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-Cytochrome P450 1A2/CYP1A2 Antibody            | BPAB1029 | Cytochrome P450 1A2                                 | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-Cytochrome P450 2A6/CYP2A6 Antibody            | BPAB3821 | Cytochrome P450 2A6                                 | Reacts with: human, mouse, rat               | WB                                  |
| Anti-Cytochrome P450 2B6/CYP2B6 Antibody            | BPAB3788 | Cytochrome P450 2B6                                 | Reacts with: human                           | WB                                  |
| Anti-Cytochrome P450 2C19/CYP2C19 Antibody          | BPAB3822 | Cytochrome P450 2C19                                | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-Cytochrome P450 2D6/CYP 2C6 Antibody           | BPAB1030 | Cytochrome P450 2D6                                 | Reacts with: ratPredicted to work with: mou  | WB,IHC-P                            |
| Anti-Cytochrome P450 2D6/CYP2D6 Antibody            | BPAB1034 | Cytochrome P450 2D6                                 | Reacts with: human, mouse, rat               | WB,IHC-P                            |
|   | BPAB1035 |   |  |                                     |
| Anti-Cytochrome P450 2E1/CYP2E1 Antibody            | BPAB1036 | Cytochrome P450 2E1                                 | Reacts with: human                           | WB                                  |
| Anti-Cytochrome P450 2E1/CYP2E1 Antibody            | BPAB1037 | Cytochrome P450 2E1                                 | Reacts with: mouse, rat                      | WB,IHC-P                            |
| Anti-Cytochrome P450 2E1/CYP2E1 Antibody            | BPAB1038 | Cytochrome P450 2E1                                 | Reacts with: mouse, ratPredicted to work wit | WB,IHC-P                            |
| Anti-Cytochrome P450 3A4/CYP3A4 Antibody            | BPAB1039 | Cytochrome P450 3A4                                 | Reacts with: human                           | WB,IHC-P                            |
| Anti-Cytochrome P450 Reductase/POR Antibody         | BPAB1040 | NADPH--cytochrome P450 reductase                    | Reacts with: human, ratPredicted to work wi  | WB,IHC-P,ICC                        |
| Anti-Cytochrome P450 Reductase/POR Antibody         | BPAB1041 | NADPH--cytochrome P450 reductase                    | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-Cytoglobin/CYGB Antibody                       | BPAB1042 | Cytoglobin  | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-Cytoglobin/CYGB Antibody                       | BPAB1043 | Cytoglobin  | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-Cytokeratin 1/KRT1 Antibody                    | BPAB1044 | Keratin, type II cytoskeletal 1                     | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-Cytokeratin 14/KRT14 Antibody                  | BPAB1045 | Keratin, type I cytoskeletal 14                     | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-Cytokeratin 18/KRT18 Antibody                  | BPAB1046 | Keratin, type I cytoskeletal 18                     | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-Cytokeratin 19 Antibody (monoclonal, 3D4)      | BPAB1047 | Keratin, type I cytoskeletal 19                     | Reacts with: human                           | WB,IHC-P,IF                         |
| Anti-Cytokeratin 19/KRT19 Antibody                  | BPAB1048 | Keratin, type I cytoskeletal 19                     | Reacts with: human                           | WB,IHC-P,IHC-F,ICC                  |
| Anti-Cytokeratin 19/KRT19 Antibody                  | BPAB1049 | Keratin, type I cytoskeletal 19                     | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-Cytokeratin 5/KRT5 Antibody                    | BPAB1050 | Keratin, type II cytoskeletal 5                     | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-Cytokeratin 8 Antibody (monoclonal, 3G9)       | BPAB1051 | Keratin, type II cytoskeletal 8                     | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F                      |
| Anti-Cytokeratin 8/KRT8 Antibody                    | BPAB1052 | Keratin, type II cytoskeletal 8                     | Reacts with: humanPredicted to work with: r  | WB,IHC-P                            |
| Anti-Cytokeratin 8/KRT8 Antibody                    | BPAB1053 | Keratin, type II cytoskeletal 8                     | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-Cytokeratin Peptide 18 Antibody (monoclonal, C | BPAB1054 | Keratin, type I cytoskeletal 18                     | Human, rat                                   | WB,IHC-P,IHC-F                      |
| Anti-Cytokeratin Peptide 7 Antibody (monoclonal, LD | BPAB1055 | Keratin, type II cytoskeletal 7                     | Human  | WB,IHC-P,IHC-F                      |
| Anti-D6/ACKR2 Antibody                              | BPAB1056 | Atypical chemokine receptor 2                       | Reacts with: human                           | WB,IHC-P,Direct ELISA               |
| Anti-DAP Kinase 2/DAPK2 Antibody                    | BPAB1057 | Death-associated protein kinase 2(DAP kinase 2)     | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-DARPP32/PPP1R1B Antibody                       | BPAB1058 | Protein phosphatase 1 regulatory subunit 1B         | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-DARS2 Antibody                                 | BPAB1059 | Aspartate--tRNA ligase, mitochondrial               | Reacts with: human                           | WB,IHC-P,Direct ELISA               |
| Anti-DAZAP1 Antibody                                | BPAB3823 | DAZ-associated protein 1                            | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA               |
| Anti-Daxx Antibody                                  | BPAB1060 | Death domain-associated protein 6                   | Reacts with: humanPredicted to work with: r  | WB                                  |
| Anti-Daxx Antibody                                  | BPAB1062 | Death domain-associated protein 6                   | Reacts with: human, rat                      | WB,IHC-P,ICC                        |
| Anti-DC-SIGN/CD209 Antibody                         | BPAB1063 | CD209 antigen                                       | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-DCC Antibody                                   | BPAB1064 | Netrin receptor DCC                                 | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-DCI/ECI1 Antibody                              | BPAB1065 | Enoyl-CoA delta isomerase 1, mitochondrial          | Reacts with: human, ratPredicted to work wi  | WB,IHC-P,ICC,IF                     |
| Anti-DCK Antibody                                   | BPAB1066 | Deoxycytidine kinase                                | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA |
| Anti-DDAH1 Antibody                                 | BPAB1067 | N(G),N(G)-dimethylarginine dimethylaminohydrolase 1 | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-DDAH2 Antibody                                 | BPAB1068 | N(G),N(G)-dimethylarginine dimethylaminohydrolase 2 | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-DDB1 Antibody                                  | BPAB1069 | DNA damage-binding protein 1                        | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC                  |
| Anti-DDB2 Antibody                                  | BPAB1070 | DNA damage-binding protein 2                        | Reacts with: human                           | WB                                  |

|  |          |   |   |                        |
|--|----------|---|---|------------------------|
| Anti-DDR2 Antibody                           | BPAB1071 | Discoidin domain-containing receptor 2                | Reacts with: human                          | WB                     |
| Anti-DDR2 Antibody                           | BPAB1072 | Discoidin domain-containing receptor 2                | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA  |
| Anti-DDT Antibody                            | BPAB1073 | D-dopachrome decarboxylase                            | Reacts with: human                          | WB,IHC-P,ICC,ELISA     |
| Anti-DDT Antibody                            | BPAB1074 | D-dopachrome decarboxylase                            | Reacts with: human, ratPredicted to work wi | WB,IHC-P               |
| Anti-DDT Antibody                            | BPAB1075 | D-dopachrome decarboxylase                            | Reacts with: human, mouse, rat              | WB,IHC-P               |
| Anti-DDX3/DDX3X Antibody                     | BPAB1076 | ATP-dependent RNA helicase DDX3X                      | Reacts with: human, mouse, rat              | WB                     |
| Anti-DDX4/MVH Antibody                       | BPAB1077 | Probable ATP-dependent RNA helicase DDX4              | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC     |
| Anti-DDX5 Antibody                           | BPAB1078 | Probable ATP-dependent RNA helicase DDX5              | Reacts with: human, mouse, rat              | WB,IHC-P               |
| Anti-DDX58 Antibody                          | BPAB1079 | Probable ATP-dependent RNA helicase DDX58             | Reacts with: human, mouse, rat              | WB                     |
| Anti-DDX6 Antibody                           | BPAB1080 | Probable ATP-dependent RNA helicase DDX6              | Reacts with: humanPredicted to work with: r | WB                     |
| Anti-Decorin/DCN Antibody                    | BPAB1081 | Decorin   | Reacts with: human, ratPredicted to work wi | WB                     |
| Anti-Decorin/DCN Antibody                    | BPAB1082 | Decorin   | Reacts with: human, rat                     | WB,IHC-P               |
| Anti-Dermatopontin/DPT Antibody              | BPAB1083 | Dermatopontin   | Reacts with: human, mouse, rat              | WB,Direct ELISA        |
| Anti-Desmin Antibody                         | BPAB1084 | Desmin  | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F         |
| Anti-Desmin Antibody (monoclonal, DE-U-10)   | BPAB1085 | Desmin  | Human, mouse, rat, rabbit                   | WB,IHC-P               |
| Anti-Desmoglein 2/DSG2 Antibody              | BPAB1086 | Desmoglein-2  | Reacts with: human, ratPredicted to work wi | WB,IHC-P               |
| Anti-Desmoglein 3/DSG3 Antibody              | BPAB1087 | Desmoglein-3  | Reacts with: human                          | WB                     |
| Anti-Desmoplakin/DSP Antibody                | BPAB1088 | Desmoplakin   | Reacts with: human, mouse, rat              | WB,Direct ELISA        |
| Anti-DGAT1 Antibody                          | BPAB1089 | Diacylglycerol O-acyltransferase 1                    | Reacts with: human, rat                     | WB                     |
| Anti-DGCR8 Antibody                          | BPAB1090 | Microprocessor complex subunit DGCR8                  | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA  |
| Anti-DHFR Antibody (monoclonal, 3C8)         | BPAB1091 | Dihydrofolate reductase                               | Reacts with: human, rat                     | WB,IHC-P               |
| Anti-DHODH Antibody                          | BPAB1092 | Dihydroorotate dehydrogenase (quinone), mitochondrial | Reacts with: human, mouse, rat              | WB,IHC-P               |
| Anti-Diazepam Binding Inhibitor/DBI Antibody | BPAB1093 | Acyl-CoA-binding protein                              | Reacts with: human                          | WB,IHC-P,IHC-F,ICC,FCM |
| Anti-Dicer/DICER1 Antibody                   | BPAB1094 | Endoribonuclease Dicer                                | Reacts with: human                          | WB,IHC-P               |
| Anti-Dihydrofolate reductase (DHFR) Antibody | BPAB1095 | Dihydrofolate reductase                               | Reacts with: human, mouse, rat              | WB,IHC-P               |
| Anti-DIS3 Antibody                           | BPAB1096 | Exosome complex exonuclease RRP44                     | Reacts with: human, mouse, rat              | WB,Direct ELISA        |
| Anti-DISC1 Antibody                          | BPAB1097 | Disrupted in schizophrenia 1 protein                  | Reacts with: human                          | WB                     |
| Anti-DISC1 Antibody                          | BPAB1098 | Disrupted in schizophrenia 1 protein                  | Reacts with: human, mouse, rat              | WB,IHC-P               |
| Anti-Dishevelled 2/DVL2 Antibody             | BPAB1099 | Segment polarity protein dishevelled homolog DVL-2    | Reacts with: mouse, ratPredicted to work wi | WB                     |
| Anti-Dishevelled 3/DVL3 Antibody             | BPAB1100 | Segment polarity protein dishevelled homolog DVL-3    | Reacts with: human, ratPredicted to work wi | WB                     |
| Anti-Dishevelled/Dvl1 Antibody               | BPAB1101 | Segment polarity protein dishevelled homolog DVL-1    | Reacts with: human, rat                     | WB,IHC-P               |
| Anti-Diubiquitin/UBD Antibody                | BPAB1102 | Ubiquitin D   | Reacts with: human                          | WB,IHC-P               |
| Anti-DKK1 Antibody                           | BPAB1103 | Dickkopf-related protein 1(Dickkopf-1/Dkk-1/hDkk-1)   | Reacts with: human, mouse, rat              | WB                     |
| Anti-DKK1 Antibody                           | BPAB1104 | Dickkopf-related protein 1                            | Reacts with: human, mouse, rat              | WB,ELISA(Cap)          |
| Anti-DKK2 Antibody                           | BPAB1105 | Dickkopf-related protein 2                            | Reacts with: human, rat                     | WB                     |
|  | BPAB1106 |   |   |                        |
| Anti-DLL1 Antibody                           | BPAB1107 | Delta-like protein 1                                  | Reacts with: humanPredicted to work with: r | WB                     |
| Anti-DLL3 Antibody                           | BPAB1108 | Delta-like protein 3                                  | Reacts with: human                          | WB                     |
| Anti-DLL4 Antibody                           | BPAB1109 | Delta-like protein 4                                  | Reacts with: human, mouse, rat              | WB                     |
| Anti-DMRT1 Antibody                          | BPAB1110 | Doublesex- and mab-3-related transcription factor 1   | Reacts with: human, mouse, rat              | WB,IHC-P               |
| Anti-DNA PKcs/PRKDC Antibody                 | BPAB1111 | DNA-dependent protein kinase catalytic subunit        | Reacts with: human                          | WB                     |
| Anti-DNA Polymerase beta/POLB Antibody       | BPAB1112 | DNA polymerase beta                                   | Reacts with: human                          | WB                     |
| Anti-DNA polymerase eta/POLH Antibody        | BPAB1113 | DNA polymerase eta                                    | Reacts with: human, rat                     | WB                     |
| Anti-DNA Polymerase iota/POLI Antibody       | BPAB1114 | DNA polymerase iota                                   | Reacts with: human, mouse, rat              | WB                     |
| Anti-DNA Polymerase lambda/POLL Antibody     | BPAB1115 | DNA polymerase lambda                                 | Reacts with: human, mouse, rat              | WB,Direct ELISA        |
| Anti-Dnmt1 Antibody                          | BPAB1116 | DNA (cytosine-5)-methyltransferase 1                  | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA  |
| Anti-DOK7 Antibody                           | BPAB1117 | Protein Dok-7   | Reacts with: human, mouse, rat              | WB,IHC-P,ICC/IF        |
| Anti-Dopamine D2 Receptor/DRD2 Antibody      | BPAB1118 | D(2) dopamine receptor                                | Reacts with: human, ratPredicted to work wi | WB,IHC-P,IHC-F         |
| Anti-Dopamine Receptor D1/DRD1 Antibody      | BPAB1119 | D(1A) dopamine receptor                               | Reacts with: human, ratPredicted to work wi | WB                     |
| Anti-Dopamine Receptor D1/DRD1 Antibody      | BPAB1120 | D(1A) dopamine receptor                               | Reacts with: human, ratPredicted to work wi | WB,IHC-P               |
|  | BPAB1121 |   |   |                        |

|   |          |   |   |
|---|----------|---|---|
| Anti-Dopamine Receptor D3/DRD3 Antibody           | BPAB1122 |   |   |
| Anti-Dopamine Receptor D5/DRD5 Antibody           | BPAB1123 | D(3) dopamine receptor  | Reacts with: human, ratPredicted to work wi WB,IHC-P                  |
| Anti-Doppel/PRND Antibody                         | BPAB1124 | D(1B) dopamine receptor   | Reacts with: human, mouse, rat WB                                     |
| Anti-Doublecortin/DCX Antibody                    | BPAB1125 | Prion-like protein doppel                                       | Reacts with: human, mouse, rat WB,IHC-P                               |
| Anti-DPYD Antibody                                | BPAB1126 | Neuronal migration protein doublecortin                         | Reacts with: mouse, ratPredicted to work wi WB                        |
| Anti-DPYD Antibody                                | BPAB1127 | Dihydropyrimidine dehydrogenase [NADP(+)](DHPDHase/DPD)         | Reacts with: humanPredicted to work with: r WB                        |
| Anti-DPYD Antibody                                | BPAB1128 | Dihydropyrimidine dehydrogenase [NADP(+)]                       | Reacts with: human, mouse, rat WB,Direct ELISA                        |
| Anti-DR3/TNFRSF25 Antibody                        | BPAB1129 | Tumor necrosis factor receptor superfamily member 25            | Reacts with: human WB   |
| Anti-DR4/TNFRSF10A Antibody                       | BPAB1130 | Tumor necrosis factor receptor superfamily member 10A           | Reacts with: human WB   |
| Anti-DR4/TNFRSF10A Antibody                       | BPAB1131 | Tumor necrosis factor receptor superfamily member 10A           | Reacts with: human, mouse, rat WB,IHC-F,ICC,FCM                       |
| Anti-DR5/TNFRSF10B Antibody                       | BPAB1132 | Tumor necrosis factor receptor superfamily member 10B           | Reacts with: human WB,IHC-P   |
| Anti-DR5/TNFRSF10B Antibody                       | BPAB1133 | Tumor necrosis factor receptor superfamily member 10B           | Reacts with: human, mouse, rat WB,IHC-P                               |
| Anti-DUSP3 Antibody                               | BPAB1134 | Dual specificity protein phosphatase 3                          | Reacts with: human, ratPredicted to work wi WB                        |
| Anti-DUT Antibody                                 | BPAB1135 | Deoxyuridine 5'-triphosphate nucleotidohydrolase, mitochondrial | Reacts with: human, ratPredicted to work wi WB,IHC-P                  |
|   | BPAB1136 |   |   |
| Anti-Dynamin 1/DNM1 Antibody                      | BPAB1137 | Dynamin-1   | Reacts with: human, mouse, rat WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA    |
| Anti-Dynamin 2/DNM2 Antibody                      | BPAB1138 | Dynamin-2   | Reacts with: human, mouse, rat WB,Direct ELISA                        |
| Anti-DYNLT1 Antibody                              | BPAB1139 | Dynein light chain Tctex-type 1                                 | Reacts with: human, mouse, rat WB,IHC-P,IHC-F,ICC/IF,FCM,Direct ELISA |
| Anti-DYRK1A Antibody                              | BPAB1140 | Dual specificity tyrosine-phosphorylation-regulated kinase 1A   | Reacts with: human, mouse, rat WB,Direct ELISA                        |
| Anti-Dysadherin/FXYD5 Antibody                    | BPAB1141 | FXYD domain-containing ion transport regulator 5                | Reacts with: human WB,IHC-P   |
| Anti-Dystrophin Antibody (monoclonal, MANDYS8)    | BPAB1142 | Dystrophin  | Human, mouse, rabbit, rat WB,IHC-P                                    |
| Anti-Dystrophin/DMD Antibody                      | BPAB1143 | Dystrophin  | Reacts with: human, mouse, rat WB,IHC-P                               |
| Anti-E Cadherin/CDH1 Antibody                     | BPAB1144 | Cadherin-1  | Reacts with: human WB   |
| Anti-E Cadherin/CDH1 Antibody                     | BPAB1145 | Cadherin-1  | Reacts with: human, mouse, rat WB,IHC-P,IHC-F,ELISA                   |
| Anti-E1 Ubiquitin Activating Enzyme/UBA1 Antibody | BPAB1146 | Ubiquitin-like modifier-activating enzyme 1                     | Reacts with: human, mouse, rat WB                                     |
| Anti-E2F1 Antibody                                | BPAB1147 | Transcription factor E2F1(E2F-1)                                | Reacts with: human WB   |
| Anti-E2F2 Antibody                                | BPAB1148 | Transcription factor E2F2(E2F-2)                                | Reacts with: human, ratPredicted to work wi WB                        |
| Anti-E2F2 Antibody                                | BPAB1149 | Transcription factor E2F2                                       | Reacts with: human, mouse, rat WB,Direct ELISA                        |
| Anti-E2F3 Antibody                                | BPAB1150 | Transcription factor E2F3                                       | Reacts with: humanPredicted to work with: r WB                        |
| Anti-E2F3 Antibody                                | BPAB1151 | Transcription factor E2F3                                       | Reacts with: human, mouse, rat WB                                     |
| Anti-E2F4 Antibody                                | BPAB1152 | Transcription factor E2F4                                       | Reacts with: human, rat WB  |
| Anti-E2F4 Antibody                                | BPAB1153 | Transcription factor E2F4                                       | Reacts with: human, mouse, rat WB,IHC-P                               |
| Anti-E2F6 Antibody                                | BPAB1154 | Transcription factor E2F6(E2F-6)                                | Reacts with: humanPredicted to work with: r WB                        |
| Anti-E3 SUMO-protein ligase PIAS4 Antibody        | BPAB1155 | E3 SUMO-protein ligase PIAS4                                    | Reacts with: humanPredicted to work with: r WB                        |
| Anti-E3 SUMO-protein ligase PIAS4 Antibody        | BPAB1156 | E3 SUMO-protein ligase PIAS4                                    | Reacts with: human, mouse, rat WB                                     |
| Anti-E74 like factor 1/ELF1 Antibody              | BPAB1157 | ETS-related transcription factor Elf-1                          | Reacts with: human, mouse, rat WB                                     |
| Anti-EAAT1/SLC1A3 Antibody                        | BPAB1158 | Excitatory amino acid transporter 1                             | Reacts with: mouse, ratPredicted to work wi WB,IHC-P,IHC-F            |
| Anti-EAAT1/SLC1A3 Antibody                        | BPAB1159 | Excitatory amino acid transporter 1                             | Reacts with: human, mouse, rat WB,IHC-P                               |
| Anti-EAAT2/SLC1A2 Antibody                        | BPAB1160 | Excitatory amino acid transporter 2                             | Reacts with: human, mouse, rat WB                                     |
| Anti-EAAT3/SLC1A1 Antibody                        | BPAB1161 | Excitatory amino acid transporter 3                             | Reacts with: human WB   |
| Anti-EAAT3/SLC1A1 Antibody                        | BPAB1162 | Excitatory amino acid transporter 3                             | Reacts with: mouse, rat WB  |
|   | BPAB1163 |   |   |
| Anti-EBAG9 Antibody                               | BPAB1164 | Receptor-binding cancer antigen expressed on SiSo cells         | Reacts with: human, mouse, rat WB,IHC-P                               |
| Anti-EBP1/PA2G4 Antibody                          | BPAB1165 | Proliferation-associated protein 2G4                            | Reacts with: human, mouse, rat WB,IHC-P                               |
| Anti-EBP50/NHERF-1/SLC9A3R1 Antibody              | BPAB3809 | Na(+)/H(+) exchange regulatory cofactor NHE-RF1                 | Reacts with: human, mouse, rat WB,IHC-P,Direct ELISA                  |
| Anti-ECE1 Antibody                                | BPAB1166 | Endothelin-converting enzyme 1                                  | Reacts with: human, mouse, rat WB                                     |
| Anti-EDA Antibody                                 | BPAB1168 | Ectodysplasin-A   | Reacts with: humanPredicted to work with: r WB                        |
| Anti-EDA Antibody                                 | BPAB1169 | Ectodysplasin-A   | Reacts with: human WB   |
| Anti-EEA1 Antibody                                | BPAB1170 | Early endosome antigen 1  | Reacts with: human, mouse, rat WB                                     |
| Anti-EED Antibody                                 | BPAB1171 | Polycomb protein EED  | Reacts with: human, rat WB  |
| Anti-EGF Antibody                                 | BPAB1172 | Pro-epidermal growth factor(EGF)                                | Reacts with: mouse WB,IHC-P   |

|   |          |   |  |                              |
|---|----------|---|--|------------------------------|
| Anti-EGF Antibody                           | BPAB1173 | Pro-epidermal growth factor                               | Reacts with: human                           | WB,ELISA                     |
| Anti-EGF Antibody                           | BPAB1174 | Pro-epidermal growth factor                               | Reacts with: mouse                           | WB,ELISA                     |
| Anti-EGF Antibody                           | BPAB1175 | Pro-epidermal growth factor                               | Reacts with: rat                             | WB,IHC-P,ELISA               |
| Anti-EGFL6 Antibody                         | BPAB1176 | Epidermal growth factor-like protein 6                    | Reacts with: human, mouse, rat               | WB,Direct ELISA              |
| Anti-EGFR Antibody                          | BPAB1177 | Epidermal growth factor receptor                          | Reacts with: human, rat                      | WB                           |
| Anti-EGFR Antibody                          | BPAB1178 | Epidermal growth factor receptor                          | Reacts with: mouse                           | WB                           |
| Anti-EGFR Antibody                          | BPAB1179 | Epidermal growth factor receptor                          | Reacts with: human, mouse, rat               | WB                           |
| Anti-Egr1 Antibody                          | BPAB1180 | Early growth response protein 1                           | Reacts with: human                           | WB                           |
| Anti-Egr1 Antibody                          | BPAB1181 | Early growth response protein 1                           | Reacts with: human, mouse, rat               | WB,Direct ELISA              |
| Anti-EGR2 Antibody                          | BPAB1182 | E3 SUMO-protein ligase EGR2                               | Reacts with: human, mousePredicted to wor    | WB                           |
| Anti-EHD1 Antibody                          | BPAB3789 | EH domain-containing protein 1                            | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA        |
| Anti-EIF2AK1 Antibody                       | BPAB1183 | Eukaryotic translation initiation factor 2-alpha kinase 1 | Reacts with: human                           | WB,ICC                       |
| Anti-EIF2C1/AGO1 Antibody                   | BPAB1185 | Protein argonaute-1                                       | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM       |
| Anti-EIF2S1 Antibody                        | BPAB1186 | Eukaryotic translation initiation factor 2 subunit 1      | Reacts with: human                           | WB,IHC-P                     |
| Anti-EIF2S2 Antibody                        | BPAB1187 | Eukaryotic translation initiation factor 2 subunit 2      | Reacts with: humanPredicted to work with: r  | WB                           |
| Anti-eIF3B Antibody                         | BPAB1188 | Eukaryotic translation initiation factor 3 subunit B      | Reacts with: human, ratPredicted to work wi  | WB                           |
| Anti-EIF3e Antibody                         | BPAB1189 | Eukaryotic translation initiation factor 3 subunit E      | Reacts with: human, mouse, rat               | WB                           |
| Anti-eIF4A2 Antibody                        | BPAB1190 | Eukaryotic initiation factor 4A-II                        | Reacts with: human, mouse, rat               | WB,IHC-P                     |
| Anti-EIF6 Antibody (monoclonal, 2I11)       | BPAB1191 | Eukaryotic translation initiation factor 6                | Reacts with: human, mouse, rat               | WB,IHC-P,FCM                 |
| Anti-Elafin/Skalp Antibody (monoclonal, C7) | BPAB1192 | Elafin  | Reacts with: human                           | IHC-P,ELISA(Cap)             |
| Anti-Elafin/Skalp/PI3 Antibody              | BPAB1193 | Elafin  | Reacts with: human                           | WB,IHC-P,ELISA               |
| Anti-Elastin Antibody (monoclonal, BA-4)    | BPAB1194 | Elastin   | Bovine, human                                | IHC-P                        |
| Anti-ELAVL2 HuB Antibody                    | BPAB1195 | ELAV-like protein 2                                       | Reacts with: human, mouse, rat               | WB,IHC-P                     |
| Anti-ELAVL4 Antibody                        | BPAB1196 | ELAV-like protein 4                                       | Reacts with: human, mouse, rat               | WB,IHC-P                     |
| Anti-EME1 Antibody                          | BPAB1197 | Crossover junction endonuclease EME1                      | Reacts with: human, rat                      | WB,IHC-P                     |
| Anti-Emerin Antibody (monoclonal, 5A10)     | BPAB1198 | Emerin  | Reacts with: human                           | WB,IHC-P,IHC-F,ICC,FCM       |
| Anti-Emerin/EMD Antibody                    | BPAB1199 | Emerin  | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC/IF,FCM    |
| Anti-EML4 Antibody                          | BPAB1200 | Echinoderm microtubule-associated protein-like 4          | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA        |
|   | BPAB1201 |   |  |                              |
|   | BPAB1202 |   |  |                              |
| Anti-Endothelin B Receptor/EDNRB Antibody   | BPAB1203 | Endothelin B receptor                                     | Reacts with: human, mouse, rat               | WB,IHC-P                     |
|   | BPAB1204 |   |  |                              |
|   | BPAB1205 |   |  |                              |
| Anti-eNOS/NOS3 Antibody                     | BPAB3845 | Nitric oxide synthase, endothelial                        | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA        |
| Anti-Eotaxin 3/CCL26 Antibody               | BPAB1206 | C-C motif chemokine 26                                    | Reacts with: human                           | WB                           |
| Anti-Eotaxin 3/CCL26 Antibody               | BPAB1208 | C-C motif chemokine 26                                    | Reacts with: human                           | WB,IHC-P                     |
|   | BPAB1209 |   |  |                              |
| Anti-Eotaxin/CCL11 Antibody                 | BPAB1210 | Eotaxin   | Reacts with: human                           | WB                           |
| Anti-Eotaxin/CCL11 Antibody                 | BPAB1211 | Eotaxin   | Reacts with: mouse, rat                      | WB                           |
| Anti-Eotaxin/CCL11 Antibody                 | BPAB1212 | Eotaxin   | Reacts with: mouse                           | WB                           |
| Anti-Eotaxin/CCL11 Antibody                 | BPAB1213 | Eotaxin   | Reacts with: human                           | WB,ELISA                     |
| Anti-EPB41L1 Antibody                       | BPAB1214 | Band 4.1-like protein 1                                   | Reacts with: mouse, ratPredicted to work wii | WB                           |
| Anti-EPB41L1 Antibody                       | BPAB1215 | Band 4.1-like protein 1                                   | Reacts with: human, mouse, rat               | WB                           |
| Anti-EpCAM Antibody                         | BPAB1216 | Epithelial cell adhesion molecule                         | Reacts with: human                           | WB,IHC-P,IHC-F,ICC,ELISA,FCM |
| Anti-EPCR/CD201/PROCR Antibody              | BPAB1217 | Endothelial protein C receptor                            | Reacts with: human                           | WB,ELISA                     |
| Anti-Eph receptor A1/EPHA1 Antibody         | BPAB1218 | Ephrin type-A receptor 1(hEpha1)                          | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                     |
| Anti-Eph receptor A2/EPHA2 Antibody         | BPAB1219 | Ephrin type-A receptor 2                                  | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                     |
| Anti-Eph receptor A2/EPHA2 Antibody         | BPAB1220 | Ephrin type-A receptor 2                                  | Reacts with: human, mouse, rat               | WB,Direct ELISA              |
|   | BPAB1221 |   |  |                              |
| Anti-Eph receptor A5/EPHA5 Antibody         | BPAB1222 | Ephrin type-A receptor 5                                  | Reacts with: mouse, ratPredicted to work wii | WB                           |
| Anti-Eph receptor B1/EPHB1 Antibody         | BPAB1223 | Ephrin type-B receptor 1                                  | Reacts with: human                           | WB,IHC-P                     |



|  |          |   |                                   |                                      |
|--|----------|---|-----------------------------------|--------------------------------------|
| Anti-Eph receptor B3/EPHB3 Antibody                  | BPAB1224 | Ephrin type-B receptor 3                                | Reacts with: human, rat           | Predicted to work with: WB,IHC-P     |
| Anti-EPHX2 Antibody                                  | BPAB1225 | Bifunctional epoxide hydrolase 2                        | Reacts with: human, mouse, rat    | WB                                   |
| Anti-Epigen/EPGN Antibody                            | BPAB1226 | Epigen  | Reacts with: human, rat           | WB                                   |
| Anti-Epigen/Ep gn Antibody                           | BPAB1227 | Epigen  | Reacts with: mouse, rat           | WB,ELISA                             |
| Anti-Episialin, EMA Antibody (monoclonal, GP1.4)     | BPAB1228 | Mucin-1   | Human                             | IHC-P,IHC-F                          |
| Anti-epithelial Sodium Channel alpha/SCNN1A Antibody | BPAB1229 | Amiloride-sensitive sodium channel subunit alpha        | Reacts with: human, mouse, rat    | WB,IF                                |
| Anti-EPO Antibody                                    | BPAB1230 | Erythropoietin  | Reacts with: mouse, rat           | WB,ELISA(Cap)                        |
| Anti-EPO Antibody                                    | BPAB3825 | Erythropoietin  | Reacts with: human, mouse, rat    | WB,Direct ELISA                      |
|  | BPAB1231 |   |                                   |                                      |
| Anti-EPO Receptor/EPOR Antibody                      | BPAB1233 | Erythropoietin receptor                                 | Reacts with: human, mouse, rat    | WB,Direct ELISA                      |
| Anti-EPO Receptor/Ep or Antibody                     | BPAB1234 | Erythropoietin receptor                                 | Reacts with: mouse, rat           | WB,Direct ELISA                      |
| Anti-EPs15 Antibody                                  | BPAB1235 | Epidermal growth factor receptor substrate 15           | Reacts with: human, mouse, rat    | WB,Direct ELISA                      |
| Anti-ERAB/HSD17B10 Antibody                          | BPAB1236 | 3-hydroxyacyl-CoA dehydrogenase type-2                  | Reacts with: human, mouse         | WB,IHC-P,ICC                         |
| Anti-ErbB 2/ERBB2 Antibody                           | BPAB1237 | Receptor tyrosine-protein kinase erbB-2                 | Reacts with: human, rat           | WB,IHC-P                             |
| Anti-ErbB 3/ERBB3 Antibody                           | BPAB1238 | Receptor tyrosine-protein kinase erbB-3                 | Reacts with: human                | WB                                   |
| Anti-ErbB 4/ERBB4 Antibody                           | BPAB1239 | Receptor tyrosine-protein kinase erbB-4                 | Reacts with: human, mouse, rat    | WB                                   |
| Anti-ErbB 4/ERBB4 Antibody                           | BPAB1240 | Receptor tyrosine-protein kinase erbB-4                 | Reacts with: human, mouse, rat    | WB,IHC-P                             |
| Anti-ERCC1 Antibody                                  | BPAB1241 | DNA excision repair protein ERCC-1                      | Reacts with: human, mouse, rat    | WB,Direct ELISA                      |
| Anti-EREG Antibody                                   | BPAB1242 | Proepiregulin   | Reacts with: human                | WB                                   |
| Anti-ERK1/MAPK3 Antibody                             | BPAB1243 | Mitogen-activated protein kinase 3(MAP kinase 3/MAPK 3) | Reacts with: human, rat           | Predicted to work with: WB,IHC-P,ICC |
| Anti-ERK2/MAPK1 Antibody                             | BPAB1244 | Mitogen-activated protein kinase 1(MAP kinase 1/MAPK 1) | Reacts with: human, rat           | Predicted to work with: WB           |
| Anti-ERK2/MAPK1 Antibody                             | BPAB1245 | Mitogen-activated protein kinase 1                      | Reacts with: human, rat           | Predicted to work with: WB           |
| Anti-ERp57/PDIA3 Antibody                            | BPAB1246 | Protein disulfide-isomerase A3                          | Reacts with: human                | Predicted to work with: r WB,IHC-P   |
| Anti-ERp57/PDIA3 Antibody                            | BPAB1247 | Protein disulfide-isomerase A3                          | Reacts with: human, mouse, rat    | WB,IHC-P,IHC-F                       |
| Anti-ERV31/ERV3-1 Antibody                           | BPAB1248 | Endogenous retrovirus group 3 member 1 Env polyprotein  | Reacts with: human                | WB                                   |
| Anti-ERVW-1 Antibody                                 | BPAB1249 | Syncytin-1  | Reacts with: human, mouse, rat    | WB                                   |
| Anti-ESM1 Antibody                                   | BPAB1250 | Endothelial cell-specific molecule 1                    | Reacts with: human                | WB,ELISA(Cap)                        |
| Anti-Estrogen Inducible Protein pS2/TFF1 Antibody    | BPAB1251 | Trefoil factor 1  | Reacts with: human                | WB,IHC-P                             |
| Anti-Estrogen Inducible Protein pS2/TFF1 Antibody    | BPAB1252 | Trefoil factor 1  | Reacts with: mouse, rat           | WB,IHC-P                             |
| Anti-Estrogen Inducible Protein pS2/TFF1 Antibody    | BPAB1253 | Trefoil factor 1  | Reacts with: human                | WB,ELISA                             |
| Anti-Estrogen Inducible Protein pS2/Tff1 Antibody    | BPAB1254 | Trefoil factor 1  | Reacts with: human, mouse, rat    | WB,IHC-P                             |
| Anti-Estrogen Receptor beta/ESR2 Antibody            | BPAB1255 | Estrogen receptor beta(ER-beta)                         | Reacts with: human                | WB                                   |
| Anti-Estrogen Receptor beta/ESR2 Antibody            | BPAB1256 | Estrogen receptor beta                                  | Reacts with: human, mouse, rat    | WB                                   |
| Anti-Estrogen Receptor/ESR1 Antibody                 | BPAB1257 | Estrogen receptor                                       | Reacts with: human                | WB,IHC-P                             |
| Anti-ETS1 Antibody                                   | BPAB1258 | Protein C-ets-1   | Reacts with: human, mouse         | WB                                   |
| Anti-ETV6/Tel Antibody                               | BPAB1259 | Transcription factor ETV6                               | Reacts with: human, mouse, rat    | WB,IHC-P,Direct ELISA                |
| Anti-EWSR1 Antibody                                  | BPAB1260 | RNA-binding protein EWS                                 | Reacts with: human, mouse, rat    | WB,IHC-P,IHC-F,ICC                   |
| Anti-EWSR1 Antibody (monoclonal, 4B4)                | BPAB1261 | RNA-binding protein EWS                                 | Reacts with: human, mouse, monkey | WB,IHC-P                             |
| Anti-Exportin-5/XPO5 Antibody                        | BPAB1262 | Exportin-5  | Reacts with: human, mouse, rat    | WB                                   |
| Anti-FABP2/I-FABP Antibody                           | BPAB1263 | Fatty acid-binding protein, intestinal                  | Reacts with: human, mouse, rat    | WB,IHC-P                             |
| Anti-FABP4 Antibody                                  | BPAB1264 | Fatty acid-binding protein, adipocyte                   | Reacts with: mouse, rat           | Predicted to work with: WB,IHC-P     |
|  | BPAB1265 |   |                                   |                                      |
| Anti-FABP4 Antibody                                  | BPAB1266 | Fatty acid-binding protein, adipocyte                   | Reacts with: mouse, rat           | WB,ELISA                             |
| Anti-FABP6 Antibody                                  | BPAB1267 | Gastrotropin  | Reacts with: human                | WB,IHC-P                             |
| Anti-Factor B/CFB Antibody                           | BPAB1268 | Complement factor B                                     | Reacts with: human                | WB,IHC-P                             |
| Anti-Factor D/CFD Antibody                           | BPAB1269 | Complement factor D                                     | Reacts with: mouse                | WB                                   |
| Anti-Factor D/CFD Antibody                           | BPAB1270 | Complement factor D                                     | Reacts with: human, mouse, rat    | WB,IHC-P,Direct ELISA                |
| Anti-Factor D/Cfd Antibody                           | BPAB1271 | Complement factor D                                     | Reacts with: human, mouse, rat    | WB,IHC-P,Direct ELISA                |
| Anti-Factor I/CFI Antibody                           | BPAB1272 | Complement factor I                                     | Reacts with: human, rat           | WB,IHC-F,ICC,FCM                     |
| Anti-Factor V/F5 Antibody                            | BPAB1273 | Coagulation factor V                                    | Reacts with: human                | WB                                   |
| Anti-Factor VII/F7 Antibody                          | BPAB1274 | Coagulation factor VII                                  | Reacts with: human                | WB                                   |

|  |          |   |   |                                   |
|--|----------|---|---|-----------------------------------|
| Anti-Factor VIII/F8 Antibody                     | BPAB1275 | Coagulation factor VIII                                     | Reacts with: human                          | WB                                |
| Anti-FADD Antibody                               | BPAB1276 | FAS-associated death domain protein                         | Reacts with: human                          | WB                                |
| Anti-FAF1 Antibody                               | BPAB1277 | FAS-associated factor 1(hFAF1)                              | Reacts with: human, ratPredicted to work wi | WB                                |
| Anti-FAK/PTK2 Antibody                           | BPAB1278 | Focal adhesion kinase 1(FADK 1)                             | Reacts with: human, ratPredicted to work wi | WB                                |
| Anti-FAK/PTK2 Antibody                           | BPAB1279 | Focal adhesion kinase 1                                     | Reacts with: human, mouse, rat              | WB                                |
| Anti-Fas Antibody                                | BPAB1280 | Tumor necrosis factor receptor superfamily member 6         | Reacts with: mouse, rat                     | WB,IHC-P,IHC-F                    |
| Anti-Fas Antibody                                | BPAB1281 | Tumor necrosis factor receptor superfamily member 6         | Reacts with: rat                            | WB                                |
| Anti-Fas Antibody                                | BPAB1282 | Tumor necrosis factor receptor superfamily member 6         | Reacts with: human                          | WB,IHC-P                          |
|  | BPAB1283 |   |   |                                   |
| Anti-Fas Ligand/FASLG Antibody                   | BPAB1284 | Tumor necrosis factor ligand superfamily member 6           | Reacts with: human                          | WB,IHC-P                          |
| Anti-Fas Ligand/FASLG Antibody                   | BPAB1285 | Tumor necrosis factor ligand superfamily member 6           | Reacts with: mouse, rat                     | WB,IHC-P                          |
| Anti-Fascin/FSCN1 Antibody                       | BPAB1286 | Fascin  | Reacts with: human, ratPredicted to work wi | WB                                |
| Anti-Fascin/FSCN1 Antibody                       | BPAB1287 | Fascin  | Reacts with: human, rat                     | WB                                |
| Anti-Fatty Acid Binding Protein 5/FABP5 Antibody | BPAB1288 | Fatty acid-binding protein, epidermal                       | Reacts with: human                          | WB,IHC-P                          |
| Anti-Fatty Acid Binding Protein 5/FABP5 Antibody | BPAB1289 | Fatty acid-binding protein, epidermal                       | Reacts with: ratPredicted to work with: mou | WB,IHC-P                          |
| Anti-Fatty Acid Binding Protein 5/FABP5 Antibody | BPAB1290 | Fatty acid-binding protein, epidermal                       | Reacts with: human, mouse, rat              | WB,IHC-P                          |
| Anti-Fatty Acid Synthase/FASN Antibody           | BPAB1291 | Fatty acid synthase   | Reacts with: human                          | WB,IHC-P,ICC                      |
| Anti-FBXL11/KDM2A Antibody                       | BPAB1292 | Lysine-specific demethylase 2A                              | Reacts with: human, mouse, rat              | WB                                |
| Anti-FbxL4 Antibody                              | BPAB1293 | F-box/LRR-repeat protein 4                                  | Reacts with: human, ratPredicted to work wi | WB,IHC-P                          |
| Anti-FCGR1A Antibody                             | BPAB1294 | High affinity immunoglobulin gamma Fc receptor I            | Reacts with: human, rat                     | WB,Direct ELISA                   |
| Anti-FCGR2A Antibody                             | BPAB1295 | Low affinity immunoglobulin gamma Fc region receptor II-a   | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM,ELISA(Cap) |
| Anti-FCGRT Antibody                              | BPAB1296 | IgG receptor FcRn large subunit p51                         | Reacts with: human                          | WB,IHC-P                          |
| Anti-FCGRT Antibody                              | BPAB1297 | IgG receptor FcRn large subunit p51                         | Reacts with: mouse                          | WB,IHC-P,ELISA                    |
| Anti-FDCSP Antibody                              | BPAB1298 | Follicular dendritic cell secreted peptide                  | Reacts with: human                          | IHC-P                             |
| Anti-FE65/APBB1 Antibody                         | BPAB1299 | Amyloid beta A4 precursor protein-binding family B member 1 | Reacts with: mousePredicted to work with: h | WB                                |
| Anti-FE65/APBB1 Antibody                         | BPAB1300 | Amyloid beta A4 precursor protein-binding family B member 1 | Reacts with: human, mouse, rat              | WB,IHC-P                          |
| Anti-FER Antibody                                | BPAB1301 | Tyrosine-protein kinase Fer                                 | Reacts with: human, rat                     | WB,IHC-P                          |
| Anti-FES Antibody                                | BPAB1302 | Tyrosine-protein kinase Fes/Fps                             | Reacts with: human                          | WB                                |
| Anti-FES Antibody                                | BPAB1303 | Tyrosine-protein kinase Fes/Fps                             | Reacts with: humanPredicted to work with: r | WB                                |
| Anti-FES Antibody                                | BPAB1304 | Tyrosine-protein kinase Fes/Fps                             | Reacts with: human, mouse, rat              | WB                                |
| Anti-Fetuin A/AHSG Antibody                      | BPAB1305 | Alpha-2-HS-glycoprotein                                     | Reacts with: mouse                          | WB                                |
| Anti-FGF1 Antibody                               | BPAB1306 | Fibroblast growth factor 1                                  | Reacts with: human                          | WB,IHC-P,ELISA                    |
|  | BPAB1307 |   |   |                                   |
| Anti-FGF1 Antibody                               | BPAB1308 | Fibroblast growth factor 1                                  | Reacts with: human                          | WB                                |
| Anti-FGF1 Antibody                               | BPAB1309 | Fibroblast growth factor 1                                  | Reacts with: human, mouse, rat              | WB,IHC-P,ELISA                    |
| Anti-FGF10 Antibody                              | BPAB1310 | Fibroblast growth factor 10(FGF-10)                         | Reacts with: human, ratPredicted to work wi | WB                                |
|  | BPAB1311 |   |   |                                   |
| Anti-FGF19 Antibody                              | BPAB1312 | Fibroblast growth factor 19(FGF-19)                         | Reacts with: human                          | WB,IHC-P                          |
| Anti-FGF19 Antibody                              | BPAB1313 | Fibroblast growth factor 19                                 | Reacts with: human                          | WB,ELISA                          |
| Anti-FGF19 Antibody                              | BPAB1314 | Fibroblast growth factor 15                                 | Reacts with: rat                            | WB                                |
| Anti-FGF2 Antibody                               | BPAB1315 | Fibroblast growth factor 2                                  | Reacts with: human                          | WB,IHC-P,ELISA                    |
|  | BPAB1316 |   |   |                                   |
| Anti-FGF2 Antibody                               | BPAB1317 | Fibroblast growth factor 2                                  | Reacts with: human, rat                     | WB                                |
| Anti-FGF2 Antibody                               | BPAB1318 | Fibroblast growth factor 2                                  | Reacts with: human, mouse, rat              | WB,ELISA(Cap)                     |
| Anti-FGF2 Antibody                               | BPAB1319 | Fibroblast growth factor 2                                  | Reacts with: mouse, rat                     | WB,Direct ELISA                   |
| Anti-FGF21 Antibody                              | BPAB1320 | Fibroblast growth factor 21(FGF-21)                         | Reacts with: human, mouse, rat              | WB                                |
| Anti-FGF21 Antibody                              | BPAB1321 | Fibroblast growth factor 21                                 | Reacts with: human, mouse, rat              | WB,ELISA                          |
| Anti-FGF22 Antibody                              | BPAB1322 | Fibroblast growth factor 22(FGF-22)                         | Reacts with: human, ratPredicted to work wi | WB                                |
| Anti-FGF23 Antibody                              | BPAB1323 | Fibroblast growth factor 23                                 | Reacts with: mouse                          | WB                                |
| Anti-FGF23 Antibody                              | BPAB1324 | Fibroblast growth factor 23                                 | Reacts with: mouse, rat                     | WB,Direct ELISA                   |
| Anti-FGF4 Antibody                               | BPAB1325 | Fibroblast growth factor 4(FGF-4)                           | Reacts with: human, ratPredicted to work wi | WB                                |

|   |          |  |  |
|---|----------|--|--|
| Anti-FGF8 Antibody                                    | BPAB1326 | Fibroblast growth factor 8(FGF-8)                    | Reacts with: human, ratPredicted to work wi WB,IHC-P |
|   | BPAB1327 |  |  |
| Anti-FGF8 Antibody                                    | BPAB1328 | Fibroblast growth factor 8                           | Reacts with: human, mouse, rat WB,Direct ELISA       |
| Anti-FGF9 Antibody                                    | BPAB1329 | Fibroblast growth factor 9(FGF-9)                    | Reacts with: human, ratPredicted to work wi WB,IHC-P |
| Anti-FGF9 Antibody                                    | BPAB1330 | Fibroblast growth factor 9                           | Reacts with: human, mouse, rat WB                    |
| Anti-FGFR1 Antibody                                   | BPAB1331 | Fibroblast growth factor receptor 1(FGFR-1/bFGF-R-1) | Reacts with: human, ratPredicted to work wi WB,IHC-P |
| Anti-FGFR1 Antibody                                   | BPAB1332 | Fibroblast growth factor receptor 1                  | Reacts with: human WB                                |
|   | BPAB1333 |  |  |
|   | BPAB1334 |  |  |
| Anti-FGFR3 Antibody                                   | BPAB1335 | Fibroblast growth factor receptor 3                  | Reacts with: human, rat WB,IHC-P,ICC                 |
| Anti-FGFR4 Antibody                                   | BPAB1336 | Fibroblast growth factor receptor 4                  | Reacts with: human WB,IHC-P                          |
| Anti-FGR Antibody                                     | BPAB1337 | Tyrosine-protein kinase Fgr                          | Reacts with: human, mouse, rat WB                    |
| Anti-FH Antibody                                      | BPAB1338 | Fumarate hydratase, mitochondrial                    | Reacts with: human, mouse, rat WB,IHC-P              |
| Anti-FH Antibody (monoclonal, 9D8)                    | BPAB1339 | Fumarate hydratase, mitochondrial                    | Reacts with: human, mouse, rat, monkey WB,IHC-P      |
| Anti-FHIT Antibody                                    | BPAB1340 | Bis(5'-adenosyl)-triphosphatase                      | Reacts with: human WB,IHC-P                          |
| Anti-FHIT Antibody (monoclonal, 26H7)                 | BPAB1341 | Bis(5'-adenosyl)-triphosphatase                      | Reacts with: human WB                                |
| Anti-FHL3 Antibody                                    | BPAB1342 | Four and a half LIM domains protein 3                | Reacts with: human, rat WB                           |
| Anti-Fibrinogen alpha chain/FGA Antibody              | BPAB1343 | Fibrinogen alpha chain                               | Reacts with: human, rat WB                           |
| Anti-Fibrinogen beta chain/FGB Antibody               | BPAB1344 | Fibrinogen beta chain                                | Reacts with: human, mouse, rat WB                    |
| Anti-Fibrinogen gamma chain/FGG Antibody              | BPAB1345 | Fibrinogen gamma chain                               | Reacts with: human, mouse, rat WB,IHC-P              |
|   | BPAB1346 |  |  |
| Anti-Fibroblast activation protein, alpha/FAP Antiboc | BPAB1347 | Prolyl endopeptidase FAP                             | Reacts with: human, mouse, rat WB,Direct ELISA       |
| Anti-Fibronectin Antibody (monoclonal, FN-15)         | BPAB1348 | Fibronectin  | Human, chicken, mouse WB,IHC-P,IHC-F,ICC             |
| Anti-Fibulin 2/FBLN2 Antibody                         | BPAB1349 | Fibulin-2  | Reacts with: human, rat Predicted to work w WB       |
| Anti-Filaggrin/FLG Antibody                           | BPAB1350 | Filaggrin  | Reacts with: human WB,IHC-P                          |
| Anti-Filensin Antibody (monoclonal, FIL-7B10)         | BPAB1351 | Filensin   | Human, bovine WB,IHC-F                               |
| Anti-Flavin containing monooxygenase 4/FMO4 Antik     | BPAB1352 | Dimethylaniline monooxygenase [N-oxide-forming] 4    | Reacts with: human, mouse, rat WB,IHC-P              |
| Anti-FLI1 Antibody                                    | BPAB1353 | Friend leukemia integration 1 transcription factor   | Reacts with: human, ratPredicted to work wi WB,IHC-P |
|   | BPAB1354 |  |  |
| Anti-FLIP/CFLAR Antibody                              | BPAB1355 | CASP8 and FADD-like apoptosis regulator              | Reacts with: human, mouse, rat WB,IHC-P,Direct ELISA |
| Anti-Flotillin 1/FLOT1 Antibody                       | BPAB1356 | Flotillin-1  | Reacts with: human, ratPredicted to work wi WB       |
| Anti-Flotillin 2/FLOT2 Antibody                       | BPAB1357 | Flotillin-2  | Reacts with: human, ratPredicted to work wi WB       |
| Anti-Flotillin 2/FLOT2 Antibody                       | BPAB1358 | Flotillin-2  | Reacts with: human, mouse, rat WB,IHC-P,IHC-F        |
| Anti-Flt3 ligand/FLT3LG Antibody                      | BPAB1359 | Fms-related tyrosine kinase 3 ligand                 | Reacts with: human WB                                |
| Anti-Flt3 ligand/FLT3LG Antibody                      | BPAB1360 | Fms-related tyrosine kinase 3 ligand                 | Reacts with: human, rat WB                           |
| Anti-Flt3 ligand/Flt3lg Antibody                      | BPAB1361 | Fms-related tyrosine kinase 3 ligand                 | Reacts with: mouse, rat WB,Direct ELISA              |
| Anti-Flt3 ligand/Flt3lg Antibody                      | BPAB1362 | Uncharacterized protein                              | Reacts with: mouse, rat WB,Direct ELISA              |
| Anti-Flt3/CD135 Antibody                              | BPAB1363 | Receptor-type tyrosine-protein kinase FLT3           | Reacts with: human WB,IHC-P,ELISA(Cap)               |
| Anti-Flt3/CD135 Antibody                              | BPAB1364 | Receptor-type tyrosine-protein kinase FLT3           | Reacts with: mouse, rat WB,IHC-P,Direct ELISA        |
| Anti-FMN1 Antibody                                    | BPAB1365 | Formin-1   | Reacts with: mouse, ratPredicted to work wi WB,IHC-P |
| Anti-FMO1 Antibody                                    | BPAB1366 | Dimethylaniline monooxygenase [N-oxide-forming] 1    | Reacts with: human, mouse, rat WB                    |
| Anti-FMO2 Antibody                                    | BPAB1367 | Dimethylaniline monooxygenase [N-oxide-forming] 2    | Reacts with: human WB                                |
| Anti-FMO3 Antibody                                    | BPAB1368 | Dimethylaniline monooxygenase [N-oxide-forming] 3    | Reacts with: ratPredicted to work with: hum: WB      |
| Anti-FMO3 Antibody                                    | BPAB1369 | Dimethylaniline monooxygenase [N-oxide-forming] 3    | Reacts with: human, mouse, rat WB                    |
| Anti-FMO5 Antibody                                    | BPAB1370 | Dimethylaniline monooxygenase[N-oxide-forming] 5     | Reacts with: human, mouse, rat WB                    |
| Anti-FMRP/FMR1 Antibody                               | BPAB1371 | Synaptic functional regulator FMR1                   | Reacts with: human, mouse, rat WB                    |
| Anti-FNDC5 Antibody                                   | BPAB1372 | Fibronectin type III domain-containing protein 5     | Reacts with: human, mouse, rat WB,Direct ELISA       |
| Anti-Fos B/FOSB Antibody                              | BPAB1373 | Protein fosB   | Reacts with: human, mouse, rat WB,IHC-P              |
| Anti-Fos B/FOSB Antibody                              | BPAB1374 | Protein fosB   | Reacts with: humanPredicted to work with: r WB       |
| Anti-FOXA1 Antibody                                   | BPAB1375 | Hepatocyte nuclear factor 3-alpha                    | Reacts with: human, mouse, rat WB,Direct ELISA       |
| Anti-FOXA3 Antibody                                   | BPAB1376 | Hepatocyte nuclear factor 3-gamma                    | Reacts with: human, mouse, rat WB                    |

|  |          |   |  |                       |
|--|----------|---|--|-----------------------|
| Anti-FOXL1 Antibody                                  | BPAB1377 | Forkhead box protein L1                                     | Reacts with: human, mouse, rat               | WB                    |
|  | BPAB1378 |   |  |                       |
| Anti-FOXM1 Antibody                                  | BPAB1379 | Forkhead box protein M1                                     | Reacts with: human                           | WB                    |
| Anti-FOXO1A Antibody                                 | BPAB1380 | Forkhead box protein O1                                     | Reacts with: ratPredicted to work with: humi | WB                    |
| Anti-FOXO3A Antibody                                 | BPAB1381 | Forkhead box protein O3                                     | Reacts with: human, rat                      | WB,IHC-P              |
| Anti-FOXP1 Antibody                                  | BPAB1382 | Forkhead box protein P1                                     | Reacts with: human, ratPredicted to work wi  | WB,IHC-P              |
| Anti-FOXP2 Antibody                                  | BPAB1383 | Forkhead box protein P2                                     | Reacts with: human, mouse, rat               | WB                    |
| Anti-FOXP3 Antibody                                  | BPAB1384 | Forkhead box protein P3                                     | Reacts with: human, mouse, rat               | IHC-P                 |
| Anti-FOXP3 Antibody                                  | BPAB1385 | Forkhead box protein P3                                     | Reacts with: human                           | WB                    |
| Anti-FPRL1/FPR2 Antibody                             | BPAB1386 | N-formyl peptide receptor 2                                 | Reacts with: human, mouse, rat               | WB,IHC-P              |
| Anti-FRA1/FOSL1 Antibody                             | BPAB1387 | Fos-related antigen 1                                       | Reacts with: human                           | WB                    |
| Anti-FRA2/FOSL2 Antibody                             | BPAB1388 | Fos-related antigen 2                                       | Reacts with: human, rat                      | WB                    |
| Anti-Frizzled 4/FZD4 Antibody                        | BPAB1389 | Frizzled-4  | Reacts with: human, mouse, rat               | WB,IHC-P              |
| Anti-Frizzled homolog 1/FZD1 Antibody                | BPAB1390 | Frizzled-1  | Reacts with: human                           | WB,IHC-P              |
|  | BPAB1391 |   |  |                       |
|  | BPAB1392 |   |  |                       |
| Anti-FRZB Antibody                                   | BPAB1393 | Secreted frizzled-related protein 3                         | Reacts with: human                           | WB,ELISA              |
| Anti-FRZB Antibody                                   | BPAB3827 | Secreted frizzled-related protein 3                         | Reacts with: human, mouse, rat               | WB,Direct ELISA       |
| Anti-FSH beta/FSHB Antibody                          | BPAB1394 | Follitropin subunit beta                                    | Reacts with: human, mouse                    | WB,IHC-P              |
|  | BPAB1396 |   |  |                       |
| Anti-FSH Receptor/FSHR Antibody                      | BPAB1397 | Follicle-stimulating hormone receptor(FSH-R)                | Reacts with: human, mouse, rat               | WB                    |
| Anti-FSH Receptor/FSHR Antibody                      | BPAB1398 | Follicle-stimulating hormone receptor(FSH-R)                | Reacts with: human, mouse                    | WB                    |
| Anti-FSTL1 Antibody                                  | BPAB1399 | Follistatin   | Reacts with: human, mouse, rat               | WB,ELISA(Cap)         |
| Anti-FSTL3 Antibody                                  | BPAB1400 | Follistatin-related protein 3                               | Reacts with: humanPredicted to work with: r  | WB                    |
| Anti-Furin Antibody                                  | BPAB1401 | Furin   | Reacts with: human                           | WB                    |
| Anti-FXYD1 Antibody                                  | BPAB1402 | Phospholemman   | Reacts with: human, mouse, rat               | WB,IHC-P              |
| Anti-Fyn Antibody                                    | BPAB1403 | Tyrosine-protein kinase Fyn                                 | Reacts with: human                           | WB                    |
| Anti-FZD3 Antibody                                   | BPAB1404 | Frizzled-3  | Reacts with: human, mouse, rat               | WB,IHC-P              |
| Anti-G-CSF/CSF3 Antibody                             | BPAB1405 | Granulocyte colony-stimulating factor                       | Reacts with: human                           | WB,ELISA              |
| Anti-G-CSF/CSF3 Antibody                             | BPAB1406 | Granulocyte colony-stimulating factor                       | Reacts with: human, mouse                    | WB,ELISA              |
| Anti-G-protein coupled receptor 30/GPER1 Antibody    | BPAB1407 | G-protein coupled estrogen receptor 1                       | Reacts with: human                           | WB                    |
| Anti-GAA Antibody                                    | BPAB1408 | Lysosomal alpha-glucosidase                                 | Reacts with: human, rat                      | WB,IHC-P              |
| Anti-GAB1 Antibody                                   | BPAB1409 | GRB2-associated-binding protein 1                           | Reacts with: human, mouse, rat               | WB                    |
| Anti-GABA A Receptor alpha 1/GABRA1 Antibody         | BPAB1410 | Gamma-aminobutyric acid receptor subunit alpha-1            | Reacts with: human, ratPredicted to work wi  | WB,IHC-P              |
| Anti-GABA A Receptor beta 3/GABRB3 Antibody          | BPAB1411 | Gamma-aminobutyric acid receptor subunit beta-3             | Reacts with: mouse, ratPredicted to work wi  | WB                    |
| Anti-GABA B Receptor 1/GABBR1 Antibody               | BPAB1412 | Gamma-aminobutyric acid type B receptor subunit 1           | Reacts with: mouse, ratPredicted to work wi  | WB                    |
| Anti-GABA Transporter 1/GAT 1/SLC6A1 Antibody        | BPAB1413 | Sodium- and chloride-dependent GABA transporter 1(GAT-1)    | Reacts with: mouse, ratPredicted to work wi  | WB,IHC-P              |
| Anti-GABA Transporter 1/GAT 1/SLC6A1 Antibody        | BPAB1414 | Sodium- and chloride-dependent GABA transporter 1           | Reacts with: mouse, ratPredicted to work wi  | WB                    |
| Anti-GAD65/GAD2 Antibody                             | BPAB1415 | Glutamate decarboxylase 2                                   | Reacts with: human, ratPredicted to work wi  | WB,IHC-P              |
| Anti-GAD65/GAD2 Antibody                             | BPAB1416 | Glutamate decarboxylase 2                                   | Reacts with: human, mouse, rat               | WB,IHC-P              |
| Anti-GAD65/GAD2 Antibody                             | BPAB1417 | Glutamate decarboxylase 2                                   | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA |
|  | BPAB1418 |   |  |                       |
| Anti-GAD67/GAD1 Antibody                             | BPAB1419 | Glutamate decarboxylase 1                                   | Reacts with: human, ratPredicted to work wi  | WB,ICC                |
| Anti-GAD67/GAD1 Antibody                             | BPAB1420 | Glutamate decarboxylase 1                                   | Reacts with: human, mouse, rat               | WB                    |
| Anti-GADD45A Antibody                                | BPAB1421 | Growth arrest and DNA damage-inducible protein GADD45 alpha | Reacts with: human, ratPredicted to work wi  | WB                    |
| Anti-GADD45A Antibody                                | BPAB1422 | Growth arrest and DNA damage-inducible protein GADD45 alpha | Reacts with: human                           | WB                    |
| Anti-GADD45G Antibody                                | BPAB1423 | Growth arrest and DNA damage-inducible protein GADD45 gamma | Reacts with: human, mouse, rat               | WB                    |
| Anti-GAL4/LGALS4 Antibody                            | BPAB1424 | Galectin-4  | Reacts with: human                           | WB,ICC/IF,FCM         |
| Anti-Galactosidase alpha/Gla Antibody                | BPAB1425 | Alpha-galactosidase A                                       | Reacts with: mouse                           | WB                    |
| Anti-Galactoside 2-alpha-L-fucosyltransferase 1/FUT1 | BPAB1426 | Galactoside 2-alpha-L-fucosyltransferase 1                  | Reacts with: human, mouse, rat               | WB,IHC-P              |
| Anti-Galanin Antibody                                | BPAB1427 | Galanin peptides  | Reacts with: mouse, ratPredicted to work wi  | WB                    |

|   |          |   |  |                           |
|---|----------|---|--|---------------------------|
| Anti-GALE Antibody                                  | BPAB1428 | UDP-glucose 4-epimerase   | Reacts with: human, mouse, rat                       | WB,IHC-P,Direct ELISA     |
| Anti-Galectin 1/LGALS1 Antibody                     | BPAB1429 | Galectin-1(Gal-1)   | Reacts with: human                                   | WB,IHC-P                  |
| Anti-Galectin 1/LGALS1 Antibody                     | BPAB1430 | Galectin-1  | Reacts with: human, mouse, rat                       | WB,IHC-P,IHC-F,ICC        |
| Anti-Galectin 1/LGALS1 Antibody                     | BPAB1431 | Galectin-1  | Reacts with: human, mouse, rat                       | WB,IHC-P,ELISA            |
| Anti-Galectin 1/Lgals1 Antibody                     | BPAB1432 | Galectin-1  | Reacts with: mouse, rat                              | WB,IHC-P,ELISA(Cap)       |
| Anti-Galectin 1/Lgals1 Antibody                     | BPAB1433 | Galectin-1  | Reacts with: human, mouse, rat                       | WB,IHC-P,ELISA(Cap)       |
| Anti-Galectin 10/CLC Antibody                       | BPAB1434 | Galectin-10   | Reacts with: human                                   | WB,Direct ELISA           |
| Anti-Galectin 3/LGALS3 Antibody                     | BPAB1435 | Galectin-3  | Reacts with: human, mouse, rat                       | WB,IHC-P,IHC-F,ICC/IF,FCM |
| Anti-Galectin 3/LGALS3 Antibody                     | BPAB1436 | Galectin-3  | Reacts with: mouse, rat                              | WB,IHC-P                  |
| Anti-Galectin 3/LGALS3 Antibody (monoclonal, 12B12) | BPAB1437 | Galectin-3  | Reacts with: human                                   | WB,IHC-P,ICC/IF,FCM       |
| Anti-Galectin 8/LGALS8 Antibody                     | BPAB1438 | Galectin-8  | Reacts with: human, mouse, rat                       | WB                        |
| Anti-galectin 9/LGALS9 Antibody                     | BPAB1439 | Galectin-9  | Reacts with: ratPredicted to work with: human        | WB                        |
| Anti-GALNS Antibody                                 | BPAB1440 | N-acetylgalactosamine-6-sulfatase                                     | Reacts with: human, mouse, rat                       | WB,IHC-P,Direct ELISA     |
| Anti-GALT Antibody                                  | BPAB1441 | Galactose-1-phosphate uridylyltransferase                             | Reacts with: human, mouse, rat                       | WB,Direct ELISA           |
| Anti-gamma Catenin/JUP Antibody                     | BPAB1442 | Junction plakoglobin  | Reacts with: human, ratPredicted to work with: human | WB,IHC-P                  |
| Anti-gamma Catenin/JUP Antibody                     | BPAB1443 | Junction plakoglobin  | Reacts with: humanPredicted to work with: human      | WB                        |
| Anti-gamma Catenin/JUP Antibody                     | BPAB1444 | Junction plakoglobin  | Reacts with: human, mouse, rat                       | WB,IHC-P,IHC-F,ICC        |
| Anti-gamma-Tubulin Antibody (monoclonal, GTU-88)    | BPAB1445 | ADP-ribosylation factor-binding protein GGA1; ADP-ribosylation factor | Human, mouse, rat                                    | WB,ICC                    |
| Anti-GAP43 Antibody                                 | BPAB1446 | Neuromodulin  | Reacts with: human, mouse, rat                       | WB,IHC-P                  |
| Anti-GAP43 Antibody (monoclonal, GAP-7B10)          | BPAB1447 | Neuromodulin  | Human, mouse, rat                                    | WB,IHC-P,IHC-F            |
|   | BPAB1448 |   |  |                           |
|   | BPAB1449 |   |  |                           |
|   | BPAB1450 |   |  |                           |
| Anti-GAPDH Antibody                                 | BPAB1451 | Glyceraldehyde-3-phosphate dehydrogenase                              | Reacts with: human                                   | WB                        |
| Anti-GAPDH Antibody                                 | BPAB1452 | Glyceraldehyde-3-phosphate dehydrogenase                              | Reacts with: human, mouse, rat                       | WB,IHC-P                  |
| Anti-GAS 6/GAS6 Antibody                            | BPAB1453 | Growth arrest-specific protein 6                                      | Reacts with: mouse, ratPredicted to work with: human | WB,IHC-P                  |
| Anti-Gastric Mucin/MUC6 Antibody                    | BPAB1454 | Mucin-6   | Reacts with: human, mouse                            | WB,Direct ELISA           |
| Anti-GATA2 Antibody                                 | BPAB1455 | Endothelial transcription factor GATA-2                               | Reacts with: human, ratPredicted to work with: human | WB                        |
| Anti-GATA3 Antibody                                 | BPAB1456 | Trans-acting T-cell-specific transcription factor GATA-3              | Reacts with: human, rat                              | WB                        |
|   | BPAB1457 |   |  |                           |
| Anti-GATA5 Antibody                                 | BPAB1458 | Transcription factor GATA-5   | Reacts with: ratPredicted to work with: human        | WB                        |
| Anti-GBP1 Antibody                                  | BPAB1459 | Guanylate-binding protein 1   | Reacts with: human                                   | WB                        |
| Anti-GC1q R/C1QBP Antibody                          | BPAB1460 | Complement component 1 Q subcomponent-binding protein, mitochondria   | Reacts with: human, mouse, rat                       | WB,IHC-P,IHC-F,ICC/IF,FCM |
| Anti-GCLC Antibody                                  | BPAB1461 | Glutamate--cysteine ligase catalytic subunit                          | Reacts with: human, ratPredicted to work with: human | WB,IHC-P                  |
| Anti-GCLC Antibody                                  | BPAB1462 | Glutamate--cysteine ligase catalytic subunit                          | Reacts with: human, rat                              | WB,IHC-P                  |
| Anti-GCN2/EIF2AK4 Antibody                          | BPAB1463 | eIF-2-alpha kinase GCN2   | Reacts with: human                                   | WB                        |
| Anti-GCN2/EIF2AK4 Antibody                          | BPAB1464 | eIF-2-alpha kinase GCN2   | Reacts with: mousePredicted to work with: human      | WB                        |
| Anti-GCSF Receptor/CSF3R Antibody                   | BPAB1465 | Granulocyte colony-stimulating factor receptor                        | Reacts with: human                                   | WB                        |
| Anti-GDA Antibody                                   | BPAB1466 | Guanine deaminase   | Reacts with: human, mouse, rat                       | WB,IHC-P,Direct ELISA     |
| Anti-GDF15 Antibody                                 | BPAB1467 | Growth/differentiation factor 15                                      | Reacts with: human                                   | WB                        |
| Anti-GDNF Antibody                                  | BPAB1468 | Glial cell line-derived neurotrophic factor(hGDNF)                    | Reacts with: human, ratPredicted to work with: human | WB,IHC-P,ICC              |
| Anti-GDNF Antibody                                  | BPAB1469 | Glial cell line-derived neurotrophic factor                           | Reacts with: ratPredicted to work with: human        | WB                        |
| Anti-GDNF Receptor alpha 1/GFRA1 Antibody           | BPAB1470 | GDNF family receptor alpha-1  | Reacts with: human                                   | WB,IHC-P                  |
| Anti-Gelsolin Antibody (monoclonal, GS-2C4)         | BPAB1471 | Gelsolin  | Human, rabbit  | WB,IHC-P,IHC-F            |
| Anti-Gelsolin/GSN Antibody                          | BPAB1472 | Gelsolin  | Reacts with: human, mouse, monkey, rat               | WB,IHC-P,ICC              |
| Anti-Gelsolin/GSN Antibody                          | BPAB1473 | Gelsolin  | Reacts with: human, mouse, rat                       | WB,IHC-P                  |
| Anti-GFAP Antibody                                  | BPAB1474 | Glial fibrillary acidic protein(GFAP)                                 | Reacts with: human, mouse, rat                       | WB,IHC-P,IF               |
| Anti-GFAP Antibody                                  | BPAB1475 | Glial fibrillary acidic protein                                       | Reacts with: human, mouse, rat                       | WB,IHC-P,IF               |
| Anti-GFAP Antibody (monoclonal, G-A-5)              | BPAB1476 | Glial fibrillary acidic protein                                       | Human, pig, rat                                      | WB,IHC-P,IHC-F            |
| Anti-GFI1 Antibody                                  | BPAB1477 | Zinc finger protein Gfi-1   | Reacts with: human, mouse, rat                       | IHC-P                     |
| Anti-GIP Antibody                                   | BPAB1478 | Gastric inhibitory polypeptide  | Reacts with: human                                   | WB,IHC-P                  |

|   |          |  |  |                                     |
|---|----------|--|--|-------------------------------------|
| Anti-GIP Antibody                                   | BPAB1479 | Gastric inhibitory polypeptide                                     | Reacts with: mouse                           | WB                                  |
|   | BPAB1480 |  |  |                                     |
| Anti-GJA3 Antibody                                  | BPAB1481 | Gap junction alpha-3 protein                                       | Reacts with: human, mouse, rat               | WB                                  |
| Anti-GJB2 Antibody                                  | BPAB1482 | Gap junction beta-2 protein  | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-GJC2 Antibody                                  | BPAB1483 | Gap junction gamma-2 protein                                       | Reacts with: human, mouse, rat               | WB                                  |
|   | BPAB1484 |  |  |                                     |
| Anti-Gli1 Antibody                                  | BPAB1485 | Zinc finger protein GLI1   | Reacts with: human                           | WB,IHC-P                            |
| Anti-Gli2 Antibody                                  | BPAB1486 | Zinc finger protein GLI2   | Reacts with: human                           | WB                                  |
| Anti-GLI2 Antibody                                  | BPAB3828 | Zinc finger protein GLI2   | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA               |
| Anti-Gli3 Antibody                                  | BPAB1487 | Transcriptional activator GLI3                                     | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-GLO1 Antibody                                  | BPAB1489 | Lactoylglutathione lyase   | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA               |
| Anti-GLP1/GCG Antibody                              | BPAB1490 | Glucagon   | Reacts with: human, mouse, rat               | IHC-P                               |
|   | BPAB1491 |  |  |                                     |
| Anti-Glucagon Antibody (monoclonal, K79bB10)        | BPAB1492 | Glucagon   | Human, mouse, rat, rabbit                    | IHC-P                               |
|   | BPAB1493 |  |  |                                     |
| Anti-Glucocorticoid Receptor/NR3C1 Antibody         | BPAB1494 | Glucocorticoid receptor  | Reacts with: human, rat                      | WB,IHC-P                            |
| Anti-Glucocorticoid Receptor/NR3C1 Antibody         | BPAB1495 | Glucocorticoid receptor  | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-Glucokinase/GCK Antibody                       | BPAB1496 | Glucokinase  | Reacts with: human, mouse, rat               | WB,Direct ELISA                     |
| Anti-Glucose 6 Phosphate Dehydrogenase/G6PD Anti    | BPAB1497 | Glucose-6-phosphate 1-dehydrogenase                                | Reacts with: human                           | WB                                  |
| Anti-Glucose 6 phosphate isomerase/GPI Antibody     | BPAB1498 | Glucose-6-phosphate isomerase                                      | Reacts with: human                           | WB                                  |
| Anti-Glucose 6 phosphate isomerase/GPI Antibody     | BPAB1499 | Glucose-6-phosphate isomerase                                      | Reacts with: mouse                           | WB                                  |
| Anti-Glucose Transporter 5 GLUT5/SLC2A5 Antibody    | BPAB1500 | Solute carrier family 2, facilitated glucose transporter member 5  | Reacts with: mouse, rat                      | WB,IHC-P,IHC-F                      |
| Anti-Glucose Transporter 5 GLUT5/SLC2A5 Antibody    | BPAB1501 | Solute carrier family 2, facilitated glucose transporter member 5  | Reacts with: human                           | WB                                  |
| Anti-Glucose Transporter 5 GLUT5/SLC2A5 Antibody    | BPAB1502 | Solute carrier family 2, facilitated glucose transporter member 5  | Reacts with: human, rat                      | WB,IHC-P,IHC-F,ICC/IF,FCM           |
| Anti-GLUT6/SLC2A6 Antibody                          | BPAB3807 | Solute carrier family 2, facilitated glucose transporter member 6  | Reacts with: human, mouse, rat               | WB,Direct ELISA                     |
| Anti-Glucose Transporter 8/SLC2A8 Antibody          | BPAB1503 | Solute carrier family 2, facilitated glucose transporter member 8  | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                            |
| Anti-Glucose Transporter GLUT1/SLC2A1 Antibody      | BPAB1505 | Solute carrier family 2, facilitated glucose transporter member 1  | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-Glucose Transporter GLUT1/SLC2A1 Antibody      | BPAB1506 | Solute carrier family 2, facilitated glucose transporter member 1  | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC                  |
| Anti-Glucose Transporter GLUT2/SLC2A2 Antibody      | BPAB1507 | Solute carrier family 2, facilitated glucose transporter member 2  | Reacts with: human                           | WB,IHC-P                            |
| Anti-Glucose Transporter GLUT4/SLC2A4 Antibody      | BPAB1508 | Solute carrier family 2, facilitated glucose transporter member 4  | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-Glucose Transporter GLUT4/SLC2A4 Antibody      | BPAB1509 | Solute carrier family 2, facilitated glucose transporter member 4  | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F                      |
| Anti-Glut1 Antibody                                 | BPAB1510 | Solute carrier family 2, facilitated glucose transporter member 1  | Human, Mouse, Rat. No cross reactivity with  | WB,IHC-P                            |
| Anti-Glut1 Antibody                                 | BPAB1511 | Growth hormone receptor(GH receptor)                               | Human, Mouse, Rat. No cross reactivity with  | WB,IHC-P                            |
| Anti-Glut1 Antibody                                 | BPAB1512 | Prominin-1   | Human, Mouse, Rat. No cross reactivity with  | WB,IHC-P                            |
| Anti-Glut1 Antibody                                 | BPAB1513 | Fatty acid-binding protein, liver                                  | Human, Mouse, Rat. No cross reactivity with  | WB,IHC-P                            |
| Anti-GLUT12/SLC2A12 Antibody                        | BPAB1514 | Solute carrier family 2, facilitated glucose transporter member 12 | Reacts with: human, ratPredicted to work wi  | WB                                  |
|   | BPAB1515 |  |  |                                     |
| Anti-GLUT9/SLC2A9 Antibody                          | BPAB1516 | Solute carrier family 2, facilitated glucose transporter member 9  | Reacts with: human, rat                      | WB                                  |
| Anti-GLUT9/SLC2A9 Antibody                          | BPAB1517 | Solute carrier family 2, facilitated glucose transporter member 9  | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-Glutamate Receptor 1/GRIA1 Antibody            | BPAB1518 | Glutamate receptor 1(GluR-1)                                       | Reacts with: ratPredicted to work with: humi | WB                                  |
| Anti-Glutamate Receptor 1/GRIA1 Antibody            | BPAB1519 | Glutamate receptor 1   | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-Glutamate receptor 3/GRIA3 Antibody            | BPAB1520 | Glutamate receptor 3   | Reacts with: mouse, ratPredicted to work wii | WB                                  |
| Anti-Glutamate receptor 3/GRIA3 Antibody            | BPAB1521 | Glutamate receptor 3   | Reacts with: mouse, ratPredicted to work wii | WB                                  |
| Anti-Glutaredoxin 2/GLRX2 Antibody                  | BPAB1522 | Glutaredoxin-2, mitochondrial                                      | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                            |
| Anti-Glutathione Peroxidase 1/GPX1 Antibody         | BPAB1523 | Glutathione peroxidase 1   | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-Glutathione Peroxidase 2/GPX2 Antibody         | BPAB1524 | Glutathione peroxidase 2(GPx-2)                                    | Reacts with: human, ratPredicted to work wi  | WB,IHC-P,ICC                        |
| Anti-Glutathione Peroxidase 4/GPX4 Antibody         | BPAB1525 | Phospholipid hydroperoxide glutathione peroxidase, mitochondrial   | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-Glutathione Reductase/GSR Antibody             | BPAB1526 | Glutathione reductase, mitochondrial                               | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA |
| Anti-Glutathione S Transferase theta 1/GSTT1 Antibo | BPAB1527 | Glutathione S-transferase theta-1                                  | Reacts with: humanPredicted to work with: r  | WB                                  |
| Anti-Glycerol kinase/GK Antibody                    | BPAB1528 | Glycerol kinase  | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA               |
| Anti-Glycophorin A/GYP A Antibody                   | BPAB3829 | Glycophorin-A  | Reacts with: human                           | WB,IHC-P                            |

|   |          |  |  |                                     |
|---|----------|--|--|-------------------------------------|
| Anti-GM-CSF/CSF2 Antibody                 | BPAB1529 | Granulocyte-macrophage colony-stimulating factor(GM-CSF)         | Reacts with: human                           | WB                                  |
| Anti-GM-CSF/CSF2 Antibody                 | BPAB1531 | Granulocyte-macrophage colony-stimulating factor                 | Reacts with: mouse                           | WB,IHC-P                            |
| Anti-GM130 Antibody (monoclonal, 4G3)     | BPAB1532 | Golgin subfamily A member 2                                      | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-GM130/GOLGA2 Antibody                | BPAB1533 | Golgin subfamily A member 2                                      | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC/IF,Direct ELISA  |
| Anti-GNAQ Antibody                        | BPAB1534 | Guanine nucleotide-binding protein G(q) subunit alpha            | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-GNAQ Antibody (monoclonal, 13H4)     | BPAB1535 | Guanine nucleotide-binding protein G(q) subunit alpha            | Reacts with: human, monkey                   | WB,IHC-P,FCM                        |
| Anti-GNB1 Antibody                        | BPAB1536 | Guanine nucleotide-binding protein G(l)/G(S)/G(T) subunit beta-1 | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC/IF,FCM           |
| Anti-GNS Antibody                         | BPAB1537 | N-acetylglucosamine-6-sulfatase                                  | Reacts with: human, mouse, rat               | WB,Direct ELISA                     |
| Anti-GOLPH3 Antibody                      | BPAB1538 | Golgi phosphoprotein 3   | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC/IF,FCM,Direct EL |
| Anti-GPCR GPR7/NPBWR1 Antibody            | BPAB3846 | Neuropeptides B/W receptor type 1                                | Reacts with: human, mouse, rat               | WB,Direct ELISA                     |
| Anti-GPCR GPR40/FFAR1 Antibody            | BPAB1539 | Free fatty acid receptor 1                                       | Reacts with: human, mouse, rat               | WB                                  |
| Anti-GPCR LGR8/RXFP2 Antibody             | BPAB1541 | Relaxin receptor 2   | Reacts with: human                           | WB,IHC-F,ICC,FCM                    |
| Anti-GPD1L Antibody                       | BPAB3790 | Glycerol-3-phosphate dehydrogenase 1-like protein                | Reacts with: human, mouse, rat               | WB,Direct ELISA                     |
| Anti-GPR2/CCR10 Antibody                  | BPAB1542 | C-C chemokine receptor type 10(C-C CKR-10/CC-CKR-10/CCR-10)      | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-GPR2/CCR10 Antibody                  | BPAB1544 | C-C chemokine receptor type 10                                   | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-GPX1 Antibody (monoclonal, 8B10)     | BPAB1545 | Glutathione peroxidase 1   | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-Grancalcin/GCA Antibody              | BPAB1546 | Grancalcin   | Reacts with: human, mouse, rat               | WB,Direct ELISA                     |
| Anti-Granzyme A/GZMA Antibody             | BPAB1547 | Granzyme A   | Reacts with: human                           | WB,IHC-P                            |
| Anti-Granzyme B/GZMB Antibody             | BPAB1548 | Granzyme B   | Reacts with: human                           | WB                                  |
| Anti-Granzyme B/Gzmb Antibody             | BPAB1549 | Granzyme B(G,H)  | Reacts with: mouse, rat                      | WB,Direct ELISA                     |
| Anti-GRB10 Antibody                       | BPAB1550 | Growth factor receptor-bound protein 10                          | Human, Mouse, Rat. No cross reactivity with  | WB,IHC-P                            |
| Anti-GRB10 Antibody                       | BPAB1551 | Growth factor receptor-bound protein 10                          | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                            |
| Anti-GRB2 Antibody                        | BPAB1552 | Growth factor receptor-bound protein 2                           | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-GRB7 Antibody                        | BPAB1553 | Growth factor receptor-bound protein 7                           | Human, Mouse, Rat. No cross reactivity with  | WB,IHC-P                            |
| Anti-GRB7 Antibody                        | BPAB1554 | Growth factor receptor-bound protein 7                           | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                            |
|   | BPAB1555 |  |  |                                     |
| Anti-Gremlin 1/GREM1 Antibody             | BPAB1556 | Gremlin-1  | Reacts with: ratPredicted to work with: humi | WB                                  |
| Anti-GRIK1 Antibody                       | BPAB1557 | Glutamate receptor ionotropic, kainate 1                         | Reacts with: human, mouse, rat               | WB                                  |
| Anti-GRK2/GRK2 Antibody                   | BPAB1558 | Beta-adrenergic receptor kinase 1                                | Reacts with: mouse, ratPredicted to work wi  | WB                                  |
| Anti-GRK3/ADRBK2 Antibody                 | BPAB1559 | Beta-adrenergic receptor kinase 2                                | Reacts with: human                           | WB                                  |
| Anti-GRK5 Antibody                        | BPAB1560 | G protein-coupled receptor kinase 5                              | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-GRK6 Antibody                        | BPAB1561 | G protein-coupled receptor kinase 6                              | Reacts with: human, rat                      | WB                                  |
| Anti-GRO alpha/CXCL1 Antibody             | BPAB1562 | Growth-regulated alpha protein                                   | Reacts with: human                           | WB                                  |
| Anti-GRO alpha/Cxcl1 Antibody             | BPAB1563 | Growth-regulated alpha protein                                   | Reacts with: mouse, rat                      | WB,ELISA(Cap)                       |
| Anti-GRO gamma/CXCL3 Antibody             | BPAB1564 | C-X-C motif chemokine 3  | Reacts with: mouse                           | WB,ELISA                            |
| Anti-Growth hormone receptor/GHR Antibody | BPAB1565 | Growth hormone receptor(GH receptor)                             | Reacts with: mouse, rat                      | WB                                  |
| Anti-Growth Hormone/GH1 Antibody          | BPAB1566 | Somatotropin   | Reacts with: rat                             | WB,IHC-P,ELISA                      |
| Anti-Growth Hormone/GH1 Antibody          | BPAB1567 | Somatotropin   | Reacts with: human                           | WB,IHC-P,ELISA                      |
| Anti-Growth Hormone/GH1 Antibody          | BPAB1568 | Somatotropin   | Reacts with: mouse                           | WB                                  |
| Anti-Grp75/HSPA9 Antibody                 | BPAB1569 | Stress-70 protein, mitochondrial                                 | Human, Mouse, Rat. No cross reactivity with  | WB,IHC-P,IHC-F,ICC                  |
| Anti-Grp75/HSPA9 Antibody                 | BPAB1570 | Stress-70 protein, mitochondrial                                 | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-GRP78 BiP/HSPA5 Antibody             | BPAB1571 | 78 kDa glucose-regulated protein                                 | Reacts with: human, ratPredicted to work wi  | WB,IHC-P,IHC-F,ICC                  |
| Anti-GRP78 BiP/HSPA5 Antibody             | BPAB1572 | 78 kDa glucose-regulated protein                                 | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-GRP94/HSP90B1 Antibody               | BPAB1573 | Endoplasmin  | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC                  |
| Anti-GRP94/HSP90B1 Antibody               | BPAB1574 | Endoplasmin  | Reacts with: human, mouse, rat               | WB                                  |
| Anti-GSK3 alpha/GSK3A Antibody            | BPAB1575 | Glycogen synthase kinase-3 alpha                                 | Reacts with: human, mouse, rat               | WB                                  |
| Anti-GST3/GST pi/GSTP1 Antibody           | BPAB1576 | Glutathione S-transferase P                                      | Reacts with: human, mouse                    | WB                                  |
| Anti-GST3/GST pi/GSTP1 Antibody           | BPAB1577 | Glutathione S-transferase P                                      | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                            |
| Anti-GST3/GST pi/GSTP1 Antibody           | BPAB1578 | Glutathione S-transferase P                                      | Reacts with: human, rat                      | WB,IHC-P                            |
| Anti-GST3/GST pi/Gstp1 Antibody           | BPAB1579 | Glutathione S-transferase P 1                                    | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA               |
| Anti-GST3/GST pi/Gstp1 Antibody           | BPAB1580 | Glutathione S-transferase P 1                                    | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA               |

|  |          |  |  |                               |
|--|----------|--|--|-------------------------------|
| Anti-GSTA1/A2/A3/A4/A5 Antibody                    | BPAB1581 | Glutathione S-transferase A1/A2/A3/A4/A5                             | Reacts with: human, mouse, rat               | WB,IHC-P,ELISA(Cap)           |
| Anti-GSTA1/GSTA2/GSTA3/GSTA4/GSTA5 Antibody        | BPAB1582 | Glutathione S-transferase A1/A2/A3/A4/A5                             | Reacts with: mouse, ratPredicted to work wii | WB                            |
| Anti-GSTM1 Antibody                                | BPAB1583 | Glutathione S-transferase Mu 1                                       | Reacts with: mouse, ratPredicted to work wii | WB                            |
| Anti-GSTM1 Antibody (monoclonal, 11F2)             | BPAB1584 | Glutathione S-transferase Mu 1                                       | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM        |
| Anti-GSTM3 Antibody                                | BPAB1585 | Glutathione S-transferase Mu 3                                       | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA         |
| Anti-GSTT1 Antibody                                | BPAB1586 | Glutathione S-transferase theta-1                                    | Reacts with: human, mouse, rat               | WB,Direct ELISA               |
| Anti-GTPase HRAS Antibody                          | BPAB1587 | GTPase Hras  | Reacts with: human, mouse                    | WB                            |
| Anti-GTPase HRAS Antibody                          | BPAB1588 | GTPase Hras  | Reacts with: mouse, ratPredicted to work wii | WB                            |
| Anti-GTPase HRAS Antibody                          | BPAB1589 | GTPase Hras  | Reacts with: human, mouse, rat               | WB                            |
| Anti-Hamartin/TSC1 Antibody                        | BPAB1590 | Hamartin   | Reacts with: human, ratPredicted to work wii | WB,IHC-P                      |
| Anti-Hamartin/TSC1 Antibody                        | BPAB1591 | Hamartin   | Reacts with: human, rat                      | WB                            |
| Anti-Haptoglobin/HP Antibody                       | BPAB1592 | Haptoglobin  | Reacts with: human                           | WB,IHC-P                      |
| Anti-Haptoglobin/HP Antibody                       | BPAB1593 | Haptoglobin  | Reacts with: human, mouse                    | WB,IHC-P                      |
| Anti-Haptoglobin/HP Antibody                       | BPAB1594 | Haptoglobin  | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA         |
| Anti-HAUSP/USP7 Antibody                           | BPAB1595 | Ubiquitin carboxyl-terminal hydrolase 7                              | Reacts with: human, mouse, rat               | WB,IHC-P,ICC,FCM,Direct ELISA |
| Anti-HAUSP/USP7 Antibody (monoclonal, 5E2)         | BPAB1596 | Ubiquitin carboxyl-terminal hydrolase 7                              | Reacts with: human, mouse, rat               | WB,IHC-P,ICC/IF,FCM           |
| Anti-HBD Antibody                                  | BPAB1597 | Hemoglobin subunit delta   | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA         |
| Anti-hCG receptor/LHCGR Antibody                   | BPAB1598 | Lutropin-choriogonadotropic hormone receptor(LH/CG-R)                | Reacts with: human, rat                      | WB,IHC-P                      |
| Anti-HCN1 Antibody                                 | BPAB1599 | Potassium/sodium hyperpolarization-activated cyclic nucleotide-gate  | Reacts with: human, mouse, rat               | WB                            |
| Anti-HCN2 Antibody                                 | BPAB1600 | Potassium/sodium hyperpolarization-activated cyclic nucleotide-gate  | Reacts with: mouse, ratPredicted to work wii | WB,IHC-P                      |
|  | BPAB1601 |  |  |                               |
| Anti-HDAC10 Antibody                               | BPAB1602 | Histone deacetylase 10   | Reacts with: human, mouse, rat               | WB,Direct ELISA               |
| Anti-HDAC11 Antibody                               | BPAB1603 | Histone deacetylase 11   | Reacts with: human, mouse, rat               | WB,IHC-P                      |
| Anti-HDAC2 Antibody                                | BPAB1604 | Histone deacetylase 2(HD2)   | Reacts with: human, ratPredicted to work wii | WB                            |
| Anti-HDAC2 Antibody                                | BPAB1605 | Histone deacetylase 2(HD2)   | Reacts with: human, ratPredicted to work wii | WB,IHC-P                      |
|  | BPAB1606 |  |  |                               |
| Anti-HDAC3 Antibody                                | BPAB1607 | Histone deacetylase 3(HD3)   | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC            |
| Anti-HDAC3 Antibody                                | BPAB3831 | Histone deacetylase 3  | Reacts with: human, mouse, rat               | WB,Direct ELISA               |
| Anti-HDAC4 Antibody                                | BPAB1608 | Histone deacetylase 4  | Reacts with: human, mouse, rat               | WB                            |
| Anti-HDAC5 Antibody                                | BPAB1610 | Histone deacetylase 5  | Reacts with: humanPredicted to work with: r  | WB                            |
| Anti-HDAC5 Antibody                                | BPAB1611 | Histone deacetylase 5  | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA         |
| Anti-HDAC6 Antibody                                | BPAB1612 | Histone deacetylase 6  | Reacts with: human, ratPredicted to work wii | WB,IHC-P                      |
| Anti-HDAC6 Antibody                                | BPAB1613 | Histone deacetylase 6  | Reacts with: human, rat                      | WB                            |
| Anti-HDAC7 Antibody                                | BPAB1614 | Histone deacetylase 7  | Reacts with: human, rat                      | WB                            |
| Anti-HDAC8 Antibody                                | BPAB1615 | Histone deacetylase 8(HD8)   | Reacts with: human, ratPredicted to work wii | WB,IHC-P                      |
| Anti-HDGF Antibody                                 | BPAB1616 | Hepatoma-derived growth factor                                       | Reacts with: human, mouse, rat               | WB,IHC-P                      |
| Anti-HDJ2/DNAJA1 Antibody                          | BPAB1617 | DnaJ homolog subfamily A member 1                                    | Reacts with: human, mouse, rat               | WB                            |
| Anti-HE4/WFDC2 Antibody                            | BPAB1618 | WAP four-disulfide core domain protein 2                             | Reacts with: human                           | WB,ELISA                      |
| Anti-HE4/Wfcd2 Antibody                            | BPAB1619 | WAP four-disulfide core domain protein 2                             | Reacts with: mouse, rat                      | WB,IHC-P,ELISA(Cap)           |
| Anti-HE4/WFDC2 Antibody                            | BPAB1620 | WAP four-disulfide core domain protein 2                             | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA         |
| Anti-HECTD3 Antibody                               | BPAB1621 | E3 ubiquitin-protein ligase HECTD3                                   | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM        |
| Anti-HEF1/NEDD9 Antibody                           | BPAB1622 | Enhancer of filamentation 1  | Reacts with: human                           | WB                            |
|  | BPAB1623 |  |  |                               |
| Anti-Heme Oxygenase 1/HMOX1 Antibody               | BPAB1624 | Heme oxygenase 1   | Reacts with: human, rat                      | WB                            |
| Anti-Heme oxygenase 2/HMOX2 Antibody               | BPAB1625 | Heme oxygenase 2   | Reacts with: human                           | WB,IHC-P                      |
| Anti-Hemoglobin/HBA1/HBA2 Antibody                 | BPAB1626 | Hemoglobin subunit alpha   | Reacts with: human, rat                      | WB,IHC-P                      |
| Anti-Heparan Sulfate Proteoglycan 2/HSPG2 Antibody | BPAB1627 | Basement membrane-specific heparan sulfate proteoglycan core protein | Reacts with: human                           | WB,IHC-P                      |
|  | BPAB1628 |  |  |                               |
|  | BPAB1629 |  |  |                               |
| Anti-Heparanase 1/HPSE Antibody                    | BPAB1630 | Heparanase   | Reacts with: human, rat                      | WB                            |
| Anti-Heparanase 1/Hpse Antibody                    | BPAB1631 | Heparanase   | Reacts with: mouse                           | WB                            |



|   |          |   |  |                           |
|---|----------|---|--|---------------------------|
| Anti-Hepatitis B Virus Antibody           | BPAB1632 | Large S protein   | Reacts with: human, Hepatitis B Virus        | WB,IHC-P                  |
| Anti-Hepsin/HPN Antibody                  | BPAB1633 | Serine protease hepsin  | Reacts with: human, rat                      | WB                        |
| Anti-HERC5 Antibody                       | BPAB3791 | E3 ISG15--protein ligase HERC5                                | Reacts with: human                           | WB,Direct ELISA           |
| Anti-Hes1 Antibody                        | BPAB1634 | Transcription factor HES-1                                    | Reacts with: ratPredicted to work with: hum: | WB                        |
| Anti-Hex/HHEX Antibody                    | BPAB1636 | Hematopoietically-expressed homeobox protein Hhex(Homeobox pr | Reacts with: human, ratPredicted to work wi  | WB                        |
| Anti-Hex/HHEX Antibody                    | BPAB1637 | Hematopoietically-expressed homeobox protein Hhex             | Reacts with: human, mouse, rat               | WB                        |
| Anti-HEXA Antibody                        | BPAB1638 | Beta-hexosaminidase subunit alpha                             | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                  |
|   | BPAB1639 |   |  |                           |
| Anti-HEXA Antibody                        | BPAB1640 | Beta-hexosaminidase subunit alpha                             | Reacts with: mouse                           | WB                        |
| Anti-HEXB Antibody                        | BPAB1641 | Beta-hexosaminidase subunit beta                              | Reacts with: human                           | WB,IHC-P                  |
| Anti-Hexokinase II/HK2 Antibody           | BPAB1642 | Hexokinase-2  | Reacts with: human, mouse, rat               | WB                        |
| Anti-HFE Antibody                         | BPAB1643 | Hereditary hemochromatosis protein                            | Reacts with: human                           | WB                        |
| Anti-HGD Antibody                         | BPAB1644 | Homogentisate 1,2-dioxygenase                                 | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA     |
| Anti-HGF Antibody                         | BPAB1645 | Hepatocyte growth factor                                      | Reacts with: mouse                           | WB                        |
|   | BPAB1646 |   |  |                           |
|   | BPAB1647 |   |  |                           |
| Anti-HIF-1-alpha/HIF1A Antibody           | BPAB1648 | Hypoxia-inducible factor 1-alpha(HIF-1-alpha/HIF1-alpha)      | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                  |
| Anti-HIF-1-alpha/HIF1A Antibody           | BPAB1649 | Hypoxia-inducible factor 1-alpha                              | Reacts with: human, mouse, rat               | WB,IHC-P                  |
| Anti-HIF-2-alpha/EPAS1 Antibody           | BPAB1650 | Endothelial PAS domain-containing protein 1(EPAS-1)           | Reacts with: rat                             | WB,IHC-P                  |
| Anti-HIF-2-alpha/EPAS1 Antibody           | BPAB1651 | Endothelial PAS domain-containing protein 1(EPAS-1)           | Reacts with: human, mouse, rat               | WB                        |
| Anti-HIF1 beta/ARNT Antibody              | BPAB1652 | Aryl hydrocarbon receptor nuclear translocator                | Reacts with: human                           | WB                        |
| Anti-HIF3/HIF3A Antibody                  | BPAB1653 | Hypoxia-inducible factor 3-alpha                              | Reacts with: ratPredicted to work with: hum: | WB                        |
| Anti-HINT1 Antibody                       | BPAB1654 | Histidine triad nucleotide-binding protein 1                  | Reacts with: human, mouse, rat               | WB,IHC-P                  |
| Anti-Histidine decarboxylase/HDC Antibody | BPAB1655 | Histidine decarboxylase(HDC)                                  | Reacts with: mouse, rat                      | WB,IHC-P                  |
| Anti-Histone H2A.X/H2AFX Antibody         | BPAB3830 | Histone H2AX  | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA     |
| Anti-HKDC1 Antibody                       | BPAB1656 | Putative hexokinase HKDC1                                     | Reacts with: human                           | WB                        |
| Anti-HLA A/HLA-A Antibody                 | BPAB1658 | HLA class I histocompatibility antigen, A-2 alpha chain       | Reacts with: human, mouse, rat               | WB,IHC-P                  |
| Anti-HLA Class II DRB1/HLA-DRB1 Antibody  | BPAB1659 | HLA class II histocompatibility antigen, DRB1-7 beta chain    | Reacts with: human                           | WB                        |
| Anti-HLA DMB/HLA-DMB Antibody             | BPAB1660 | HLA class II histocompatibility antigen, DM beta chain        | Reacts with: human                           | WB,IHC-P                  |
| Anti-HLA-B Antibody                       | BPAB1661 | MHC class I antigen   | Reacts with: human                           | WB                        |
| Anti-HLA-C Antibody                       | BPAB1662 | MHC class I antigen   | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM    |
| Anti-HLA-DPB1 Antibody                    | BPAB1663 | HLA class II histocompatibility antigen, DP beta 1 chain      | Reacts with: human, mouse, rat               | WB                        |
| Anti-HLA-DQB1 Antibody                    | BPAB1664 | HLA class II histocompatibility antigen, DQ beta 1 chain      | Reacts with: human                           | WB                        |
| Anti-HLF Antibody                         | BPAB1665 | Hepatic leukemia factor                                       | Reacts with: human, mouse, rat               | WB                        |
| Anti-HLTF Antibody                        | BPAB1666 | Helicase-like transcription factor                            | Reacts with: human, mouse, rat               | WB                        |
| Anti-HMBS Antibody                        | BPAB1667 | Porphobilinogen deaminase                                     | Reacts with: human, mouse, rat               | WB,Direct ELISA           |
| Anti-HMG4/HMGB3 Antibody                  | BPAB1668 | High mobility group protein B3                                | Reacts with: human, mouse, rat               | WB,IHC-P                  |
| Anti-HMGB1 Antibody                       | BPAB1669 | High mobility group protein B1                                | Reacts with: human, mouse, rat               | WB,IHC-P                  |
| Anti-HMGB2 Antibody                       | BPAB1670 | High mobility group protein B2                                | Reacts with: human, mouse, rat               | WB,IHC-P                  |
| Anti-HMGB4 Antibody                       | BPAB1671 | High mobility group protein B4                                | Reacts with: human, ratPredicted to work wi  | WB                        |
| Anti-HMG2 Antibody                        | BPAB1672 | Non-histone chromosomal protein HMG-17                        | Reacts with: human, mouse, rat               | WB,IHC-P                  |
| Anti-HNF-4-alpha/HNF4A Antibody           | BPAB1673 | Hepatocyte nuclear factor 4-alpha                             | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC/IF,FCM |
| Anti-HNF1 beta/HNF1B Antibody             | BPAB1674 | Hepatocyte nuclear factor 1-beta                              | Reacts with: mouse Predicted to work with: l | WB                        |
| Anti-HNF1 beta/HNF1B Antibody             | BPAB1675 | Hepatocyte nuclear factor 1-beta                              | Reacts with: human, rat                      | WB                        |
| Anti-HNF1/HNF1A Antibody                  | BPAB1676 | Hepatocyte nuclear factor 1-alpha                             | Reacts with: human, rat                      | WB                        |
| Anti-HNF6/ONECUT1 Antibody                | BPAB1677 | Hepatocyte nuclear factor 6                                   | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC        |
| Anti-HnRNP A1/HNRNPA1 Antibody            | BPAB1678 | Heterogeneous nuclear ribonucleoprotein A1                    | Reacts with: human, mouse, rat               | WB,IHC-P                  |
| Anti-hnRNP A2B1/HNRNPA2B1 Antibody        | BPAB1679 | Heterogeneous nuclear ribonucleoproteins A2/B1                | Reacts with: human, mouse, rat               | WB                        |
| Anti-HnRNP F/HNRNPF Antibody              | BPAB1680 | Heterogeneous nuclear ribonucleoprotein F                     | Reacts with: human, mouse, rat               | WB,IHC-P                  |
| Anti-HnRNP H/HNRNPH1 Antibody             | BPAB1681 | Heterogeneous nuclear ribonucleoprotein H                     | Reacts with: human                           | WB                        |
| Anti-HnRNP L/HNRNPL Antibody              | BPAB1682 | Heterogeneous nuclear ribonucleoprotein L                     | Reacts with: human                           | WB                        |

|  |          |  |   |  |
|--|----------|--|---|--|
| Anti-Homeobox protein SIX6 Antibody              | BPAB1683 | Homeobox protein SIX6  | Reacts with: human                          | WB                                     |
| Anti-HOMER3 Antibody                             | BPAB1684 | Homer protein homolog 3  | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-HOOK2 Antibody                              | BPAB1685 | Protein Hook homolog 2   | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA                  |
| Anti-HOOK3 Antibody                              | BPAB1686 | Protein Hook homolog 3   | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA                  |
|  | BPAB1687 |  |   |  |
| Anti-HOXA1 Antibody                              | BPAB1688 | Homeobox protein Hox-A1  | Reacts with: human, ratPredicted to work wi | WB                                     |
| Anti-HOXA1 Antibody                              | BPAB1689 | Homeobox protein Hox-A1  | Reacts with: human, ratPredicted to work wi | WB                                     |
| Anti-HOXA1 Antibody                              | BPAB1690 | Homeobox protein Hox-A1  | Reacts with: human                          | WB                                     |
| Anti-HOXA10 Antibody                             | BPAB1691 | Homeobox protein Hox-A10   | Reacts with: human, rat                     | WB                                     |
| Anti-HOXA11 Antibody                             | BPAB1692 | Homeobox protein Hox-A11   | Reacts with: human, mouse, rat              | WB,IHC-F,ICC,FCM                       |
| Anti-HOXA3 Antibody                              | BPAB1693 | Homeobox protein Hox-A3  | Reacts with: humanPredicted to work with: r | WB,IHC-P                               |
| Anti-HOXA4 Antibody                              | BPAB1694 | Homeobox protein Hox-A4  | Reacts with: human, rat Predicted to work w | WB,IHC-P,ICC                           |
| Anti-HOXA5 Antibody                              | BPAB1695 | Homeobox protein Hox-A5  | Reacts with: human, mouse, rat              | WB                                     |
| Anti-HOXA6 Antibody                              | BPAB1696 | Homeobox protein Hox-A6  | Reacts with: human, ratPredicted to work wi | WB                                     |
| Anti-HOXA9 Antibody                              | BPAB1697 | Homeobox protein Hox-A9  | Reacts with: human, rat                     | WB                                     |
| Anti-HOXB1 Antibody                              | BPAB1698 | Homeobox protein Hox-B1  | Reacts with: human, mouse, rat              | WB                                     |
| Anti-HP1 gamma/CBX3 Antibody                     | BPAB1699 | Chromobox protein homolog 3                                      | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC/IF,FCM,Direct ELISA |
| Anti-HPRT/HPRT1 Antibody                         | BPAB1700 | Hypoxanthine-guanine phosphoribosyltransferase                   | Reacts with: human, mouse, rat              | WB                                     |
| Anti-HRG Antibody                                | BPAB1701 | Histidine-rich glycoprotein                                      | Reacts with: human                          | WB,IHC-P                               |
| Anti-HRH3 Antibody                               | BPAB1702 | Histamine H3 receptor(H3R/HH3R)                                  | Reacts with: human, ratPredicted to work wi | WB                                     |
| Anti-HRPT2/CDC73 Antibody                        | BPAB1703 | Parafibromin   | Reacts with: human                          | WB                                     |
| Anti-HSC70 Interacting Protein HIP/ST13 Antibody | BPAB1704 | Hsc70-interacting protein  | Reacts with: human                          | WB                                     |
| Anti-Hsc70/HSPA8 Antibody                        | BPAB1705 | Heat shock cognate 71 kDa protein                                | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-Hsc70/HSPA8 Antibody                        | BPAB1706 | Heat shock cognate 71 kDa protein                                | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-HSD11B1 Antibody                            | BPAB1707 | Corticosteroid 11-beta-dehydrogenase isozyme 1                   | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC                     |
| Anti-HSD11B1 Antibody                            | BPAB1708 | Corticosteroid 11-beta-dehydrogenase isozyme 1                   | Reacts with: human, ratPredicted to work wi | WB,IHC-P                               |
| Anti-HSD11B2 Antibody                            | BPAB1709 | Corticosteroid 11-beta-dehydrogenase isozyme 2                   | Reacts with: human, mouse, rat              | WB,IHC-P                               |
|  | BPAB1710 |  |   |  |
| Anti-HSD17B1 Antibody                            | BPAB1711 | Estradiol 17-beta-dehydrogenase 1                                | Reacts with: human, ratPredicted to work wi | WB,IHC-P,ICC                           |
| Anti-HSD17B1 Antibody                            | BPAB1712 | Estradiol 17-beta-dehydrogenase 1                                | Reacts with: human                          | WB,IHC-P,Direct ELISA                  |
| Anti-HSD17B2 Antibody                            | BPAB1713 | Estradiol 17-beta-dehydrogenase 2                                | Reacts with: human                          | WB,IHC-P,IHC-F                         |
| Anti-HSD17B2 Antibody                            | BPAB1714 | Estradiol 17-beta-dehydrogenase 2                                | Reacts with: mouse, rat                     | WB,IHC-P                               |
| Anti-HSD17B6 Antibody                            | BPAB1715 | 17-beta-hydroxysteroid dehydrogenase type 6(17-beta-HSD 6/17-bet | Reacts with: human                          | WB,IHC-P                               |
| Anti-HSF1 Antibody                               | BPAB1716 | Heat shock factor protein 1(HSF 1)                               | Reacts with: human, ratPredicted to work wi | WB,IHC-P,IHC-F,ICC                     |
| Anti-HSF2 Antibody                               | BPAB1717 | Heat shock factor protein 2(HSF 2)                               | Reacts with: human, ratPredicted to work wi | WB,IHC-P                               |
| Anti-HSF2 Antibody                               | BPAB1718 | Heat shock factor protein 2                                      | Reacts with: human, mouse, rat              | WB,Direct ELISA                        |
| Anti-HSF4 Antibody                               | BPAB1719 | Heat shock factor protein 4                                      | Reacts with: human                          | WB                                     |
| Anti-Hsp105/HSPH1 Antibody                       | BPAB1720 | Heat shock protein 105 kDa                                       | Reacts with: human, ratPredicted to work wi | WB,IHC-P,IHC-F                         |
| Anti-Hsp105/HSPH1 Antibody                       | BPAB1721 | Heat shock protein 105 kDa                                       | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC/IF,FCM,Direct ELISA |
| Anti-Hsp20/HSPB6 Antibody                        | BPAB1722 | Heat shock protein beta-6  | Reacts with: human, mouse, rat              | WB                                     |
| Anti-HSP25 Antibody (monoclonal, IAP-9)          | BPAB1723 | Heat shock protein beta-1  | Human, mouse, rabbit, rat                   | WB,IHC-P,IHC-F,ICC                     |
|  | BPAB1724 |  |   |  |
| Anti-Hsp27/HSPB1 Antibody                        | BPAB1725 | Heat shock protein beta-1(HspB1)                                 | Reacts with: human, monkey, ratPredicted to | WB,IHC-P,IHC-F,ICC                     |
| Anti-Hsp27/HSPB1 Antibody                        | BPAB1726 | Heat shock protein beta-1  | Reacts with: human                          | WB,IHC-P,IHC-F,ICC/IF,FCM              |
| Anti-Hsp27/Hspb1 Antibody                        | BPAB1727 | Heat shock protein beta-1  | Reacts with: mouse, rat                     | WB,IHC-P,Direct ELISA                  |
| Anti-Hsp40/DNAJB1 Antibody                       | BPAB1728 | DnaJ homolog subfamily B member 1                                | Reacts with: human, ratPredicted to work wi | WB,IHC-P                               |
| Anti-Hsp47/SERPINH1 Antibody                     | BPAB1729 | Serpin H1  | Reacts with: human, rat                     | WB,IHC-P                               |
| Anti-HSP60 Antibody (monoclonal, LK1)            | BPAB1730 | 60 kDa heat shock protein, mitochondrial                         | Human, chicken, rat                         | WB,IHC-P                               |
| Anti-HSP60/HSPD1 Antibody                        | BPAB1731 | 60 kDa heat shock protein, mitochondrial                         | Reacts with: human, mouse, rat              | WB,IHC-P,ICC                           |
| Anti-Hsp60/HSPD1 Antibody                        | BPAB1732 | 60 kDa heat shock protein, mitochondrial                         | Reacts with: human, mouse, rat              | WB,IHC-P,ICC                           |
| Anti-Hsp70 Antibody (monoclonal, 3H5)            | BPAB1733 | Heat shock 70 kDa protein 1A/1B                                  | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM                 |

|  |          |   |   |                     |
|--|----------|---|---|---------------------|
| Anti-HSP70 Antibody (monoclonal, BRM-22)           | BPAB1734 | Heat shock 70 kDa protein 1A/1B                                 | Human, bovine, rabbit, rat                  | WB,IHC-P,IHC-F      |
| Anti-Hsp70/HSPA1A/HSPA1B Antibody                  | BPAB1735 | Heat shock cognate 71 kDa protein                               | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC  |
| Anti-Hsp70/HSPA1A/HSPA1B Antibody                  | BPAB1736 | Heat shock 70 kDa protein 1A/1B                                 | Reacts with: human, rat                     | WB,IHC-P,IHC-F,ICC  |
| Anti-Hsp70/HSPA1A/HSPA1B Antibody                  | BPAB1737 | Heat shock 70 kDa protein 1A/1B                                 | Reacts with: human, mouse, rat              | WB,IHC-P            |
| Anti-Hsp90 alpha/HSP90AA1 Antibody                 | BPAB1738 | Heat shock protein HSP 90-alpha                                 | Reacts with: human, mouse, rat              | WB,IHC-P            |
| Anti-Hsp90 alpha/HSP90AA1 Antibody                 | BPAB1739 | Heat shock protein HSP 90-alpha                                 | Reacts with: human, mouse, rat              | WB,IHC-P,ICC        |
| Anti-Hsp90 alpha/HSP90AA1 Antibody                 | BPAB1740 | Heat shock protein HSP 90-alpha                                 | Reacts with: human, mouse, rat              | WB,IHC-P            |
| Anti-HSP90 Antibody (monoclonal, AC-16)            | BPAB1741 | Heat shock protein HSP 90-alpha; Heat shock protein HSP 90-beta | Human, mouse, rabbit, rat                   | WB                  |
| Anti-Hsp90 beta/HSP90AB1 Antibody                  | BPAB1742 | Heat shock protein HSP 90-beta                                  | Reacts with: human, mouse, rat              | WB,IHC-P,ICC,IF     |
| Anti-HSPA2 Antibody                                | BPAB1743 | Heat shock-related 70 kDa protein 2                             | Reacts with: human, mouse, rat              | WB                  |
| Anti-HSPA2 Antibody                                | BPAB1744 | Heat shock-related 70 kDa protein 2                             | Reacts with: human, mouse, rat              | WB,IHC-P            |
| Anti-HSPA2 Antibody (monoclonal, 4A4)              | BPAB1745 | Heat shock-related 70 kDa protein 2                             | Reacts with: human, mouse, rat              | WB,IHC-P,ICC/IF,FCM |
| Anti-HSPB2 Antibody                                | BPAB1746 | Heat shock protein beta-2(HspB2)                                | Reacts with: human, ratPredicted to work wi | WB,IHC-F,ICC        |
| Anti-HSPB2 Antibody                                | BPAB1747 | Heat shock protein beta-2                                       | Reacts with: ratPredicted to work with: hum | WB                  |
| Anti-HSPB8/Hsp22 Antibody                          | BPAB1748 | Heat shock protein beta-8                                       | Reacts with: human, mouse, rat              | WB,IHC-P            |
| Anti-HSPBAP1 Antibody                              | BPAB1749 | HSPB1-associated protein 1                                      | Reacts with: human                          | WB                  |
| Anti-HTRA1 Antibody                                | BPAB1750 | Serine protease HTRA1   | Reacts with: human, mouse, rat              | WB,IHC-P            |
| Anti-HtrA3 Antibody                                | BPAB1751 | Serine protease HTRA3   | Reacts with: human                          | WB                  |
| Anti-Human ACTN3 DyLight® 488 conjugated Antibod   | BPAB1752 | Alpha-actinin-3   | Reacts with: human                          | FCM                 |
| Anti-Human ACTN3 DyLight® 550 conjugated Antibod   | BPAB1753 | Alpha-actinin-3   | Reacts with: human                          | FCM                 |
| Anti-Human ADO DyLight® 488 conjugated Antibody    | BPAB1754 | 2-aminoethanethiol dioxygenase                                  | Reacts with: human                          | FCM                 |
| Anti-Human ADO DyLight® 550 conjugated Antibody    | BPAB1755 | 2-aminoethanethiol dioxygenase                                  | Reacts with: human                          | FCM                 |
| Anti-Human AMPK beta 2 DyLight® 488 conjugated A   | BPAB1756 | 5'-AMP-activated protein kinase subunit beta-2                  | Reacts with: human                          | FCM                 |
| Anti-Human AMPK beta 2 DyLight® 550 conjugated A   | BPAB1757 | 5'-AMP-activated protein kinase subunit beta-2                  | Reacts with: human                          | FCM                 |
| Anti-Human APE1 DyLight® 488 conjugated Antibody   | BPAB1758 | DNA-(apurinic or apyrimidinic site) lyase                       | Reacts with: human                          | FCM                 |
| Anti-Human APE1 DyLight® 550 conjugated Antibody   | BPAB1759 | DNA-(apurinic or apyrimidinic site) lyase                       | Reacts with: human                          | FCM                 |
| Anti-Human Apolipoprotein A I DyLight® 488 conjuga | BPAB1760 | Apolipoprotein A-I  | Reacts with: human                          | FCM                 |
| Anti-Human Apolipoprotein A I DyLight® 550 conjuga | BPAB1761 | Apolipoprotein A-I  | Reacts with: human                          | FCM                 |
| Anti-Human ARSA DyLight® 488 conjugated Antibody   | BPAB1762 | Arylsulfatase A   | Reacts with: human                          | FCM                 |
| Anti-Human ARSA DyLight® 550 conjugated Antibody   | BPAB1763 | Arylsulfatase A   | Reacts with: human                          | FCM                 |
| Anti-Human ATF1 DyLight® 488 conjugated Antibody   | BPAB1764 | Cyclic AMP-dependent transcription factor ATF-1                 | Reacts with: human                          | FCM                 |
| Anti-Human ATF1 DyLight® 550 conjugated Antibody   | BPAB1765 | Cyclic AMP-dependent transcription factor ATF-1                 | Reacts with: human                          | FCM                 |
| Anti-Human Bax DyLight® 488 conjugated Antibody    | BPAB1766 | Apoptosis regulator BAX   | Reacts with: human                          | FCM                 |
| Anti-Human Bax DyLight® 550 conjugated Antibody    | BPAB1767 | Apoptosis regulator BAX   | Reacts with: human                          | FCM                 |
| Anti-Human Bcl-2 DyLight® 488 conjugated Antibody  | BPAB1768 | Apoptosis regulator Bcl-2                                       | Reacts with: human                          | FCM                 |
| Anti-Human Bcl-2 DyLight® 550 conjugated Antibody  | BPAB1769 | Apoptosis regulator Bcl-2                                       | Reacts with: human                          | FCM                 |
| Anti-Human Bcl-XL DyLight® 488 conjugated Antibody | BPAB1770 | Bcl-2-like protein 1  | Reacts with: human                          | FCM                 |
| Anti-Human Bcl-XL DyLight® 550 conjugated Antibody | BPAB1771 | Bcl-2-like protein 1  | Reacts with: human                          | FCM                 |
| Anti-Human Bestrophin DyLight® 488 conjugated Ant  | BPAB1772 | Bestrophin-1  | Reacts with: human                          | FCM                 |
| Anti-Human Bestrophin DyLight® 550 conjugated Ant  | BPAB1773 | Bestrophin-1  | Reacts with: human                          | FCM                 |
| Anti-Human Bid DyLight® 488 conjugated Antibody    | BPAB1774 | BH3-interacting domain death agonist                            | Reacts with: human                          | FCM                 |
| Anti-Human Bid DyLight® 550 conjugated Antibody    | BPAB1775 | BH3-interacting domain death agonist                            | Reacts with: human                          | FCM                 |
| Anti-Human BMP5 DyLight® 488 conjugated Antibody   | BPAB1776 | Bone morphogenetic protein 5                                    | Reacts with: human                          | FCM                 |
| Anti-Human BMP5 DyLight® 550 conjugated Antibody   | BPAB1777 | Bone morphogenetic protein 5                                    | Reacts with: human                          | FCM                 |
| Anti-Human Cannabinoid Receptor I DyLight® 488 coi | BPAB1778 | Cannabinoid receptor 1  | Reacts with: human                          | FCM                 |
| Anti-Human Cannabinoid Receptor I DyLight® 550 coi | BPAB1779 | Cannabinoid receptor 1  | Reacts with: human                          | FCM                 |
| Anti-Human Caspase-3 DyLight® 488 conjugated Antil | BPAB1780 | Caspase-3   | Reacts with: human                          | FCM                 |
| Anti-Human Caspase-3 DyLight® 550 conjugated Antil | BPAB1781 | Caspase-3   | Reacts with: human                          | FCM                 |
| Anti-Human CASR DyLight® 488 conjugated Antibody   | BPAB1782 | Extracellular calcium-sensing receptor                          | Reacts with: human                          | FCM                 |
| Anti-Human CASR DyLight® 550 conjugated Antibody   | BPAB1783 | Extracellular calcium-sensing receptor                          | Reacts with: human                          | FCM                 |
| Anti-Human CCKBR DyLight® 488 conjugated Antibod   | BPAB1784 | Gastrin/cholecystokinin type B receptor                         | Reacts with: human                          | FCM                 |

|  |          |  |                    |                |
|--|----------|--|--------------------|----------------|
| Anti-Human CCKBR DyLight® 550 conjugated Antibod   | BPAB1785 | Gastrin/cholecystokinin type B receptor                              | Reacts with: human | FCM            |
| Anti-Human CCR3 DyLight® 488 conjugated Antibody   | BPAB1786 | C-C chemokine receptor type 3  | Reacts with: human | FCM            |
| Anti-Human CCR3 DyLight® 550 conjugated Antibody   | BPAB1787 | C-C chemokine receptor type 3  | Reacts with: human | FCM            |
| Anti-Human CD11b DyLight® 488 conjugated Antibod   | BPAB1788 | Integrin alpha-M   | Reacts with: human | FCM            |
| Anti-Human CD11b DyLight® 550 conjugated Antibod   | BPAB1789 | Integrin alpha-M   | Reacts with: human | FCM            |
| Anti-Human CD147/Emmprin DyLight® 488 conjugate    | BPAB1790 | Basigin  | Reacts with: human | FCM            |
| Anti-Human CD147/Emmprin DyLight® 550 conjugate    | BPAB1791 | Basigin  | Reacts with: human | FCM            |
| Anti-Human CD163 DyLight® 488 conjugated Antibod   | BPAB1792 | Scavenger receptor cysteine-rich type 1 protein M130                 | Reacts with: human | FCM            |
| Anti-Human CD163 DyLight® 550 conjugated Antibod   | BPAB1793 | Scavenger receptor cysteine-rich type 1 protein M130                 | Reacts with: human | FCM            |
|  | BPAB1794 |  |                    |                |
| Anti-Human CD18 DyLight® 550 conjugated Antibody   | BPAB1795 | Integrin beta-2  | Reacts with: human | FCM            |
| Anti-Human CD2AP DyLight® 488 conjugated Antibod   | BPAB1796 | CD2-associated protein   | Reacts with: human | FCM            |
| Anti-Human CD2AP DyLight® 550 conjugated Antibod   | BPAB1797 | CD2-associated protein   | Reacts with: human | FCM            |
| Anti-Human CD5 DyLight® 488 conjugated Antibody    | BPAB1798 | T-cell surface glycoprotein CD5                                      | Reacts with: human | FCM            |
| Anti-Human CD5 DyLight® 550 conjugated Antibody    | BPAB1799 | T-cell surface glycoprotein CD5                                      | Reacts with: human | FCM            |
| Anti-Human CD7 DyLight® 488 conjugated Antibody    | BPAB1800 | T-cell antigen CD7   | Reacts with: human | FCM            |
| Anti-Human CD7 DyLight® 550 conjugated Antibody    | BPAB1801 | T-cell antigen CD7   | Reacts with: human | FCM            |
| Anti-Human CHRNA3 DyLight® 488 conjugated Antibod  | BPAB1802 | Neuronal acetylcholine receptor subunit alpha-3                      | Reacts with: human | FCM            |
| Anti-Human CHRNA3 DyLight® 550 conjugated Antibod  | BPAB1803 | Neuronal acetylcholine receptor subunit alpha-3                      | Reacts with: human | FCM            |
| Anti-Human CLPX DyLight® 488 conjugated Antibody   | BPAB1804 | ATP-dependent Clp protease ATP-binding subunit clpX-like, mitochondr | Reacts with: human | FCM            |
| Anti-Human CLPX DyLight® 550 conjugated Antibody   | BPAB1805 | ATP-dependent Clp protease ATP-binding subunit clpX-like, mitochondr | Reacts with: human | FCM            |
| Anti-Human CRM1 DyLight® 488 conjugated Antibody   | BPAB1806 | Exportin-1   | Reacts with: human | FCM            |
| Anti-Human CRM1 DyLight® 550 conjugated Antibody   | BPAB1807 | Exportin-1   | Reacts with: human | FCM            |
| Anti-Human CTNNA1 DyLight® 488 conjugated Antibod  | BPAB1808 | Catenin alpha-1  | Reacts with: human | FCM            |
| Anti-Human CTNNA1 DyLight® 550 conjugated Antibod  | BPAB1809 | Catenin alpha-1  | Reacts with: human | FCM            |
| Anti-Human CYP1A1 DyLight® 488 conjugated Antibod  | BPAB1810 | Cytochrome P450 1A1  | Reacts with: human | FCM            |
| Anti-Human CYP1A1 DyLight® 550 conjugated Antibod  | BPAB1811 | Cytochrome P450 1A1  | Reacts with: human | FCM            |
| Anti-Human Cytochrome C DyLight® 488 conjugated ,  | BPAB1812 | Cytochrome c   | Reacts with: human | FCM            |
| Anti-Human Cytochrome C DyLight® 550 conjugated ,  | BPAB1813 | Cytochrome c   | Reacts with: human | FCM            |
| Anti-Human DC-SIGN DyLight® 488 conjugated Antibod | BPAB1814 | CD209 antigen  | Reacts with: human | FCM            |
| Anti-Human DC-SIGN DyLight® 550 conjugated Antibod | BPAB1815 | CD209 antigen  | Reacts with: human | FCM            |
| Anti-Human Dynamin 1 DyLight® 488 conjugated Ant   | BPAB1816 | Dynamin-1  | Reacts with: human | FCM            |
| Anti-Human Dynamin 1 DyLight® 550 conjugated Ant   | BPAB1817 | Dynamin-1  | Reacts with: human | FCM            |
| Anti-Human Emerin DyLight® 488 conjugated Antibod  | BPAB1818 | Emerin   | Reacts with: human | FCM            |
| Anti-Human Emerin DyLight® 550 conjugated Antibod  | BPAB1819 | Emerin   | Reacts with: human | FCM            |
| Anti-human EPO Antibody                            | BPAB1820 | Erythropoietin   | Reacts with: human | WB,IHC-P,ELISA |
| Anti-Human Glutathione Reductase DyLight® 488 cor  | BPAB1821 | Glutathione reductase, mitochondrial                                 | Reacts with: human | FCM            |
| Anti-Human Glutathione Reductase DyLight® 550 cor  | BPAB1822 | Glutathione reductase, mitochondrial                                 | Reacts with: human | FCM            |
| Anti-Human GSTM1 DyLight® 488 conjugated Antibod   | BPAB1823 | Glutathione S-transferase Mu 1                                       | Reacts with: human | FCM            |
| Anti-Human GSTM1 DyLight® 550 conjugated Antibod   | BPAB1824 | Glutathione S-transferase Mu 1                                       | Reacts with: human | FCM            |
| Anti-Human Hsp70 DyLight® 488 conjugated Antibod   | BPAB1825 | Heat shock 70 kDa protein 1A/1B                                      | Reacts with: human | FCM            |
| Anti-Human Hsp70 DyLight® 550 conjugated Antibod   | BPAB1826 | Heat shock 70 kDa protein 1A/1B                                      | Reacts with: human | FCM            |
| Anti-Human ICOS DyLight® 488 conjugated Antibody   | BPAB1827 | Inducible T-cell costimulator  | Reacts with: human | FCM            |
| Anti-Human ICOS DyLight® 550 conjugated Antibody   | BPAB1828 | Inducible T-cell costimulator  | Reacts with: human | FCM            |
| Anti-Human IDE DyLight® 488 conjugated Antibody    | BPAB1829 | Insulin-degrading enzyme   | Reacts with: human | FCM            |
| Anti-Human IDE DyLight® 550 conjugated Antibody    | BPAB1830 | Insulin-degrading enzyme   | Reacts with: human | FCM            |
| Anti-human IFN gamma Antibody                      | BPAB1831 | Interferon gamma(IFN-gamma)  | Reacts with: human | WB,IHC-P,ELISA |
| Anti-Human IL22 DyLight® 488 conjugated Antibody(I | BPAB1832 | Interleukin-22   | Reacts with: human | FCM            |
| Anti-Human IL22 DyLight® 550 conjugated Antibody(I | BPAB1833 | Interleukin-22   | Reacts with: human | FCM            |
| Anti-Human ITGA2B DyLight® 488 conjugated Antibod  | BPAB1834 | Integrin alpha-1b  | Reacts with: human | FCM            |
| Anti-Human ITGA2B DyLight® 550 conjugated Antibod  | BPAB1835 | Integrin alpha-1b  | Reacts with: human | FCM            |

|   |          |  |                    |          |
|---|----------|--|--------------------|----------|
| Anti-Human Milk Fat Globule 1/MFGE8 Antibody        | BPAB1836 | Lactadherin  | Reacts with: human | WB,IHC-P |
| Anti-Human MVP DyLight® 488 conjugated Antibody     | BPAB1837 | Major vault protein                                | Reacts with: human | FCM      |
| Anti-Human MVP DyLight® 550 conjugated Antibody     | BPAB1838 | Major vault protein                                | Reacts with: human | FCM      |
| Anti-Human Neurexin 1 DyLight® 488 conjugated Ant   | BPAB1839 | Neurexin-1-beta                                    | Reacts with: human | FCM      |
| Anti-Human Neurexin 1 DyLight® 550 conjugated Ant   | BPAB1840 | Neurexin-1-beta                                    | Reacts with: human | FCM      |
| Anti-Human NFAT2 DyLight® 488 conjugated Antibod    | BPAB1841 | Nuclear factor of activated T-cells, cytoplasmic 1 | Reacts with: human | FCM      |
| Anti-Human NFAT2 DyLight® 550 conjugated Antibod    | BPAB1842 | Nuclear factor of activated T-cells, cytoplasmic 1 | Reacts with: human | FCM      |
| Anti-Human NFAT4 DyLight® 488 conjugated Antibod    | BPAB1843 | Nuclear factor of activated T-cells, cytoplasmic 3 | Reacts with: human | FCM      |
| Anti-Human NFAT4 DyLight® 550 conjugated Antibod    | BPAB1844 | Nuclear factor of activated T-cells, cytoplasmic 3 | Reacts with: human | FCM      |
| Anti-Human NFATC4 DyLight® 488 conjugated Antibo    | BPAB1845 | Nuclear factor of activated T-cells, cytoplasmic 4 | Reacts with: human | FCM      |
| Anti-Human NFATC4 DyLight® 550 conjugated Antibo    | BPAB1846 | Nuclear factor of activated T-cells, cytoplasmic 4 | Reacts with: human | FCM      |
| Anti-Human PDCD10 DyLight® 488 conjugated Antibc    | BPAB1847 | Programmed cell death protein 10                   | Reacts with: human | FCM      |
| Anti-Human PDCD10 DyLight® 550 conjugated Antibc    | BPAB1848 | Programmed cell death protein 10                   | Reacts with: human | FCM      |
| Anti-Human PDE4D DyLight® 488 conjugated Antibod    | BPAB1849 | cAMP-specific 3',5'-cyclic phosphodiesterase 4D    | Reacts with: human | FCM      |
| Anti-Human PDE4D DyLight® 550 conjugated Antibod    | BPAB1850 | cAMP-specific 3',5'-cyclic phosphodiesterase 4D    | Reacts with: human | FCM      |
| Anti-Human Perilipin A DyLight® 488 conjugated Anti | BPAB1851 | Perilipin-1  | Reacts with: human | FCM      |
| Anti-Human Perilipin A DyLight® 550 conjugated Anti | BPAB1852 | Perilipin-1  | Reacts with: human | FCM      |
| Anti-Human PNP DyLight® 488 conjugated Antibody     | BPAB1853 | Purine nucleoside phosphorylase                    | Reacts with: human | FCM      |
| Anti-Human PNP DyLight® 550 conjugated Antibody     | BPAB1854 | Purine nucleoside phosphorylase                    | Reacts with: human | FCM      |
| Anti-Human POR DyLight® 488 conjugated Antibody     | BPAB1855 | NADPH--cytochrome P450 reductase                   | Reacts with: human | FCM      |
| Anti-Human POR DyLight® 550 conjugated Antibody     | BPAB1856 | NADPH--cytochrome P450 reductase                   | Reacts with: human | FCM      |
| Anti-Human PPID DyLight® 488 conjugated Antibody    | BPAB1857 | Peptidyl-prolyl cis-trans isomerase D              | Reacts with: human | FCM      |
| Anti-Human PPID DyLight® 550 conjugated Antibody    | BPAB1858 | Peptidyl-prolyl cis-trans isomerase D              | Reacts with: human | FCM      |
| Anti-Human PRX DyLight® 488 conjugated Antibody     | BPAB1859 | Periaxin   | Reacts with: human | FCM      |
| Anti-Human PRX DyLight® 550 conjugated Antibody     | BPAB1860 | Periaxin   | Reacts with: human | FCM      |
| Anti-Human PTP1B DyLight® 488 conjugated Antibod    | BPAB1861 | Tyrosine-protein phosphatase non-receptor type 1   | Reacts with: human | FCM      |
| Anti-Human PTP1B DyLight® 550 conjugated Antibod    | BPAB1862 | Tyrosine-protein phosphatase non-receptor type 1   | Reacts with: human | FCM      |
| Anti-Human RAB27A DyLight® 488 conjugated Antibc    | BPAB1863 | Ras-related protein Rab-27A                        | Reacts with: human | FCM      |
| Anti-Human RAB27A DyLight® 550 conjugated Antibc    | BPAB1864 | Ras-related protein Rab-27A                        | Reacts with: human | FCM      |
| Anti-Human RALBP1 DyLight® 488 conjugated Antibo    | BPAB1865 | RalA-binding protein 1                             | Reacts with: human | FCM      |
| Anti-Human RALBP1 DyLight® 550 conjugated Antibo    | BPAB1866 | RalA-binding protein 1                             | Reacts with: human | FCM      |
| Anti-Human SATB1 DyLight® 488 conjugated Antibod    | BPAB1867 | DNA-binding protein SATB1                          | Reacts with: human | FCM      |
| Anti-Human SATB1 DyLight® 550 conjugated Antibod    | BPAB1868 | DNA-binding protein SATB1                          | Reacts with: human | FCM      |
| Anti-Human SCRIBBLE DyLight® 488 conjugated Antib   | BPAB1869 | Protein scribble homolog                           | Reacts with: human | FCM      |
| Anti-Human SCRIBBLE DyLight® 550 conjugated Antib   | BPAB1870 | Protein scribble homolog                           | Reacts with: human | FCM      |
| Anti-Human SLK DyLight® 488 conjugated Antibody     | BPAB1871 | STE20-like serine/threonine-protein kinase         | Reacts with: human | FCM      |
| Anti-Human SLK DyLight® 550 conjugated Antibody     | BPAB1872 | STE20-like serine/threonine-protein kinase         | Reacts with: human | FCM      |
| Anti-Human SPHK2 DyLight® 488 conjugated Antibod    | BPAB1873 | Sphingosine kinase 2                               | Reacts with: human | FCM      |
| Anti-Human SPHK2 DyLight® 550 conjugated Antibod    | BPAB1874 | Sphingosine kinase 2                               | Reacts with: human | FCM      |
| Anti-Human Stefin B DyLight® 488 conjugated Antibo  | BPAB1875 | Cystatin-B   | Reacts with: human | FCM      |
| Anti-Human Stefin B DyLight® 550 conjugated Antibo  | BPAB1876 | Cystatin-B   | Reacts with: human | FCM      |
| Anti-Human SUR1 DyLight® 488 conjugated Antibody    | BPAB1877 | ATP-binding cassette sub-family C member 8         | Reacts with: human | FCM      |
| Anti-Human SUR1 DyLight® 550 conjugated Antibody    | BPAB1878 | ATP-binding cassette sub-family C member 8         | Reacts with: human | FCM      |
| Anti-Human Synaptotagmin 1 DyLight® 488 conjugate   | BPAB1879 | Synaptotagmin-1                                    | Reacts with: human | FCM      |
| Anti-Human Synaptotagmin 1 DyLight® 550 conjugate   | BPAB1880 | Synaptotagmin-1                                    | Reacts with: human | FCM      |
| Anti-Human TAPA1 DyLight® 488 conjugated Antibod    | BPAB1881 | CD81 antigen                                       | Reacts with: human | FCM      |
| Anti-Human TAPA1 DyLight® 550 conjugated Antibod    | BPAB1882 | CD81 antigen                                       | Reacts with: human | FCM      |
| Anti-Human TCP1 alpha DyLight® 488 conjugated Ant   | BPAB1883 | T-complex protein 1 subunit alpha                  | Reacts with: human | FCM      |
| Anti-Human TCP1 alpha DyLight® 550 conjugated Ant   | BPAB1884 | T-complex protein 1 subunit alpha                  | Reacts with: human | FCM      |
| Anti-Human TLR1 DyLight® 488 conjugated Antibody    | BPAB1885 | Toll-like receptor 1                               | Reacts with: human | FCM      |
| Anti-Human TLR1 DyLight® 550 conjugated Antibody    | BPAB1886 | Toll-like receptor 1                               | Reacts with: human | FCM      |

|  |          |  |  |                                  |
|--|----------|--|--|----------------------------------|
| Anti-Human TYRO3 DyLight® 488 conjugated Antibody  | BPAB1887 | Tyrosine-protein kinase receptor TYRO3                                 | Reacts with: human                           | FCM                              |
| Anti-Human TYRO3 DyLight® 550 conjugated Antibody  | BPAB1888 | Tyrosine-protein kinase receptor TYRO3                                 | Reacts with: human                           | FCM                              |
| Anti-Huntingtin/HTT Antibody                       | BPAB1889 | Huntingtin   | Reacts with: humanPredicted to work with: r  | WB                               |
| Anti-HYAL1 Antibody                                | BPAB1890 | Hyaluronidase-1  | Reacts with: human                           | WB,IHC-P,IHC-F,ICC               |
| Anti-HYAL1 Antibody                                | BPAB1891 | Hyaluronidase-1  | Reacts with: mouse                           | WB                               |
| Anti-HYAL2 Antibody                                | BPAB1892 | Hyaluronidase-2(Hyal-2)  | Reacts with: human, ratPredicted to work wi  | WB                               |
| Anti-HYAL3 Antibody                                | BPAB1893 | Hyaluronidase-3(Hyal-3)  | Reacts with: humanPredicted to work with: r  | WB,IHC-P                         |
| Anti-Hyaluronan synthase 1/HAS1 Antibody           | BPAB1894 | Hyaluronan synthase 1  | Reacts with: human, mouse, rat               | WB,IHC-P,ICC/IF                  |
| Anti-Hydrogen Potassium ATPase Beta/ATP4B Antibody | BPAB1895 | Potassium-transporting ATPase subunit beta                             | Reacts with: human, mouse, rat               | WB                               |
| Anti-Hydroxysteroid (17-beta) Dehydrogenase 4/HSD  | BPAB1896 | Peroxisomal multifunctional enzyme type 2                              | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                         |
| Anti-Hydroxysteroid (17-beta) Dehydrogenase 4/HSD  | BPAB1897 | Peroxisomal multifunctional enzyme type 2                              | Reacts with: human, mouse, rat               | WB,IHC-P                         |
| Anti-I-309/CCL1 Antibody                           | BPAB1898 | C-C motif chemokine 1  | Reacts with: human                           | WB                               |
| Anti-I-309/CCL1 Antibody                           | BPAB1899 | C-C motif chemokine 1  | Reacts with: human                           | WB,ELISA                         |
|  | BPAB1900 |  |  |                                  |
|  | BPAB1901 |  |  |                                  |
| Anti-Iba1/AIF1 Antibody                            | BPAB1902 | Allograft inflammatory factor 1  | Reacts with: human                           | WB,IHC-P                         |
| Anti-IBSP Antibody                                 | BPAB1903 | Bone sialoprotein 2  | Reacts with: human, mouse, rat               | WB                               |
| Anti-ICA1 Antibody                                 | BPAB1904 | Islet cell autoantigen 1   | Reacts with: mouse, ratPredicted to work wi  | WB                               |
|  | BPAB1905 |  |  |                                  |
| Anti-ICAM1 Antibody                                | BPAB1906 | Intercellular adhesion molecule 1                                      | Human. No cross reactivity with other protei | WB,IHC-P                         |
| Anti-ICAM1 Antibody                                | BPAB1907 | Intercellular adhesion molecule 1                                      | Reacts with: human                           | WB,IHC-P                         |
| Anti-ICAM1 Antibody                                | BPAB1908 | Intercellular adhesion molecule 1                                      | Reacts with: human                           | WB,IHC-P                         |
| Anti-ICAM1 Antibody                                | BPAB1909 | Intercellular adhesion molecule 1                                      | Reacts with: mouse, rat                      | WB,IHC-P                         |
| Anti-ICAM1 Antibody                                | BPAB1910 | Intercellular adhesion molecule 1                                      | Reacts with: human, mouse, rat               | WB,Direct ELISA                  |
| Anti-ICAM2 Antibody                                | BPAB1911 | Intercellular adhesion molecule 2                                      | Reacts with: human, rat                      | WB,Direct ELISA                  |
| Anti-ICOS Antibody                                 | BPAB1912 | Inducible T-cell costimulator  | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA            |
| Anti-ICOS Antibody                                 | BPAB1913 | Inducible T-cell costimulator  | Reacts with: human                           | IHC-P,IHC-F,ICC,FCM,Direct ELISA |
| Anti-ID2 Antibody                                  | BPAB1914 | DNA-binding protein inhibitor ID-2                                     | Reacts with: ratPredicted to work with: hum  | WB                               |
| Anti-IDH2 Antibody                                 | BPAB1915 | Isocitrate dehydrogenase [NADP], mitochondrial                         | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC               |
| Anti-Iduronate 2 sulfatase/IDS Antibody            | BPAB1916 | Iduronate 2-sulfatase  | Reacts with: human                           | WB,IHC-P                         |
| Anti-IFITM1 Antibody                               | BPAB1917 | Interferon-induced transmembrane protein 1                             | Reacts with: human                           | WB,IHC-P,IHC-F                   |
| Anti-IFNAR1 Antibody                               | BPAB1918 | Interferon alpha/beta receptor 1                                       | Reacts with: human, mouse                    | WB                               |
| Anti-IFNGR1 Antibody                               | BPAB1919 | Interferon gamma receptor 1  | Reacts with: human                           | WB,IHC-F,ICC,FCM                 |
| Anti-IFNGR1 Antibody                               | BPAB1920 | Interferon gamma receptor 1  | Reacts with: human                           | WB                               |
| Anti-IGF1 Antibody                                 | BPAB1921 | Insulin-like growth factor I(IGF-I)                                    | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                         |
| Anti-IGF1 Receptor/IGF1R Antibody                  | BPAB1922 | Insulin-like growth factor 1 receptor                                  | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                         |
| Anti-IGF1 Receptor/Igf1r Antibody                  | BPAB1923 | Insulin-like growth factor 1 receptor                                  | Reacts with: mouse, rat                      | WB,IHC-P,Direct ELISA            |
| Anti-IGFBP1 Antibody                               | BPAB1924 | Insulin-like growth factor-binding protein 1(IBP-1/IGF-binding protein | Reacts with: human                           | WB                               |
| Anti-IGFBP1 Antibody                               | BPAB1925 | Insulin-like growth factor-binding protein 1                           | Reacts with: mouse, rat                      | WB,ELISA                         |
| Anti-IGFBP1 Antibody                               | BPAB1926 | Insulin-like growth factor-binding protein 1                           | Reacts with: human                           | WB,IHC-P                         |
| Anti-IGFBP1 Antibody                               | BPAB1927 | Insulin-like growth factor-binding protein 1                           | Reacts with: mouse, rat                      | WB,IHC-P,ELISA(Cap)              |
| Anti-IGFBP2 Antibody                               | BPAB1928 | Insulin-like growth factor-binding protein 2                           | Reacts with: human, rat                      | WB                               |
| Anti-IGFBP2 Antibody                               | BPAB1929 | Insulin-like growth factor-binding protein 2                           | Reacts with: human, mouse, rat               | WB,IHC-P,ELISA(Cap)              |
| Anti-IGFBP2 Antibody                               | BPAB1930 | Insulin-like growth factor-binding protein 2                           | Reacts with: mouse, rat                      | WB,IHC-P,Direct ELISA            |
| Anti-IGFBP3 Antibody                               | BPAB1931 | Insulin-like growth factor-binding protein 3(IBP-3/IGF-binding protein | Reacts with: human                           | WB,IHC-P                         |
| Anti-IGFBP3 Antibody                               | BPAB1932 | Insulin-like growth factor-binding protein 3                           | Reacts with: human, rat                      | WB,IHC-P,ELISA                   |
| Anti-IGFBP3 Antibody                               | BPAB1933 | Insulin-like growth factor-binding protein 3                           | Reacts with: human, mouse, rat               | WB,ELISA(Cap)                    |
| Anti-IGFBP3 Antibody                               | BPAB1934 | Insulin-like growth factor-binding protein 3                           | Reacts with: mouse, rat                      | WB,Direct ELISA                  |
| Anti-IGFBP5 Antibody                               | BPAB1935 | Insulin-like growth factor-binding protein 5                           | Reacts with: human                           | WB,ELISA                         |
| Anti-IGFBP5 Antibody                               | BPAB1936 | Insulin-like growth factor-binding protein 5                           | Reacts with: human                           | WB,ELISA                         |
|  | BPAB1937 |  |  |                                  |

|                                |          |  |   |                       |
|--------------------------------|----------|--|---|-----------------------|
| Anti-IGLL1 Antibody            | BPAB1938 | Immunoglobulin lambda-like polypeptide 1                               | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA |
| Anti-Ihh Antibody              | BPAB1939 | Indian hedgehog protein  | Reacts with: human, ratPredicted to work wi | WB                    |
| Anti-Ikaros/IKZF1 Antibody     | BPAB1940 | DNA-binding protein Ikaros   | Reacts with: human, mouse, rat              | WB,IHC-P              |
| Anti-IKB alpha/NFKBIA Antibody | BPAB1941 | NF-kappa-B inhibitor alpha   | Reacts with: human, mouse, rat              | WB,IHC-P              |
| Anti-IKB beta/NFKBIB Antibody  | BPAB1942 | NF-kappa-B inhibitor beta  | Reacts with: human, mouse, rat              | WB,IHC-P              |
| Anti-IKK alpha/CHUK Antibody   | BPAB1943 | Inhibitor of nuclear factor kappa-B kinase subunit alpha(I-kappa-B kin | Reacts with: human                          | WB                    |
| Anti-IKK alpha/CHUK Antibody   | BPAB1944 | Inhibitor of nuclear factor kappa-B kinase subunit alpha               | Reacts with: human, mouse, rat              | WB,IHC-P              |
| Anti-IKK beta/IKBKB Antibody   | BPAB1945 | Inhibitor of nuclear factor kappa-B kinase subunit beta                | Reacts with: human                          | WB                    |
| Anti-IKK beta/IKBKB Antibody   | BPAB1946 | Inhibitor of nuclear factor kappa-B kinase subunit beta                | Reacts with: human, ratPredicted to work wi | WB                    |
| Anti-IKK beta/IKBKB Antibody   | BPAB1947 | Inhibitor of nuclear factor kappa-B kinase subunit beta                | Reacts with: human                          | WB,IHC-P              |
| Anti-IKK gamma/IKBKG Antibody  | BPAB1948 | NF-kappa-B essential modulator(NEMO)                                   | Reacts with: mouse                          | WB                    |
|                                | BPAB1949 |  |   |                       |
| Anti-IKK gamma/IKBKG Antibody  | BPAB1950 | NF-kappa-B essential modulator   | Reacts with: human, mouse, rat              | WB                    |
| Anti-IL-1 beta/IL1B Antibody   | BPAB1951 | Interleukin-1 beta   | Reacts with: human, mouse, rat              | WB                    |
| Anti-IL-16/IL16 Antibody       | BPAB1952 | Pro-interleukin-16   | Reacts with: mouse                          | WB,IHC-P,ELISA        |
| Anti-IL-2/IL2 Antibody         | BPAB1953 | Interleukin-2  | Reacts with: human                          | WB,ELISA              |
| Anti-IL-22/IL22 Antibody       | BPAB1954 | Interleukin-22   | Reacts with: human, mouse, rat              | WB,ELISA              |
|                                | BPAB1955 |  |   |                       |
| Anti-IL1 beta/IL1B Antibody    | BPAB1956 | Interleukin-1 beta(IL-1 beta)  | Reacts with: human                          | WB                    |
| Anti-IL1 beta/IL1B Antibody    | BPAB1957 | Interleukin-1 beta(IL-1 beta)  | Reacts with: mouse, rat                     | WB                    |
| Anti-IL1 beta/IL1B Antibody    | BPAB1958 | Interleukin-1 beta(IL-1 beta)  | Reacts with: rat                            | WB,ELISA              |
| Anti-IL1 beta/IL1B Antibody    | BPAB1959 | Interleukin-1 beta(IL-1 beta)  | Reacts with: rat                            | WB,ELISA              |
| Anti-IL1 beta/IL1B Antibody    | BPAB1960 | Interleukin-1 beta   | Reacts with: rat                            | ELISA                 |
| Anti-IL1 beta/IL1b Antibody    | BPAB1961 | Interleukin-1 beta   | Reacts with: mouse, rat                     | WB                    |
| Anti-IL10 Antibody             | BPAB1962 | Interleukin-10(IL-10)  | Reacts with: human                          | WB,IHC-P,ELISA        |
| Anti-IL10 Antibody             | BPAB1963 | Interleukin-10(IL-10)  | Reacts with: mouse                          | WB,ELISA              |
| Anti-IL10 Antibody             | BPAB1964 | Interleukin-10(IL-10)  | Reacts with: rat                            | WB,IHC-P,ELISA        |
| Anti-IL10 Antibody             | BPAB1965 | Interleukin-10(IL-10)  | Reacts with: human                          | WB                    |
| Anti-IL10 Antibody             | BPAB1966 | Interleukin-10   | Reacts with: mouse, rat                     | WB,ELISA(Cap)         |
| Anti-IL10 Antibody             | BPAB1967 | Interleukin-10   | Reacts with: human, mouse, rat              | WB,Direct ELISA       |
| Anti-IL11 Antibody             | BPAB1968 | Interleukin-11   | Reacts with: mouse, rat                     | WB,Direct ELISA       |
| Anti-IL12 p40/IL12B Antibody   | BPAB1969 | Interleukin-12 subunit beta  | Reacts with: rat                            | WB                    |
| Anti-IL12 p40/IL12B Antibody   | BPAB1970 | Interleukin-12 subunit beta(IL-12B)                                    | Reacts with: human                          | WB                    |
| Anti-IL12A Antibody            | BPAB1971 | Interleukin-12 subunit alpha   | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA |
| Anti-IL12B Antibody            | BPAB1972 | Interleukin-12 subunit beta  | Reacts with: mouse, rat                     | WB,Direct ELISA       |
| Anti-IL12B Antibody            | BPAB1973 | Interleukin-12 subunit beta  | Reacts with: mouse, rat                     | WB,IHC-P,Direct ELISA |
| Anti-IL12B Antibody            | BPAB1974 | Interleukin-12 subunit beta  | Reacts with: human, mouse                   | WB,Direct ELISA       |
| Anti-IL12RB1 Antibody          | BPAB1975 | Interleukin-12 receptor subunit beta-1                                 | Reacts with: human                          | WB                    |
| Anti-IL13 Antibody             | BPAB1976 | Interleukin-13   | Reacts with: human                          | WB,Direct ELISA       |
| Anti-IL13 Antibody             | BPAB1977 | Interleukin-13   | Reacts with: rat                            | ELISA                 |
| Anti-IL13 Antibody             | BPAB1978 | Interleukin-13(IL-13)  | Reacts with: rat                            | WB                    |
| Anti-IL13 Antibody             | BPAB1979 | Interleukin-13(IL-13)  | Reacts with: human                          | WB                    |
| Anti-IL13 Antibody             | BPAB1980 | Interleukin-13   | Reacts with: human                          | WB,IHC-P              |
| Anti-IL15 Antibody             | BPAB1981 | Interleukin-15   | Reacts with: human                          | WB,ELISA              |
| Anti-IL15RA Antibody           | BPAB1982 | Interleukin-15 receptor subunit alpha                                  | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA |
| Anti-IL16 Antibody             | BPAB1983 | Pro-interleukin-16   | Reacts with: human                          | WB,IHC-P,ICC,ELISA    |
| Anti-IL17/IL17A Antibody       | BPAB1984 | Interleukin-17A(IL-17/IL-17A)  | Reacts with: mouse                          | WB,ELISA              |
| Anti-IL17/IL17a Antibody       | BPAB1985 | Interleukin-17A  | Reacts with: human, mouse, rat              | WB,IHC-P,ELISA(Cap)   |
| Anti-IL17B Antibody            | BPAB1986 | Interleukin-17B  | Reacts with: human, mouse, rat              | WB,Direct ELISA       |
| Anti-IL17B Antibody            | BPAB1987 | Interleukin-17B  | Reacts with: human, mouse, rat              | WB,Direct ELISA       |
| Anti-IL17C Antibody            | BPAB1988 | Interleukin-17C  | Reacts with: human, mouse                   | WB,ELISA(Cap)         |

|   |          |  |                                |                      |
|---|----------|--|--------------------------------|----------------------|
| Anti-IL17C Antibody                       | BPAB1989 | Interleukin-17C  | Reacts with: mouse, rat        | WB,ELISA(Cap)        |
| Anti-IL17E/IL25 Antibody                  | BPAB1990 | Interleukin-25   | Reacts with: human, mouse, rat | WB,ELISA(Cap)        |
| Anti-IL17F Antibody                       | BPAB1991 | Interleukin-17F  | Reacts with: human, rat        | WB,Direct ELISA      |
| Anti-IL17F Antibody                       | BPAB1992 | Interleukin-17F  | Reacts with: mouse, rat        | WB,ELISA(Cap)        |
| Anti-IL17F Antibody                       | BPAB1993 | Interleukin-17F  | Reacts with: mouse, rat        | WB,Direct ELISA      |
| Anti-IL18 Antibody                        | BPAB1994 | Interleukin-18   | Reacts with: mouse             | WB,IHC-P,ELISA       |
| Anti-IL18 Antibody                        | BPAB1995 | Interleukin-18   | Reacts with: human             | WB                   |
|   | BPAB1996 |  |                                |                      |
| Anti-IL18 Antibody                        | BPAB1997 | Interleukin-18   | Reacts with: human             | WB,IHC-P,ICC         |
| Anti-IL18 Antibody                        | BPAB1998 | Interleukin-18   | Reacts with: rat               | WB                   |
| Anti-IL18 Antibody                        | BPAB1999 | Interleukin-18   | Reacts with: mouse             | WB                   |
| Anti-IL18 binding protein/IL18bp Antibody | BPAB2000 | Interleukin-18-binding protein   | Reacts with: mouse, rat        | WB,ELISA(Cap)        |
| Anti-IL1F10 Antibody                      | BPAB2001 | Interleukin-1 family member 10   | Reacts with: human, mouse, rat | WB,IHC-P, ELISA(Cap) |
| Anti-IL1F10 Antibody                      | BPAB2002 | Interleukin-1 family member 10   | Reacts with: mouse, rat        | WB,Direct ELISA      |
| Anti-IL1RA/IL1RN Antibody                 | BPAB2003 | Interleukin-1 receptor antagonist protein                              | Reacts with: human             | WB,ELISA             |
| Anti-IL1RA/IL1rn Antibody                 | BPAB2004 | Interleukin-1 receptor antagonist protein                              | Reacts with: mouse             | WB,ELISA             |
| Anti-IL1RA/IL1rn Antibody                 | BPAB2005 | Interleukin-1 receptor antagonist protein                              | Reacts with: rat               | WB                   |
| Anti-IL2 Antibody                         | BPAB2006 | Interleukin-2(IL-2)  | Reacts with: mouse             | WB                   |
| Anti-IL2 Antibody                         | BPAB2007 | Interleukin-2  | Reacts with: rat               | WB                   |
| Anti-IL2 Receptor beta/IL2RB Antibody     | BPAB2008 | Interleukin-2 receptor subunit beta(IL-2 receptor subunit beta/IL-2R s | Reacts with: human             | WB                   |
| Anti-IL2 Receptor beta/IL2RB Antibody     | BPAB2009 | Interleukin-2 receptor subunit beta                                    | Reacts with: mouse             | WB                   |
| Anti-IL2 Receptor gamma/IL2RG Antibody    | BPAB2010 | Cytokine receptor common subunit gamma                                 | Reacts with: human             | WB                   |
| Anti-IL22 Antibody                        | BPAB2011 | Interleukin-22   | Reacts with: human, mouse, rat | WB                   |
| Anti-IL22 Antibody                        | BPAB2012 | Interleukin-22   | Reacts with: mouse, rat        | WB,Direct ELISA      |
| Anti-IL22 Antibody (monoclonal, 7F2)      | BPAB2013 | Interleukin-22   | Reacts with: human             | WB,FCM               |
| Anti-IL23 P19/IL23A Antibody              | BPAB2014 | Interleukin-23 subunit alpha(IL-23 subunit alpha/IL-23-A)              | Reacts with: mouse             | WB                   |
| Anti-IL23 Receptor/IL23r Antibody         | BPAB2015 | Interleukin-23 receptor  | Reacts with: mouse, rat        | WB,ELISA(Cap)        |
| Anti-IL23/IL23A Antibody                  | BPAB2016 | Interleukin-23 subunit alpha   | Reacts with: human, mouse, rat | WB,Direct ELISA      |
| Anti-IL27 Antibody                        | BPAB2017 | Interleukin-27 subunit alpha   | Reacts with: human             | WB,ELISA(Cap)        |
| Anti-IL27 Antibody                        | BPAB2018 | Interleukin-27 subunit alpha   | Reacts with: mouse, rat        | WB,Direct ELISA      |
| Anti-IL2RA Antibody                       | BPAB2019 | Interleukin-2 receptor subunit alpha(IL-2 receptor subunit alpha/IL-2- | Reacts with: human             | WB,IHC-P             |
| Anti-IL3 Antibody                         | BPAB2020 | Interleukin-3(IL-3)  | Reacts with: human             | WB,IHC-P,ELISA       |
| Anti-IL3 Antibody                         | BPAB2021 | Interleukin-3  | Reacts with: rat               | WB,ELISA             |
| Anti-IL3 Antibody                         | BPAB2022 | Interleukin-3(IL-3)  | Reacts with: human             | WB                   |
| Anti-IL3 Antibody                         | BPAB2023 | Interleukin-3(IL-3)  | Reacts with: mouse             | WB                   |
| Anti-IL3 Antibody                         | BPAB2024 | Interleukin-3(IL-3)  | Reacts with: human             | WB,IHC-P             |
| Anti-IL-31 Antibody                       | BPAB3832 | Interleukin-31   | Reacts with: human, mouse, rat | WB,IHC-P,ELISA(Cap)  |
| Anti-IL32 Antibody                        | BPAB2025 | Interleukin-32   | Reacts with: human             | WB,ELISA(Cap)        |
| Anti-IL33 Antibody                        | BPAB2027 | Interleukin-33   | Reacts with: human             | WB,IHC-P,ELISA(Cap)  |
| Anti-IL33 Antibody                        | BPAB2028 | Interleukin-33   | Reacts with: mouse, rat        | WB,ELISA(Cap)        |
| Anti-IL33 Antibody                        | BPAB2029 | Interleukin-33   | Reacts with: mouse, rat        | WB,IHC-P,ELISA(Cap)  |
| Anti-IL36 alpha/IL36A Antibody            | BPAB2030 | Interleukin-36 alpha   | Reacts with: human, mouse, rat | WB,Direct ELISA      |
| Anti-IL36 alpha/IL36A Antibody            | BPAB2031 | Interleukin-36 alpha   | Reacts with: human, mouse, rat | WB,IHC-P,ELISA(Cap)  |
| Anti-IL3RA Antibody                       | BPAB2032 | Interleukin-3 receptor subunit alpha(IL-3 receptor subunit alpha/IL-3f | Reacts with: human             | WB                   |
| Anti-IL4 Antibody                         | BPAB2033 | Interleukin-4(IL-4)  | Reacts with: human             | WB,IHC-P,ELISA       |
| Anti-IL4 Antibody                         | BPAB2034 | Interleukin-4(IL-4)  | Reacts with: human             | WB                   |
| Anti-IL4 Antibody                         | BPAB2035 | Interleukin-4(IL-4)  | Reacts with: mouse             | WB                   |
| Anti-IL4 Antibody                         | BPAB2036 | Interleukin-4(IL-4)  | Reacts with: human             | WB,IHC-P             |
| Anti-IL4 Antibody                         | BPAB2037 | Interleukin-4  | Reacts with: human             | WB,Direct ELISA      |
|   | BPAB2038 |  |                                |                      |
| Anti-IL5RA Antibody                       | BPAB2039 | Interleukin-5 receptor subunit alpha(IL-5 receptor subunit alpha/IL-5f | Reacts with: human             | WB                   |



|  |          |  |   |                                     |
|--|----------|--|---|-------------------------------------|
| Anti-IL6 Antibody                                  | BPAB2040 | Interleukin-6  | Reacts with: rat                            | WB                                  |
| Anti-IL6 Antibody                                  | BPAB2041 | Interleukin-6(IL-6)                                      | Reacts with: human                          | WB                                  |
| Anti-IL6 Antibody                                  | BPAB2042 | Interleukin-6(IL-6)                                      | Reacts with: mouse, rat                     | WB                                  |
| Anti-IL6 Antibody                                  | BPAB2043 | Interleukin-6(IL-6)                                      | Reacts with: human                          | WB                                  |
| Anti-IL6 Antibody                                  | BPAB2044 | Interleukin-6  | Reacts with: mouse                          | WB,ELISA                            |
| Anti-IL6 Antibody                                  | BPAB2045 | Interleukin-6  | Reacts with: mouse, rat                     | WB,ELISA(Cap)                       |
| Anti-IL6R Antibody                                 | BPAB2046 | Interleukin-6 receptor subunit alpha                     | Reacts with: human                          | WB                                  |
| Anti-IL7 Antibody                                  | BPAB2047 | Interleukin-7(IL-7)                                      | Reacts with: human                          | WB,ELISA                            |
| Anti-IL7 Antibody                                  | BPAB2048 | Interleukin-7(IL-7)                                      | Reacts with: mouse                          | WB,IHC-P                            |
| Anti-IL7 Antibody                                  | BPAB2049 | Interleukin-7  | Reacts with: human                          | WB,ELISA                            |
| Anti-IL7 Antibody                                  | BPAB2050 | Interleukin-7  | Reacts with: mouse                          | WB                                  |
| Anti-IL7R alpha Antibody                           | BPAB2051 | Interleukin-7 receptor subunit alpha                     | Reacts with: human, rat                     | WB                                  |
| Anti-IL8/CXCL8 Antibody                            | BPAB2052 | Interleukin-8(IL-8)                                      | Reacts with: human                          | WB,IHC-P                            |
| Anti-IL8/CXCL8 Antibody                            | BPAB2053 | Interleukin-8  | Reacts with: human                          | WB,IHC-P,ELISA                      |
| Anti-INDOL1/IDO2 Antibody                          | BPAB2054 | ndoleamine 2,3-dioxygenase 2                             | Reacts with: human                          | WB                                  |
| Anti-Indoleamine 2, 3-dioxygenase/IDO1 Antibody    | BPAB2055 | Indoleamine 2,3-dioxygenase 1(IDO-1)                     | Reacts with: human                          | WB                                  |
| Anti-Indoleamine 2, 3-dioxygenase/IDO1 Antibody    | BPAB2056 | Indoleamine 2,3-dioxygenase 1                            | Reacts with: human                          | WB,IHC-P,ICC                        |
| Anti-ING1 Antibody                                 | BPAB2057 | Inhibitor of growth protein 1                            | Reacts with: human                          | WB                                  |
| Anti-iNOS/NOS2 Antibody                            | BPAB2058 | Nitric oxide synthase, inducible                         | Human, Mouse, Rat. No cross reactivity with | WB,IHC-P                            |
|  | BPAB2059 |  |   |                                     |
| Anti-iNOS/NOS2 Antibody                            | BPAB2060 | Nitric oxide synthase, inducible                         | Reacts with: human                          | WB                                  |
| Anti-INPPL1 Antibody                               | BPAB2061 | Phosphatidylinositol 3,4,5-trisphosphate 5-phosphatase 2 | Reacts with: human, ratPredicted to work wi | WB,IHC-P                            |
| Anti-INPPL1 Antibody                               | BPAB2062 | Phosphatidylinositol 3,4,5-trisphosphate 5-phosphatase 2 | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA               |
|  | BPAB2063 |  |   |                                     |
| Anti-Insulin Antibody (monoclonal, K36AC10)        | BPAB2064 | Insulin  | Human, rabbit, rat                          | IHC-P                               |
| Anti-Insulin degrading enzyme/IDE Antibody         | BPAB2065 | Insulin-degrading enzyme                                 | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA |
|  | BPAB2066 |  |   |                                     |
| Anti-Insulin Receptor/INSR Antibody                | BPAB2067 | Insulin receptor(IR)                                     | Reacts with: human, ratPredicted to work wi | WB                                  |
| Anti-Insulin Receptor/INSR Antibody                | BPAB2068 | Insulin receptor   | Reacts with: human, rat                     | WB                                  |
|  | BPAB2069 |  |   |                                     |
| Anti-Integrin alpha 1/ITGA1 Antibody               | BPAB2070 | Integrin alpha-1   | Reacts with: human, ratPredicted to work wi | WB,IHC-P                            |
| Anti-Integrin alpha 1/ITGA1 Antibody               | BPAB2071 | Integrin alpha-1   | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-Integrin alpha 3/ITGA3 Antibody               | BPAB2072 | Integrin alpha-3   | Reacts with: human, ratPredicted to work wi | WB,IHC-P                            |
| Anti-Integrin alpha 3/ITGA3 Antibody               | BPAB2073 | Integrin alpha-3   | Reacts with: human, ratPredicted to work wi | WB,IHC-P                            |
| Anti-Integrin alpha 3/ITGA3 Antibody               | BPAB2074 | Integrin alpha-3   | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC/IF,FCM           |
|  | BPAB2075 |  |   |                                     |
| Anti-Integrin alpha 4/ITGA4 Antibody               | BPAB2076 | Integrin alpha-4   | Reacts with: human, rat                     | WB,IHC-P,IHC-F,FCM                  |
| Anti-Integrin alpha 5/ITGA5 Antibody               | BPAB2077 | Integrin alpha-5   | Reacts with: human, mouse, rat              | WB                                  |
| Anti-Integrin alpha 5/ITGA5 Antibody               | BPAB2078 | Integrin alpha-5   | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA |
| Anti-Integrin alpha 6/ITGA6 Antibody               | BPAB3833 | Integrin alpha-6   | Reacts with: human, mouse, rat              | WB,Direct ELISA                     |
|  | BPAB2079 |  |   |                                     |
|  | BPAB2081 |  |   |                                     |
| Anti-Integrin alpha V/ITGAV Antibody               | BPAB2082 | Integrin alpha-V   | Reacts with: human, ratPredicted to work wi | WB,IHC-P,ICC                        |
| Anti-Integrin beta 1/ITGB1 Antibody                | BPAB2083 | Integrin beta-1  | Reacts with: human                          | WB,IHC-P                            |
| Anti-Integrin beta 3/ITGB3 Antibody                | BPAB2084 | Integrin beta-3  | Reacts with: human, ratPredicted to work wi | WB,IHC-P                            |
|  | BPAB2085 |  |   |                                     |
| Anti-integrin beta 4 binding protein/EIF6 Antibody | BPAB2086 | Eukaryotic translation initiation factor 6               | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F                      |
| Anti-integrin beta 4 binding protein/EIF6 Antibody | BPAB2087 | Eukaryotic translation initiation factor 6               | Reacts with: human, mouse, rat              | WB,IHC-P,ICC                        |
|  | BPAB2088 |  |   |                                     |
| Anti-Integrin beta 4/ITGB4 Antibody                | BPAB2089 | Integrin beta-4  | Reacts with: humanPredicted to work with: r | WB                                  |
| Anti-Integrin beta 4/ITGB4 Antibody                | BPAB2090 | Integrin beta-4  | Reacts with: human                          | WB                                  |

|  |          |   |  |                           |
|--|----------|---|--|---------------------------|
| Anti-Integrin beta 4/ITGB4 Antibody                | BPAB2091 | Integrin beta-4                                       | Reacts with: human                           | WB,IHC-P                  |
| Anti-Integrin linked ILK Antibody                  | BPAB2092 | Integrin-linked protein kinase                        | Reacts with: human, mouse, rat               | WB                        |
| Anti-Interferon gamma Antibody                     | BPAB2093 | Interferon gamma                                      | Reacts with: rat                             | ELISA(Cap)                |
| Anti-Interferon gamma Antibody                     | BPAB2094 | Interferon gamma                                      | Reacts with: mouse                           | ELISA(Cap)                |
| Anti-Interferon gamma Antibody (monoclonal, 8E9)   | BPAB2095 | Interferon gamma                                      | Reacts with: rat                             | ELISA(Cap)                |
| Anti-Interferon gamma/IFNG Antibody                | BPAB2096 | Interferon gamma(IFN-gamma)                           | Reacts with: human                           | WB                        |
| Anti-Interferon gamma/IFNG Antibody                | BPAB2097 | Interferon gamma                                      | Reacts with: rat                             | WB,ELISA                  |
| Anti-Interferon gamma/IFNG Antibody                | BPAB2098 | Interferon gamma                                      | Reacts with: human, mouse, rat               | WB,IHC-P                  |
| Anti-Interferon regulatory factor 9/IRF9 Antibody  | BPAB2099 | Interferon regulatory factor 9                        | Reacts with: human                           | WB                        |
| Anti-Interleukin 34/IL34 Antibody                  | BPAB2100 | Interleukin-34  | Reacts with: human, mouse, rat               | WB,IHC-P                  |
| Anti-intestinal FABP/FABP2 Antibody                | BPAB2101 | Fatty acid-binding protein, intestinal                | Reacts with: ratPredicted to work with: hum  | WB                        |
| Anti-Intestinal FABP/FABP2 Antibody                | BPAB2102 | Fatty acid-binding protein, intestinal                | Reacts with: human, mouse, rat               | WB,IHC-P,ICC/IF           |
| Anti-Involucrin Antibody (monoclonal, SY5)         | BPAB2103 | Involucrin  | Human, pig                                   | WB,IHC-P,IHC-F,ICC        |
| Anti-Involucrin/IVL Antibody                       | BPAB2104 | Involucrin  | Reacts with: human                           | WB                        |
| Anti-Ionotropic Glutamate receptor 2/GRIA2 Antibod | BPAB2105 | Glutamate receptor 2(GluR-2)                          | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                  |
| Anti-Ionotropic Glutamate receptor 2/GRIA2 Antibod | BPAB2106 | Glutamate receptor 2                                  | Reacts with: mouse, ratPredicted to work wii | WB,IHC-P,IHC-F,ICC,IF,FCM |
| Anti-Ionotropic Glutamate receptor 4/GRIA4 Antibod | BPAB2107 | Glutamate receptor 4                                  | Reacts with: mouse, ratPredicted to work wii | WB                        |
| Anti-IP10/CXCL10 Antibody                          | BPAB2108 | C-X-C motif chemokine 10                              | Reacts with: human                           | WB,IHC-P                  |
| Anti-IP10/CXCL10 Antibody                          | BPAB2109 | C-X-C motif chemokine 10                              | Reacts with: human                           | WB,ELISA                  |
| Anti-IP10/CXCL10 Antibody                          | BPAB2110 | C-X-C motif chemokine 10                              | Reacts with: mouse                           | WB,ELISA                  |
|  | BPAB2111 |   |  |                           |
| Anti-IP3 receptor/ITPR1 Antibody                   | BPAB2112 | Inositol 1,4,5-trisphosphate receptor type 1          | Reacts with: human, mouse, rat               | WB,IHC-P                  |
| Anti-IQGAP1 Antibody                               | BPAB2113 | Ras GTPase-activating-like protein IQGAP1             | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA     |
| Anti-IQGAP2 Antibody                               | BPAB2114 | Ras GTPase-activating-like protein IQGAP2             | Reacts with: human, mouse                    | WB,Direct ELISA           |
| Anti-IRAK/IRAK1 Antibody                           | BPAB2115 | Interleukin-1 receptor-associated kinase 1            | Reacts with: human, ratPredicted to work wi  | WB                        |
| Anti-IRAK/IRAK1 Antibody                           | BPAB2116 | Interleukin-1 receptor-associated kinase 1            | Reacts with: human, mouse, rat               | WB,Direct ELISA           |
| Anti-IRAK2 Antibody                                | BPAB2117 | Interleukin-1 receptor-associated kinase-like 2       | Reacts with: human, mouse, rat               | WB,IHC-P,ICC              |
| Anti-IRAK4 Antibody                                | BPAB2118 | Interleukin-1 receptor-associated kinase 4            | Reacts with: humanPredicted to work with: r  | WB                        |
| Anti-IRAKM/IRAK3 Antibody                          | BPAB2119 | Interleukin-1 receptor-associated kinase 3            | Reacts with: human                           | WB                        |
| Anti-IRAKM/IRAK3 Antibody                          | BPAB2120 | Interleukin-1 receptor-associated kinase 3            | Reacts with: human, mouse, rat               | WB,IHC-P,ICC              |
| Anti-IRE1/ERN1 Antibody                            | BPAB2121 | Serine/threonine-protein kinase/endoribonuclease IRE1 | Reacts with: human, mouse, rat               | WB,Direct ELISA           |
| Anti-IRF1 Antibody                                 | BPAB2122 | Interferon regulatory factor 1                        | Reacts with: human                           | WB,IHC-P,ICC              |
| Anti-IRF2 Antibody                                 | BPAB2123 | Interferon regulatory factor 2(IRF-2)                 | Reacts with: humanPredicted to work with: r  | WB                        |
| Anti-IRF2 Antibody                                 | BPAB2124 | Interferon regulatory factor 2                        | Reacts with: human, rat                      | WB                        |
| Anti-IRF3 Antibody                                 | BPAB2125 | Interferon regulatory factor 3                        | Reacts with: human                           | WB                        |
| Anti-IRF5 Antibody                                 | BPAB2126 | Interferon regulatory factor 5                        | Reacts with: human, ratPredicted to work wi  | WB                        |
| Anti-IRF5 Antibody                                 | BPAB2127 | Interferon regulatory factor 5                        | Reacts with: human, mouse, rat               | WB,IHC-P                  |
| Anti-IRF7 Antibody                                 | BPAB2128 | Interferon regulatory factor 7                        | Reacts with: human, mouse, rat               | WB,IHC-P                  |
| Anti-IRF8 Antibody                                 | BPAB2129 | Interferon regulatory factor 8                        | Reacts with: human, ratPredicted to work wi  | WB                        |
| Anti-IRS1 Antibody                                 | BPAB2130 | Insulin receptor substrate 1                          | Reacts with: humanPredicted to work with: r  | WB                        |
| Anti-IRS1 Antibody                                 | BPAB2131 | Insulin receptor substrate 1                          | Reacts with: human, mouse, rat               | WB,IHC-P                  |
| Anti-IRS2 Antibody                                 | BPAB2132 | Insulin receptor substrate 2                          | Reacts with: human                           | WB                        |
| Anti-ISG15 Antibody                                | BPAB2133 | Ubiquitin-like protein ISG15                          | Reacts with: human                           | WB,IHC-P                  |
| Anti-ISG15 Antibody                                | BPAB2134 | Ubiquitin-like protein ISG15                          | Reacts with: mouse                           | WB,IHC-P                  |
| Anti-Islet 1/ISL1 Antibody                         | BPAB2135 | Insulin gene enhancer protein ISL-1                   | Reacts with: human, rat                      | WB,IHC-P                  |
| Anti-Isocitrate dehydrogenase/IDH1 Antibody        | BPAB2136 | Isocitrate dehydrogenase [NADP] cytoplasmic           | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC        |
| Anti-ITCH/AIP4 Antibody                            | BPAB2137 | E3 ubiquitin-protein ligase Itchy homolog             | Reacts with: human                           | WB                        |
| Anti-ITGA7 Antibody                                | BPAB2138 | Integrin alpha-7                                      | Reacts with: humanPredicted to work with: r  | WB                        |
| Anti-ITK Antibody                                  | BPAB2139 | Tyrosine-protein kinase ITK/TSK                       | Reacts with: human, mouse                    | WB                        |
| Anti-ITLN1 Antibody                                | BPAB2140 | Intelectin-1  | Reacts with: human                           | WB,IHC-P                  |
| Anti-ITPR3 Antibody                                | BPAB2141 | Inositol 1,4,5-trisphosphate receptor type 3          | Reacts with: human, mouse, rat               | WB,IHC-P                  |

|                                    |          |   |   |                       |
|------------------------------------|----------|---|---|-----------------------|
| Anti-JAB1/COP55 Antibody           | BPAB2142 | COP9 signalosome complex subunit 5                                | Reacts with: human, mouse, rat              | WB                    |
| Anti-JAB1/COP55 Antibody           | BPAB2143 | COP9 signalosome complex subunit 5                                | Reacts with: human, mouse, rat              | WB,IHC-P              |
|                                    | BPAB2144 |   |   |                       |
|                                    | BPAB2145 |   |   |                       |
| Anti-JAK1 Antibody                 | BPAB2146 | Tyrosine-protein kinase JAK1                                      | Reacts with: humanPredicted to work with: r | WB                    |
| Anti-JAK1 Antibody                 | BPAB2147 | Tyrosine-protein kinase JAK1                                      | Reacts with: human, mouse, rat              | WB                    |
| Anti-JAK2 Antibody                 | BPAB2148 | Tyrosine-protein kinase JAK2                                      | Reacts with: human                          | WB,IHC-P,ICC/IF       |
| Anti-JNK1/MAPK8 Antibody           | BPAB2149 | Mitogen-activated protein kinase 8                                | Reacts with: humanPredicted to work with: r | WB                    |
| Anti-JNK2/MAPK9 Antibody           | BPAB2150 | Mitogen-activated protein kinase 9                                | Reacts with: human                          | WB                    |
| Anti-JAK3 Antibody                 | BPAB3834 | Tyrosine-protein kinase JAK3                                      | Reacts with: human                          | WB,Direct ELISA       |
| Anti-JunB Antibody                 | BPAB2151 | Transcription factor jun-B  | Reacts with: human, mouse, rat              | WB,IHC-P              |
| Anti-JunD Antibody                 | BPAB2153 | Transcription factor jun-D  | Reacts with: human, mouse, rat              | WB                    |
| Anti-Kallikrein 10/KLK1 Antibody   | BPAB2154 | Kallikrein-1  | Reacts with: human                          | WB,IHC-P              |
| Anti-Kallikrein 1/KLK1 Antibody    | BPAB2155 | Kallikrein-1  | Reacts with: mouse                          | WB,IHC-P              |
| Anti-Kallikrein 1/KLK1 Antibody    | BPAB2156 | Kallikrein-1  | Reacts with: mouse                          | WB,IHC-P              |
| Anti-Kallikrein 1/KLK1 Antibody    | BPAB2157 | Kallikrein-1  | Reacts with: human                          | WB,ELISA(Cap)         |
| Anti-Kallikrein 1/Ngfg Antibody    | BPAB2158 | Kallikrein-1  | Reacts with: rat                            | WB,IHC-P              |
| Anti-Kallikrein 10/KLK10 Antibody  | BPAB2159 | Kallikrein-10   | Reacts with: human                          | WB                    |
| Anti-Kallikrein 11/KLK11 Antibody  | BPAB2160 | Kallikrein-11(hK11)   | Reacts with: human                          | WB,IHC-P              |
| Anti-Kallikrein 2/KLK2 Antibody    | BPAB2161 | Kallikrein-2  | Reacts with: human                          | WB,IHC-P              |
| Anti-Kallikrein 2/KLK2 Antibody    | BPAB2162 | Kallikrein-2  | Reacts with: human                          | WB,IHC-P,Direct ELISA |
| Anti-Kallikrein 4/KLK4 Antibody    | BPAB2163 | Kallikrein-4  | Reacts with: human                          | WB                    |
| Anti-Kallikrein 5/KLK5 Antibody    | BPAB2164 | Kallikrein 1-related peptidase b5                                 | Reacts with: mouse, rat                     | WB,IHC-P              |
| Anti-Kallikrein 6/KLK6 Antibody    | BPAB2165 | Kallikrein-6  | Reacts with: human                          | WB,IHC-P,ICC          |
| Anti-Kallikrein 6/KLK6 Antibody    | BPAB2166 | Kallikrein-6  | Reacts with: human                          | WB,Direct ELISA       |
| Anti-Kallikrein 8/KLK8 Antibody    | BPAB2167 | Kallikrein-8  | Reacts with: human                          | WB                    |
| Anti-Kallikrein 9/KLK9 Antibody    | BPAB2168 | Kallikrein-9  | Reacts with: human                          | WB                    |
| Anti-Kallistatin/SERPINA4 Antibody | BPAB2169 | Kallistatin   | Reacts with: human                          | WB,IHC-P              |
| Anti-KAP1/TRIM28 Antibody          | BPAB2170 | Transcription intermediary factor 1-beta                          | Reacts with: human, mouse, rat              | WB,IHC-P              |
| Anti-KAT13A/SRC1/NCOA1 Antibody    | BPAB2171 | Nuclear receptor coactivator 1                                    | Reacts with: human                          | WB                    |
| Anti-KAT13D/CLOCK Antibody         | BPAB2172 | Circadian locomoter output cycles protein kaput                   | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC    |
| Anti-KAT2A/GCN5 Antibody           | BPAB2173 | Histone acetyltransferase KAT2A                                   | Reacts with: human                          | WB                    |
| Anti-KAT3B/p300/EP300 Antibody     | BPAB2174 | Histone acetyltransferase p300                                    | Reacts with: human, mouse, rat              | WB,IHC-P              |
| Anti-KAT9/ELP3 Antibody            | BPAB3824 | Elongator complex protein 3                                       | Reacts with: human, mouse, rat              | WB                    |
| Anti-KBTBD2 Antibody               | BPAB2175 | Kelch repeat and BTB domain-containing protein 2                  | Reacts with: human, mouse, rat              | WB,ICC/IF             |
|                                    | BPAB2177 |   |   |                       |
| Anti-KCC2/SLC12A5 Antibody         | BPAB3810 | Solute carrier family 12 member 5                                 | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA |
| Anti-KChIP2/KCNIP2 Antibody        | BPAB2178 | Kv channel-interacting protein 2                                  | Reacts with: human, mouse, rat              | WB,IHC-P              |
| Anti-KCNA3 Antibody                | BPAB2180 | Potassium voltage-gated channel subfamily A member 3              | Reacts with: human, mouse, rat              | WB                    |
| Anti-KCNA5 Antibody                | BPAB2181 | Potassium voltage-gated channel subfamily A member 5              | Reacts with: human                          | WB                    |
|                                    | BPAB2182 |   |   |                       |
| Anti-KCND1 Antibody                | BPAB2183 | Potassium voltage-gated channel subfamily D member 1              | Reacts with: human, mouse                   | WB                    |
| Anti-KCNH1 Antibody                | BPAB2184 | Potassium voltage-gated channel subfamily H member 1              | Reacts with: human, mouse, rat              | WB                    |
| Anti-KCNH1 Antibody                | BPAB2185 | Potassium voltage-gated channel subfamily H member 1              | Reacts with: human, mouse, rat              | WB,Direct ELISA       |
| Anti-KCNH2 Antibody                | BPAB3835 | Potassium voltage-gated channel subfamily H member 2              | Reacts with: human, mouse, rat              | WB,Direct ELISA       |
|                                    | BPAB2186 |   |   |                       |
| Anti-KCNN4 Antibody                | BPAB2188 | Intermediate conductance calcium-activated potassium channel prot | Reacts with: human, rat                     | WB                    |
| Anti-KCNN4 Antibody                | BPAB2189 | Intermediate conductance calcium-activated potassium channel prot | Reacts with: human, mouse, rat              | WB,Direct ELISA       |
| Anti-KCNQ1 Antibody                | BPAB2190 | Potassium voltage-gated channel subfamily KQT member 1            | Reacts with: human, rat                     | WB                    |
|                                    | BPAB2191 |   |   |                       |
| Anti-KCNQ5 Antibody                | BPAB2192 | Potassium voltage-gated channel subfamily KQT member 5            | Reacts with: human, mouse, rat              | WB                    |

|  |          |  |   |                       |
|--|----------|--|---|-----------------------|
| Anti-KDM5B/PLU1/Jarid1B Antibody             | BPAB2193 | Lysine-specific demethylase 5B                       | Reacts with: human, mouse, rat              | WB                    |
| Anti-Keap1 Antibody                          | BPAB2194 | Kelch-like ECH-associated protein 1                  | Reacts with: human                          | WB                    |
| Anti-Keap1 Antibody                          | BPAB2195 | Kelch-like ECH-associated protein 1                  | Reacts with: human                          | WB                    |
| Anti-Keratocan Antibody                      | BPAB2196 | Keratocan  | Reacts with: human, mouse                   | WB                    |
| Anti-KGF/FGF7 Antibody                       | BPAB2197 | Fibroblast growth factor 7(FGF-7)                    | Reacts with: humanPredicted to work with: r | WB,IHC-P              |
| Anti-KGF/Fgf7 Antibody                       | BPAB2198 | Fibroblast growth factor 7                           | Reacts with: mouse, rat                     | WB,Direct ELISA       |
| Anti-Ki67/MKI67 Antibody                     | BPAB2199 | Antigen Ki-67  | Reacts with: human                          | WB                    |
| Anti-Ki67/MKI67 Antibody                     | BPAB2200 | Antigen Ki-67  | Reacts with: human                          | WB,IHC-P,ICC          |
| Anti-KIAA0652/ATG13 Antibody                 | BPAB2201 | Autophagy-related protein 13                         | Reacts with: human, mouse                   | WB                    |
| Anti-KIF3A Antibody                          | BPAB2202 | Kinesin-like protein KIF3A                           | Reacts with: human, mouse, rat              | WB                    |
| Anti-KIF15 Antibody                          | BPAB3792 | Kinesin-like protein KIF15                           | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA |
| Anti-KIN Antibody                            | BPAB2203 | DNA/RNA-binding protein KIN17                        | Reacts with: human, ratPredicted to work wi | WB                    |
| Anti-KIN Antibody                            | BPAB2205 | DNA/RNA-binding protein KIN17                        | Reacts with: human, mouse                   | WB,IHC-P              |
| Anti-Kininogen 1/KNG1 Antibody               | BPAB2206 | Kininogen-1  | Reacts with: human                          | WB                    |
| Anti-Kininogen 1/KNG1 Antibody               | BPAB2207 | Kininogen-1  | Reacts with: mouse                          | WB,IHC-P              |
| Anti-KISS1 receptor/KISS1R Antibody          | BPAB2208 | KISS-1 receptor                                      | Reacts with: human, mouse, rat              | WB                    |
| Anti-KLF2 Antibody                           | BPAB2209 | Krueppel-like factor 2                               | Reacts with: human, ratPredicted to work wi | WB                    |
| Anti-KLF3 Antibody                           | BPAB2210 | Krueppel-like factor 3                               | Reacts with: human, ratPredicted to work wi | WB                    |
| Anti-KLF4 Antibody                           | BPAB2211 | Krueppel-like factor 4                               | Reacts with: humanPredicted to work with: r | WB                    |
| Anti-KLF4 Antibody                           | BPAB2212 | Krueppel-like factor 4                               | Reacts with: human, mouse, rat              | WB,IHC-P              |
| Anti-KLF5 Antibody                           | BPAB2213 | Krueppel-like factor 5                               | Reacts with: humanPredicted to work with: r | WB                    |
| Anti-KLF6 Antibody                           | BPAB2214 | Krueppel-like factor 6                               | Reacts with: human, rat                     | WB                    |
| Anti-KLF8 Antibody                           | BPAB2215 | Krueppel-like factor 8                               | Reacts with: human                          | WB                    |
| Anti-KMT1E/SETDB1 Antibody                   | BPAB2216 | Histone-lysine N-methyltransferase SETDB1            | Reacts with: human, mouse, rat              | WB,Direct ELISA       |
| Anti-KMT6/EZH2 Antibody                      | BPAB3826 | Histone-lysine N-methyltransferase EZH2              | Reacts with: human, mouse, rat              | WB,Direct ELISA       |
| Anti-KPNA2 Antibody                          | BPAB2217 |  |   |                       |
|  | BPAB2219 | Importin subunit alpha-1                             | Reacts with: human                          | WB                    |
|  | BPAB2220 |  |   |                       |
| Anti-KRIT1 Antibody                          | BPAB2221 | Krev interaction trapped protein 1                   | Reacts with: human, mouse, rat              | WB                    |
| Anti-Ku70/XRCC6 Antibody                     | BPAB2222 | X-ray repair cross-complementing protein 6           | Reacts with: human                          | WB,IHC-P,ICC          |
| Anti-Ku70/XRCC6 Antibody                     | BPAB2223 | X-ray repair cross-complementing protein 6           | Reacts with: human                          | WB,IHC-P              |
| Anti-Ku80/XRCC5 Antibody                     | BPAB2224 | X-ray repair cross-complementing protein 5           | Reacts with: human                          | WB,IHC-P,ICC          |
|  | BPAB2225 |  |   |                       |
| Anti-Ku80/XRCC5 Antibody                     | BPAB2226 | X-ray repair cross-complementing protein 5           | Reacts with: human, mouse, rat              | WB,IHC-P              |
| Anti-Kv1.1 potassium channel/KCNA1 Antibody  | BPAB2227 | Potassium voltage-gated channel subfamily A member 1 | Reacts with: human, mouse, rat              | WB                    |
| Anti-Kv1.1 potassium channel/KCNA1 Antibody  | BPAB2228 | Potassium voltage-gated channel subfamily A member 1 | Reacts with: human, mouse, rat              | WB,Direct ELISA       |
| Anti-Kv1.2/KCNA2 Antibody                    | BPAB2229 | Potassium voltage-gated channel subfamily A member 2 | Reacts with: mouse, ratPredicted to work wi | WB                    |
| Anti-Kv1.4/KCNA4 Antibody                    | BPAB2230 | Potassium voltage-gated channel subfamily A member 4 | Reacts with: human, ratPredicted to work wi | WB                    |
| Anti-Kv1.4/KCNA4 Antibody                    | BPAB2231 | Potassium voltage-gated channel subfamily A member 4 | Reacts with: human                          | WB,IHC-P              |
|  | BPAB2232 |  |   |                       |
| Anti-Kv2.1/KCNB1 Antibody                    | BPAB2233 | Potassium voltage-gated channel subfamily B member 1 | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F        |
| Anti-Kv4.2/KCND2 Antibody                    | BPAB2234 | Potassium voltage-gated channel subfamily D member 2 | Reacts with: mouse, ratPredicted to work wi | WB                    |
| Anti-Kv4.3/KCND3 Antibody                    | BPAB2235 | Potassium voltage-gated channel subfamily D member 3 | Reacts with: mousePredicted to work with: h | WB                    |
| Anti-L-Arginine decarboxylase/AZIN2 Antibody | BPAB2236 | Antizyme inhibitor 2                                 | Reacts with: human, mouse, rat              | WB,IHC-P              |
| Anti-L17A Receptor/IL17RA Antibody           | BPAB2237 | Interleukin-17 receptor A                            | Reacts with: human                          | WB,ELISA              |
| Anti-L1CAM Antibody                          | BPAB2238 | Neural cell adhesion molecule L1                     | Reacts with: human, mouse, rat              | IHC-P                 |
| Anti-Lactate Dehydrogenase B/LDHB Antibody   | BPAB2239 | L-lactate dehydrogenase B chain                      | Reacts with: human, mouse, rat              | WB,IHC-P              |
| Anti-Lactoferrin/LTF Antibody                | BPAB2240 | Lactotransferrin                                     | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA |
| Anti-LAMC2 Antibody                          | BPAB2241 | Laminin subunit gamma-2                              | Reacts with: human, ratPredicted to work wi | WB,IHC-P              |
| Anti-Lamin A + C/LMNA Antibody               | BPAB2242 | Prelamin-A/C   | Reacts with: human, mouse, rat              | WB,IHC-P,ICC          |
| Anti-Lamin A+C/LMNA Antibody                 | BPAB2243 | Prelamin-A/C   | Reacts with: human, mouse, rat              | WB,IHC-P,ICC          |

|  |          |   |   |                                     |
|--|----------|---|---|-------------------------------------|
| Anti-Lamin B1/LMNB1 Antibody               | BPAB2244 | Lamin-B1  | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC                  |
| Anti-Lamin B1/LMNB1 Antibody               | BPAB2245 | Lamin-B1  | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC                  |
| Anti-Lamin B2/LMNB2 Antibody               | BPAB2246 | Lamin-B2  | Reacts with: human, ratPredicted to work wi | WB,IHC-P,IHC-F                      |
| Anti-Lamin B Receptor/LBR Antibody         | BPAB3836 | Lamin-B receptor  | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA               |
| Anti-Laminin 2 alpha/LAMA2 Antibody        | BPAB2247 | Laminin subunit alpha-2   | Reacts with: humanPredicted to work with: r | WB                                  |
| Anti-Laminin Antibody                      | BPAB2249 | Laminin subunit gamma-1&Laminin subunit gamma-2&Laminin subu        | Reacts with: human                          | WB,IHC-P                            |
| Anti-Laminin Antibody (monoclonal, LAM-89) | BPAB2250 | Laminin subunit alpha-1; Laminin subunit alpha-2; Laminin subunit b | Human, feline, pig                          | WB,IHC-P                            |
| Anti-Laminin gamma 1/LAMC1 Antibody        | BPAB2251 | Laminin subunit gamma-1   | Reacts with: human, ratPredicted to work wi | WB,IHC-P                            |
| Anti-Laminin/Lamc1/Lamc2/Lamc3 Antibody    | BPAB2252 | Laminin subunit gamma-1&Laminin subunit gamma-2&Laminin subu        | Reacts with: human                          | WB,IHC-P,ICC                        |
| Anti-Laminin/Lamc1/Lamc2/Lamc3 Antibody    | BPAB2253 | Laminin subunit gamma-1&Laminin subunit gamma-2&Laminin subu        | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-LAMP1 Antibody                        | BPAB2254 | Lysosome-associated membrane glycoprotein 1(LAMP-1)                 | Reacts with: human, ratPredicted to work wi | WB                                  |
| Anti-LAMP3 Antibody                        | BPAB2255 | Lysosome-associated membrane glycoprotein 3                         | Reacts with: human, mouse, rat              | IHC-P,Direct ELISA                  |
| Anti-LAR/PTPRF Antibody                    | BPAB2256 | Receptor-type tyrosine-protein phosphatase F                        | Reacts with: human                          | WB,IHC-P                            |
| Anti-LASP1 Antibody                        | BPAB2257 | LIM and SH3 domain protein 1(LASP-1)                                | Reacts with: human, mouse, rat              | WB,IHC-P,ICC                        |
| Anti-LASP1 Antibody                        | BPAB2258 | LIM and SH3 domain protein 1  | Reacts with: human                          | WB,IHC-P                            |
| Anti-LAT Antibody                          | BPAB2259 | Linker for activation of T-cells family member 1                    | Reacts with: human                          | WB,IHC-P,ICC                        |
| Anti-LATS1 Antibody                        | BPAB2260 | Serine/threonine-protein kinase LATS1                               | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA |
|  | BPAB2261 |   |   |                                     |
| Anti-LBP Antibody                          | BPAB2262 | Lipopolysaccharide-binding protein                                  | Reacts with: human, mouse, rat              | WB                                  |
| Anti-LBP Antibody                          | BPAB2263 | Lipopolysaccharide-binding protein                                  | Reacts with: human                          | WB,ELISA(Cap)                       |
| Anti-LBP Antibody                          | BPAB2264 | Lipopolysaccharide-binding protein                                  | Reacts with: mouse, rat                     | WB,ELISA(Cap)                       |
| Anti-LCAT Antibody                         | BPAB2265 | Phosphatidylcholine-sterol acyltransferase                          | Reacts with: human, rat                     | WB                                  |
| Anti-LCAT Antibody                         | BPAB2266 | Phosphatidylcholine-sterol acyltransferase                          | Reacts with: human, mouse, rat              | WB                                  |
| Anti-Lck Antibody                          | BPAB2267 | Tyrosine-protein kinase Lck   | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-LCN1 Antibody                         | BPAB2268 | Lipocalin-1   | Reacts with: human                          | WB,IHC-P                            |
| Anti-LDHA Antibody                         | BPAB2269 | L-lactate dehydrogenase A chain                                     | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-Leptin Antibody                       | BPAB2270 | Leptin  | Reacts with: mouse                          | WB,ELISA                            |
| Anti-Leptin Antibody                       | BPAB2271 | Leptin  | Reacts with: rat                            | WB,ELISA                            |
| Anti-Leptin Antibody                       | BPAB2272 | Leptin  | Reacts with: human, mouse, rat              | WB,ELISA(Cap)                       |
| Anti-Leptin Antibody                       | BPAB2273 | Leptin  | Reacts with: mouse, rat                     | WB,IHC-P,ELISA(Cap)                 |
|  | BPAB2274 |   |   |                                     |
|  | BPAB2275 |   |   |                                     |
| Anti-Leptin Receptor/LEPR Antibody         | BPAB2276 | Leptin receptor   | Reacts with: human, mouse, rat              | IHC-P,ELISA                         |
| Anti-Leucyl tRNA synthetase/LARS Antibody  | BPAB2277 | Leucine--tRNA ligase, cytoplasmic                                   | Reacts with: human, mouse, rat              | WB,Direct ELISA                     |
| Anti-Leupaxin/LPXN Antibody                | BPAB2278 | Leupaxin  | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-LFA3/CD58 Antibody                    | BPAB2279 | Lymphocyte function-associated antigen 3                            | Reacts with: human                          | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-LGALS3BP Antibody                     | BPAB2280 | Galectin-3-binding protein  | Reacts with: human, mouse                   | WB,IHC-P                            |
| Anti-LI Cadherin/CDH17 Antibody            | BPAB2281 | Cadherin-17   | Reacts with: human                          | WB                                  |
| Anti-LIF Antibody                          | BPAB2282 | Leukemia inhibitory factor(LIF)                                     | Reacts with: mouse, rat                     | WB                                  |
| Anti-LIF Antibody                          | BPAB2283 | Leukemia inhibitory factor  | Reacts with: human                          | WB,IHC-P                            |
| Anti-LIF Antibody                          | BPAB2284 | Leukemia inhibitory factor  | Reacts with: human, mouse, rat              | WB,ELISA(Cap)                       |
| Anti-LIFR Antibody                         | BPAB2285 | Leukemia inhibitory factor receptor                                 | Reacts with: human                          | WB                                  |
| Anti-LIGHT/Tnfsf14 Antibody                | BPAB2286 | Tumor necrosis factor ligand superfamily member 14                  | Reacts with: mouse, rat                     | WB,Direct ELISA                     |
| Anti-LIM kinase 2/LIMK2 Antibody           | BPAB2287 | LIM domain kinase 2   | Reacts with: human, mouse                   | WB                                  |
| Anti-LIMK1 Antibody                        | BPAB2288 | LIM domain kinase 1   | Reacts with: human, mouse, rat              | WB                                  |
| Anti-Lipoamide Dehydrogenase/DLD Antibody  | BPAB2289 | Dihydrolipoyl dehydrogenase, mitochondrial                          | Reacts with: human, ratPredicted to work wi | WB,IHC-P,IHC-F,ICC                  |
| Anti-Lipoamide Dehydrogenase/DLD Antibody  | BPAB2290 | Dihydrolipoyl dehydrogenase, mitochondrial                          | Reacts with: human, mouse, rat              | WB,IHC-P                            |
|  | BPAB2291 |   |   |                                     |
| Anti-Lipocalin 2/LCN2 Antibody             | BPAB2292 | Neutrophil gelatinase-associated lipocalin                          | Reacts with: mouse, rat                     | WB,IHC-P,IHC-F,ELISA                |
| Anti-Lipocalin 2/LCN2 Antibody             | BPAB2293 | Neutrophil gelatinase-associated lipocalin                          | Reacts with: mouse, rat                     | WB,IHC-P,IHC-F,ELISA                |
| Anti-Lipocalin 2/LCN2 Antibody             | BPAB2294 | Neutrophil gelatinase-associated lipocalin                          | Reacts with: human                          | WB,IHC-P,ELISA                      |

|   |          |  |   |
|---|----------|--|---|
| Anti-liver Arginase/ARG1 Antibody                 | BPAB2295 |  |   |
| Anti-liver Arginase/ARG1 Antibody                 | BPAB2296 | Arginase-1   | Reacts with: ratPredicted to work with: hum: WB                       |
| Anti-liver Arginase/ARG1 Antibody                 | BPAB2297 | Arginase-1   | Reacts with: ratPredicted to work with: mou: WB                       |
| Anti-Liver Carboxylesterase 1/CES1 Antibody       | BPAB3815 | Arginase-1   | Reacts with: human, mouse, rat WB,Direct ELISA                        |
| Anti-liver FABP/FABP1 Antibody                    | BPAB2298 | Liver carboxylesterase 1                                       | Reacts with: human, mouse, rat WB,IHC-P,Direct ELISA                  |
| Anti-liver FABP/FABP1 Antibody                    | BPAB2300 | Fatty acid-binding protein, liver                              | Reacts with: human, mouse, rat WB,IHC-P                               |
| Anti-liver FABP/FABP1 Antibody                    | BPAB2301 | Fatty acid-binding protein, liver                              | Reacts with: human, mouse, rat WB,IHC-P                               |
| Anti-liver FABP/Fabp1 Antibody                    | BPAB2302 | Fatty acid-binding protein, liver                              | Reacts with: mouse, rat WB,Direct ELISA                               |
| Anti-Livin/BIRC7 Antibody                         | BPAB2303 | Baculoviral IAP repeat-containing protein 7                    | Reacts with: human WB,ELISA   |
|   | BPAB2304 |  |   |
| Anti-LKB1/STK11 Antibody                          | BPAB2305 | Serine/threonine-protein kinase STK11                          | Reacts with: human, mouse, rat WB,IHC-P                               |
| Anti-LKB1/STK11 Antibody                          | BPAB2306 | Serine/threonine-protein kinase STK11                          | Reacts with: human WB   |
| Anti-LMAN1 Antibody                               | BPAB2307 | Protein ERGIC-53   | Reacts with: human, mouse, rat WB,IHC-P,IHC-F,ICC/IF,FCM,Direct ELISA |
| Anti-LMO1 Antibody                                | BPAB2308 | Rhombotin-1  | Reacts with: human, mouse, rat WB                                     |
| Anti-LMO2 Antibody                                | BPAB2309 | Rhombotin-2  | Reacts with: human, mouse, rat WB                                     |
| Anti-LMTK3 Antibody                               | BPAB3837 | Serine/threonine-protein kinase LMTK3                          | Reacts with: human, mouse, rat WB,IHC-P,Direct ELISA                  |
| Anti-LONP1/Lon Antibody                           | BPAB3838 | Lon protease homolog, mitochondrial                            | Reacts with: human, mouse, rat WB,IHC-P,Direct ELISA                  |
| Anti-Loricrin/LOR Antibody                        | BPAB3839 | Loricrin   | Reacts with: human, mouse, rat WB,IHC-P,Direct ELISA                  |
| Anti-LOX 1/OLR1 Antibody                          | BPAB2310 | Oxidized low-density lipoprotein receptor 1(Ox-LDL receptor 1) | Reacts with: human WB   |
| Anti-LOX 1/OLR1 Antibody                          | BPAB2314 | Oxidized low-density lipoprotein receptor 1(Ox-LDL receptor 1) | Reacts with: human, rat WB  |
| Anti-LOX Antibody                                 | BPAB2315 | Protein-lysine 6-oxidase                                       | Reacts with: human, mouse, rat WB,ELISA                               |
| Anti-LOX-1/OLR1 Antibody                          | BPAB2316 | Oxidized low-density lipoprotein receptor 1                    | Reacts with: human WB   |
| Anti-LOXL1 Antibody                               | BPAB2317 | Lysyl oxidase homolog 1  | Reacts with: human WB,IHC-P   |
| Anti-LOXL2 Antibody                               | BPAB2318 | Lysyl oxidase homolog 2  | Reacts with: human, mouse, rat WB                                     |
| Anti-LPP Antibody                                 | BPAB2319 | Lipoma-preferred partner                                       | Reacts with: human WB   |
| Anti-LRIG1 Antibody                               | BPAB2320 | Leucine-rich repeats and immunoglobulin-like domains protein 1 | Reacts with: human, mouse, rat WB,IHC-P                               |
| Anti-LRIG3 Antibody                               | BPAB2321 | Leucine-rich repeats and immunoglobulin-like domains protein 3 | Reacts with: human, rat WB  |
| Anti-LRP1 Antibody                                | BPAB2322 | Prolow-density lipoprotein receptor-related protein 1          | Reacts with: human WB   |
| Anti-LRP5 Antibody                                | BPAB2323 | Low-density lipoprotein receptor-related protein 5             | Reacts with: mouse, ratPredicted to work wi WB                        |
| Anti-LRRK2 Antibody                               | BPAB2324 | Leucine-rich repeat serine/threonine-protein kinase 2          | Reacts with: human, mouse, rat WB                                     |
| Anti-LTBR Antibody                                | BPAB2325 | Tumor necrosis factor receptor superfamily member 3            | Reacts with: human WB,IHC-P   |
| Anti-LTK Antibody                                 | BPAB2326 | Leukocyte tyrosine kinase receptor                             | Reacts with: human WB   |
| Anti-Lumican Antibody                             | BPAB2327 | Lumican  | Reacts with: mouse WB,IHC-P,ELISA                                     |
| Anti-Lumican Antibody                             | BPAB2328 | Lumican  | Reacts with: human, mouse, rat WB,IHC-P,Direct ELISA                  |
| Anti-LXR alpha/NR1H3 Antibody                     | BPAB2329 | Oxysterols receptor LXR-alpha                                  | Reacts with: human, ratPredicted to work wi WB                        |
| Anti-LXR alpha/NR1H3 Antibody                     | BPAB2330 | Oxysterols receptor LXR-alpha                                  | Reacts with: human, ratPredicted to work wi WB                        |
| Anti-Ly6a Antibody                                | BPAB2331 | Ly6-A antigen  | Reacts with: rat WB   |
|   | BPAB2332 |  |   |
| Anti-Lymphotactin/XCL1 Antibody                   | BPAB2333 | Lymphotactin   | Reacts with: human WB,ELISA(Cap)                                      |
| Anti-Lymphotactin/Xcl1 Antibody                   | BPAB2334 | Lymphotactin   | Reacts with: mouse, rat WB,Direct ELISA                               |
| Anti-Lyn Antibody                                 | BPAB2335 | Tyrosine-protein kinase Lyn                                    | Reacts with: human, mouse, rat WB,IHC-P                               |
| Anti-LYRIC/MTDH Antibody                          | BPAB2336 | Protein LYRIC  | Reacts with: human, mouse, rat WB,IHC-P,ICC                           |
| Anti-Lysozyme/LYZ Antibody                        | BPAB2337 | Lysozyme C   | Reacts with: human, rat WB,IHC-P                                      |
| Anti-Macrophage Inflammatory Protein 1 beta/CCL4  | BPAB2338 | C-C motif chemokine 4  | Reacts with: human WB,ELISA   |
| Anti-Macrophage Inflammatory Protein 1 beta/CCL4  | BPAB2339 | C-C motif chemokine 4  | Reacts with: mouse WB   |
| Anti-Macrophage Inflammatory Protein 1 beta/CCL4  | BPAB2340 | C-C motif chemokine 4  | Reacts with: rat WB   |
| Anti-Macrophage Inflammatory Protein 3 beta/Ccl19 | BPAB2341 | C-C motif chemokine  | Reacts with: mouse, rat WB  |
| Anti-Macrophage Inflammatory Protein 4/CCL18 Anti | BPAB2342 | C-C motif chemokine 18   | Reacts with: human WB,ELISA   |
| Anti-Mad/MXD1 Antibody                            | BPAB2343 | Max dimerization protein 1                                     | Reacts with: human, mouse, rat WB,Direct ELISA                        |
| Anti-MAD1/MAD1L1 Antibody                         | BPAB2344 | Mitotic spindle assembly checkpoint protein MAD1               | Reacts with: mouse, rat WB,IHC-P                                      |
| Anti-Mad2L1 Antibody                              | BPAB2345 | Mitotic spindle assembly checkpoint protein MAD2A              | Reacts with: human WB   |

|  |          |  |  |                        |
|--|----------|--|--|------------------------|
| Anti-MAdCAM1 Antibody                              | BPAB2346 |  |  |                        |
|  | BPAB2347 | Mucosal addressin cell adhesion molecule 1                           | Reacts with: human                           | WB                     |
|  | BPAB2348 |  |  |                        |
| Anti-MAF1 Antibody                                 | BPAB2349 | Repressor of RNA polymerase III transcription MAF1 homolog           | Reacts with: human, mouse, rat               | WB,Direct ELISA        |
| Anti-MAFA Antibody                                 | BPAB2350 | Transcription factor MafA  | Reacts with: ratPredicted to work with: hum  | WB                     |
| Anti-MAG Antibody                                  | BPAB2351 | Myelin-associated glycoprotein                                       | Reacts with: human, mouse, rat               | WB,IHC-P               |
| Anti-MAG Antibody                                  | BPAB2352 | Myelin-associated glycoprotein                                       | Reacts with: human, mouse, rat               | WB                     |
| Anti-MAG Antibody                                  | BPAB2353 | Myelin-associated glycoprotein                                       | Reacts with: human                           | WB                     |
| Anti-MAK Antibody                                  | BPAB2354 | Serine/threonine-protein kinase MAK                                  | Reacts with: human                           | WB                     |
| Anti-MALT1 Antibody                                | BPAB2355 | Mucosa-associated lymphoid tissue lymphoma translocation protein     | Reacts with: human                           | WB                     |
| Anti-Mannose 6 Phosphate Receptor (Cation indeper  | BPAB2356 | Cation-independent mannose-6-phosphate receptor                      | Reacts with: human, ratPredicted to work wi  | WB,IHC-P,ICC           |
| Anti-Mannose 6 Phosphate Receptor (Cation indeper  | BPAB2357 | Cation-independent mannose-6-phosphate receptor                      | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA  |
| Anti-Mannose 6 Phosphate Receptor/Igf2r Antibody   | BPAB2358 | Cation-independent mannose-6-phosphate receptor                      | Reacts with: mouse, rat                      | WB,IHC-P               |
| Anti-Mannose Phosphate Isomerase/MPI Antibody      | BPAB2359 | Mannose-6-phosphate isomerase  | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM |
| Anti-MAP Kinase, Activated(Diphosphorylated ERK-1& | BPAB2360 | Mitogen-activated protein kinase 1; Mitogen-activated protein kinase | Human, mouse, rat, yeast                     | WB,IHC-P,ICC           |
| Anti-MAP1 Antibody (monoclonal, HM-1)              | BPAB2361 | Microtubule-associated protein 1A                                    | Mouse, rat                                   | WB,IHC-P,IHC-F         |
| Anti-MAP1LC3A Antibody                             | BPAB2362 | Microtubule-associated proteins 1A/1B light chain 3A                 | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA  |
| Anti-MAP2 Antibody                                 | BPAB2363 | Microtubule-associated protein 2                                     | Reacts with: human, mouse, rat               | WB,Direct ELISA        |
| Anti-MAP2 Antibody (monoclonal, HM-2)              | BPAB2364 | Microtubule-associated protein 2                                     | Human, mouse, rat                            | WB,IHC-P               |
| Anti-MAP3K20 Antibody                              | BPAB2365 | Mitogen-activated protein kinase kinase kinase 20                    | Reacts with: human, mouse, rat               | WB,Direct ELISA        |
| Anti-MAP3K8 Antibody                               | BPAB2366 | Mitogen-activated protein kinase kinase kinase 8                     | Reacts with: human, rat                      | WB,IHC-P               |
| Anti-MAPK1/3 Antibody                              | BPAB2367 | Mitogen-activated protein kinase 1(MAP kinase 1/MAPK 1)              | Reacts with: humanPredicted to work with: r  | WB,IHC-P               |
| Anti-MAPK6 Antibody                                | BPAB2368 | Mitogen-activated protein kinase 6                                   | Reacts with: human, mouse, rat               | WB,IHC-P               |
| Anti-MAPK8/9 Antibody                              | BPAB2369 | Mitogen-activated protein kinase 8(MAP kinase 8/MAPK 8)              | Reacts with: human, mouse, rat               | WB,IHC-P               |
| Anti-MASPIN/SERPINB5 Antibody                      | BPAB2370 | Serpin B5  | Reacts with: human, mouse, rat               | WB,IHC-P,ICC           |
| Anti-Mast Cell Chymase/CMA1 Antibody               | BPAB2371 | Chymase  | Reacts with: human                           | WB,IHC-P               |
| Anti-Mast Cell Trypsin/TPSAB1 Antibody             | BPAB2372 | Trypsin alpha/beta-1   | Reacts with: human                           | WB,IHC-P,ELISA         |
| Anti-MATH1/HATH1/ATOH1 Antibody                    | BPAB2373 | Protein atonal homolog 1   | Reacts with: mouse, ratPredicted to work wii | WB                     |
| Anti-Matrilin 2/MATN2 Antibody                     | BPAB2374 | Matrilin-2   | Reacts with: human, ratPredicted to work wi  | WB,IHC-P,IHC-F         |
| Anti-Matrilin 3/MATN3 Antibody                     | BPAB2375 | Matrilin-3   | Reacts with: human                           | WB                     |
| Anti-MAVS Antibody                                 | BPAB2376 | Mitochondrial antiviral-signaling protein                            | Reacts with: human                           | WB,IHC-P               |
|  | BPAB2377 |  |  |                        |
| Anti-MAX Antibody                                  | BPAB2378 | Protein max  | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA  |
| Anti-Maxi Potassium channel alpha/KCNMA1 Antibod   | BPAB2379 | Calcium-activated potassium channel subunit alpha-1                  | Reacts with: human, mouse, rat               | WB,IHC-P               |
|  | BPAB2380 |  |  |                        |
| Anti-MBD2 Antibody                                 | BPAB2381 | Methyl-CpG-binding domain protein 2                                  | Reacts with: human                           | WB                     |
| Anti-MBD4 Antibody                                 | BPAB2382 | Methyl-CpG-binding domain protein 4                                  | Reacts with: human, ratPredicted to work wi  | WB                     |
| Anti-MBL2 Antibody                                 | BPAB2383 | Mannose-binding protein C  | Reacts with: mouse, rat                      | WB,IHC-P,Direct ELISA  |
| Anti-MBL2 Antibody                                 | BPAB2384 | Mannose-binding protein C  | Reacts with: mouse, rat                      | WB,ELISA(Cap)          |
| Anti-MC1 Receptor/MC1R Antibody                    | BPAB2385 | Melanocyte-stimulating hormone receptor                              | Reacts with: human, mouse, rat               | WB                     |
| Anti-MC2 receptor/MC2R Antibody                    | BPAB2386 | Adrenocorticotrophic hormone receptor                                | Reacts with: mousePredicted to work with: h  | WB                     |
| Anti-MC3 Receptor/MC3R Antibody                    | BPAB2387 | Melanocortin receptor 3  | Reacts with: human, mouse                    | WB                     |
| Anti-MCAK/KIF2C Antibody                           | BPAB2388 | Kinesin-like protein KIF2C   | Reacts with: human, mouse, rat               | WB,IHC-P               |
| Anti-MCC Antibody                                  | BPAB2389 | Colorectal mutant cancer protein                                     | Reacts with: human, mouse, rat               | WB                     |
| Anti-MCK10/DDR1 Antibody                           | BPAB2390 | Epithelial discoidin domain-containing receptor 1                    | Reacts with: humanPredicted to work with: r  | WB                     |
| Anti-MCL1 Antibody                                 | BPAB2391 | Induced myeloid leukemia cell differentiation protein Mcl-1          | Reacts with: human                           | WB                     |
| Anti-MCL1 Antibody                                 | BPAB2392 | Induced myeloid leukemia cell differentiation protein Mcl-1          | Reacts with: human, mouse, rat               | WB,IHC-P               |
| Anti-MCM2 Antibody                                 | BPAB2393 | DNA replication licensing factor MCM2                                | Reacts with: human, ratPredicted to work wi  | WB,IHC-P,ICC           |
| Anti-MCM2 Antibody                                 | BPAB2394 | DNA replication licensing factor MCM2                                | Reacts with: mouse, rat                      | WB,IHC-P,ICC           |
| Anti-MCM3 Antibody                                 | BPAB2395 | DNA replication licensing factor MCM3                                | Reacts with: human, mouse, rat               | WB,IHC-P,ICC           |
| Anti-MCM4 Antibody                                 | BPAB2396 | DNA replication licensing factor MCM4                                | Reacts with: humanPredicted to work with: r  | WB                     |

|  |          |  |                                |                                      |
|--|----------|--|--------------------------------|--------------------------------------|
| Anti-MCM5 Antibody                       | BPAB2397 | DNA replication licensing factor MCM5                                  | Reacts with: human, rat        | Predicted to work with: WB,IHC-P     |
| Anti-MCM6 Antibody                       | BPAB2398 | DNA replication licensing factor MCM6                                  | Reacts with: human, mouse, rat | WB,IHC-P,IHC-F,ICC                   |
|  | BPAB2399 |  |                                |                                      |
| Anti-MCM7 Antibody                       | BPAB2400 | DNA replication licensing factor MCM7                                  | Reacts with: human             | WB,IHC-P,ICC                         |
| Anti-MCM7 Antibody                       | BPAB2401 | DNA replication licensing factor MCM7                                  | Reacts with: human, mouse, rat | WB,IHC-P,ICC                         |
| Anti-Mcm7 Antibody (monoclonal, DCS-141) | BPAB2402 | DNA replication licensing factor MCM7                                  | Human                          | WB,ICC                               |
| Anti-MCM8 Antibody                       | BPAB2403 | DNA helicase MCM8  | Reacts with: human             | WB                                   |
|  | BPAB2404 |  |                                |                                      |
| Anti-MCP1/CCL2 Antibody                  | BPAB2405 | C-C motif chemokine 2  | Reacts with: human             | WB,ELISA                             |
| Anti-MCP3/CCL7 Antibody                  | BPAB2406 | C-C motif chemokine 7  | Reacts with: mouse             | WB,ELISA                             |
| Anti-MCP4/CCL13 Antibody                 | BPAB2407 | C-C motif chemokine 13   | Reacts with: human             | WB,ELISA                             |
| Anti-MCSF Receptor/CSF1R Antibody        | BPAB2408 | Macrophage colony-stimulating factor 1 receptor                        | Reacts with: human, rat        | Predicted to work with: WB           |
| Anti-MCSF Receptor/CSF1R Antibody        | BPAB2409 | Macrophage colony-stimulating factor 1 receptor                        | Reacts with: human, mouse, rat | IHC-F,ICC,FCM                        |
| Anti-MCSF/CSF1 Antibody                  | BPAB2410 | Macrophage colony-stimulating factor 1                                 | Reacts with: mouse, rat        | IHC-P,ELISA                          |
| Anti-MCUR1 Antibody                      | BPAB2411 | Mitochondrial calcium uniporter regulator 1                            | Reacts with: human, mouse, rat | WB,IHC-P                             |
| Anti-MDC1 Antibody                       | BPAB2412 | Mediator of DNA damage checkpoint protein 1                            | Reacts with: human             | IHC-P,Direct ELISA                   |
| Anti-MDM2 Antibody                       | BPAB2413 | E3 ubiquitin-protein ligase Mdm2                                       | Reacts with: human, mouse, rat | WB                                   |
| Anti-MDM2 Antibody                       | BPAB2414 | E3 ubiquitin-protein ligase Mdm2                                       | Reacts with: human, mouse, rat | WB                                   |
| Anti-MDMX/MDM4 Antibody                  | BPAB2415 | Protein Mdm4   | Reacts with: human, mouse      | WB,IHC-P                             |
| Anti-MECP2 Antibody                      | BPAB3840 | Methyl-CpG-binding protein 2   | Reacts with: human, mouse, rat | WB,IHC-P,ICC/IF,Direct ELISA         |
| Anti-MID1 Antibody                       | BPAB3841 | E3 ubiquitin-protein ligase Midline-1                                  | Reacts with: human, mouse, rat | WB,IHC-P,Direct ELISA                |
| Anti-MED13 Antibody                      | BPAB2416 | Mediator of RNA polymerase II transcription subunit 13                 | Reacts with: human, mouse      | WB,Direct ELISA                      |
| Anti-MED14 Antibody                      | BPAB2419 | Mediator of RNA polymerase II transcription subunit 14                 | Reacts with: human, mouse, rat | WB,Direct ELISA                      |
| Anti-MED15 Antibody                      | BPAB2420 | Mediator of RNA polymerase II transcription subunit 15                 | Reacts with: human, mouse, rat | WB,IHC-P,Direct ELISA                |
| Anti-MED18 Antibody                      | BPAB2421 | Mediator of RNA polymerase II transcription subunit 18                 | Reacts with: human, mouse, rat | WB,IHC-P,Direct ELISA                |
| Anti-MED4 Antibody                       | BPAB2422 | Mediator of RNA polymerase II transcription subunit 4                  | Reacts with: human, mouse, rat | WB,IHC-P,Direct ELISA                |
| Anti-MED6 Antibody                       | BPAB2423 | Mediator of RNA polymerase II transcription subunit 6                  | Reacts with: human, mouse, rat | WB,Direct ELISA                      |
| Anti-MED8 Antibody                       | BPAB2424 | Mediator of RNA polymerase II transcription subunit 8                  | Reacts with: human, mouse, rat | WB,IHC-P,Direct ELISA                |
| Anti-MED9 Antibody                       | BPAB2425 | Mediator of RNA polymerase II transcription subunit 9                  | Reacts with: human, mouse, rat | WB,IHC-P,Direct ELISA                |
| Anti-MEF2A Antibody                      | BPAB2426 | Myocyte-specific enhancer factor 2A                                    | Reacts with: human, rat        | Predicted to work with: WB           |
| Anti-MEF2A Antibody                      | BPAB2427 | Myocyte-specific enhancer factor 2A                                    | Reacts with: human, mouse, rat | WB,IHC-P                             |
| Anti-MEF2C Antibody                      | BPAB2428 | Myocyte-specific enhancer factor 2C                                    | Reacts with: human, rat        | WB,IHC-P                             |
| Anti-MEF2C Antibody                      | BPAB2429 | Myocyte-specific enhancer factor 2C                                    | Reacts with: human, mouse, rat | WB,IHC-P                             |
| Anti-MEFV Antibody                       | BPAB2430 | Pyrin  | Reacts with: human, rat        | WB                                   |
| Anti-MEIS1 Antibody                      | BPAB2431 | Homeobox protein Meis1   | Reacts with: mouse, rat        | Predicted to work with: WB           |
| Anti-MEK1/MAP2K1 Antibody                | BPAB2432 | Dual specificity mitogen-activated protein kinase kinase 1(MAP kinase) | Reacts with: human, rat        | Predicted to work with: WB,IHC-P,ICC |
| Anti-MEK2/MAP2K2 Antibody                | BPAB2433 | Dual specificity mitogen-activated protein kinase kinase 2             | Reacts with: human, rat        | Predicted to work with: WB           |
| Anti-MEK3/MAP2K3 Antibody                | BPAB2434 | Dual specificity mitogen-activated protein kinase kinase 3(MAP kinase) | Reacts with: human, mouse, rat | WB,IHC-P                             |
| Anti-MEK3/MAP2K3 Antibody                | BPAB2435 | Dual specificity mitogen-activated protein kinase kinase 3(MAP kinase) | Reacts with: human, rat        | Predicted to work with: WB           |
| Anti-MEK3/MAP2K3 Antibody                | BPAB2436 | Dual specificity mitogen-activated protein kinase kinase 3(MAP kinase) | Reacts with: human, mouse, rat | WB,IHC-P                             |
| Anti-MEK4/MAP2K4 Antibody                | BPAB2437 | Dual specificity mitogen-activated protein kinase kinase 4             | Reacts with: human, rat        | Predicted to work with: WB           |
| Anti-MEK4/MAP2K4 Antibody                | BPAB3794 | Dual specificity mitogen-activated protein kinase kinase 4             | Reacts with: human, mouse, rat | WB,Direct ELISA                      |
| Anti-MEK6/MAP2K6 Antibody                | BPAB2438 | Dual specificity mitogen-activated protein kinase kinase 6             | Reacts with: human, mouse, rat | WB                                   |
| Anti-MEK6/MAP2K6 Antibody                | BPAB2440 | Dual specificity mitogen-activated protein kinase kinase 6             | Reacts with: mouse, rat        | Predicted to work with: WB           |
| Anti-MEK7/MAP2K7 Antibody                | BPAB2441 | Dual specificity mitogen-activated protein kinase kinase 7             | Reacts with: human, rat        | Predicted to work with: WB           |
| Anti-MEK7/MAP2K7 Antibody                | BPAB2442 | Dual specificity mitogen-activated protein kinase kinase 7             | Reacts with: human, mouse, rat | WB,IHC-P                             |
| Anti-MEKK1/MAP3K1 Antibody               | BPAB2443 | Mitogen-activated protein kinase kinase kinase 1                       | Reacts with: human             | Predicted to work with: WB,IHC-P     |
| Anti-MEKK2/MAP3K2 Antibody               | BPAB2444 | Mitogen-activated protein kinase kinase kinase 2                       | Reacts with: human, rat        | Predicted to work with: WB           |
| Anti-MEKK3/MAP3K3 Antibody               | BPAB2445 | Mitogen-activated protein kinase kinase kinase 3                       | Reacts with: human             | WB                                   |
| Anti-MEKK3/MAP3K3 Antibody               | BPAB2446 | Mitogen-activated protein kinase kinase kinase 3                       | Reacts with: mouse, rat        | WB,IHC-P                             |
| Anti-Melanoma gp100/PMEL Antibody        | BPAB2447 | Melanocyte protein PMEL  | Reacts with: human, mouse, rat | WB                                   |



|  |          |  |                                |  |
|--|----------|--|--------------------------------|--|
| Anti-Menin/MEN1 Antibody                           | BPAB2448 | Menin  | Reacts with: human, mouse      | WB   |
| Anti-MERTK Antibody                                | BPAB2449 | Tyrosine-protein kinase Mer  | Reacts with: human             | Predicted to work with: r WB                 |
|  | BPAB2450 |  |                                |  |
| Anti-Mesothelin/MSLN Antibody                      | BPAB2451 | Mesothelin   | Reacts with: human             | WB,IHC-P,IHC-F,ICC,FCM,ELISA                 |
| Anti-Mesothelin/MSLN Antibody                      | BPAB2452 | Mesothelin   | Reacts with: mouse             | IHC-P  |
| Anti-Met (c-Met) Antibody                          | BPAB2453 | Hepatocyte growth factor receptor  | Reacts with: rat               | Predicted to work with: human WB             |
| Anti-Methylmalonyl Coenzyme A mutase Antibody      | BPAB2454 | Methylmalonyl-CoA mutase, mitochondrial  | Reacts with: human, rat        | WB,IHC-P                                     |
| Anti-METTL3/METTL3 Antibody                        | BPAB2455 | N6-adenosine-methyltransferase catalytic subunit                               | Reacts with: human, mouse, rat | WB,ICC/IF,Direct ELISA                       |
| Anti-MGA Antibody                                  | BPAB2456 | MAX gene-associated protein  | Reacts with: human             | WB   |
|  | BPAB2457 |  |                                |  |
| Anti-MGMT Antibody                                 | BPAB2458 | Methylated-DNA--protein-cysteine methyltransferase                             | Reacts with: human             | WB,IHC-P,ICC                                 |
| Anti-MGP Antibody                                  | BPAB2459 | Matrix Gla protein   | Reacts with: human             | WB,IHC-P                                     |
| Anti-Mib1/Mindbomb Antibody                        | BPAB2460 | E3 ubiquitin-protein ligase MIB1   | Reacts with: human, mouse, rat | WB,Direct ELISA                              |
| Anti-MICA Antibody                                 | BPAB2461 | MHC class I polypeptide-related sequence A                                     | Reacts with: human             | WB   |
| Anti-MICB Antibody                                 | BPAB2462 | MHC class I polypeptide-related sequence B                                     | Reacts with: human, rat        | WB   |
| Anti-Microsomal Glutathione S-transferase 1/MGST1  | BPAB2463 | Microsomal glutathione S-transferase 1   | Reacts with: human, mouse, rat | WB   |
| Anti-Midkine/MDK Antibody                          | BPAB2464 | Midkine  | Reacts with: human             | WB   |
| Anti-Midkine/MDK Antibody                          | BPAB2465 | Midkine(MK)  | Reacts with: human             | Predicted to work with: r WB                 |
| Anti-MIF Antibody                                  | BPAB2466 | Macrophage migration inhibitory factor   | Reacts with: human             | WB,ELISA                                     |
| Anti-MIF Antibody                                  | BPAB2467 | Macrophage migration inhibitory factor(MIF)                                    | Reacts with: human, rat        | Predicted to work with: human WB,IHC-P       |
| Anti-MIF Antibody                                  | BPAB2468 | Macrophage migration inhibitory factor   | Reacts with: human             | WB,IHC-P,ICC                                 |
| Anti-MIG/CXCL9 Antibody                            | BPAB2469 | C-X-C motif chemokine 9  | Reacts with: human             | WB,IHC-P                                     |
| Anti-MIG/CXCL9 Antibody                            | BPAB2470 | C-X-C motif chemokine 9  | Reacts with: human             | WB,ELISA                                     |
| Anti-Mineralocorticoid Receptor/NR3C2 Antibody     | BPAB2471 | Mineralocorticoid receptor(MR)   | Reacts with: human             | Predicted to work with: r WB                 |
| Anti-Mineralocorticoid Receptor/NR3C2 Antibody     | BPAB2472 | Mineralocorticoid receptor   | Reacts with: human, mouse, rat | WB   |
| Anti-Mint3/APBA3 Antibody                          | BPAB3814 | Amyloid-beta A4 precursor protein-binding family A member 3                    | Reacts with: human, mouse      | WB,Direct ELISA                              |
| Anti-MIP-3 Alpha/CCL20 Antibody                    | BPAB2473 | C-C motif chemokine 20   | Reacts with: mouse, rat        | WB,ELISA(Cap)                                |
| Anti-Mitochondrial Pyruvate dehydrogenase kinase 1 | BPAB2475 | [Pyruvate dehydrogenase (acetyl-transferring)] kinase isozyme 1, mitochondrial | Reacts with: human, rat        | WB,IHC-P                                     |
| Anti-Mitochondrial Pyruvate dehydrogenase kinase 1 | BPAB2476 | [Pyruvate dehydrogenase (acetyl-transferring)] kinase isozyme 1, mitochondrial | Reacts with: human, mouse, rat | WB,IHC-P,Direct ELISA                        |
| Anti-Mitofusin 1/MFN1 Antibody                     | BPAB2477 | Mitofusin-1  | Reacts with: human, mouse, rat | WB   |
|  | BPAB2478 |  |                                |  |
| Anti-Mitofusin 2/MFN2 Antibody                     | BPAB2479 | Mitofusin-2  | Reacts with: human, mouse, rat | WB   |
| Anti-MLH1 Antibody                                 | BPAB2480 | DNA mismatch repair protein Mlh1   | Reacts with: human             | WB   |
| Anti-MMP1 Antibody                                 | BPAB2481 | Interstitial collagenase   | Reacts with: human             | WB   |
| Anti-MMP10 Antibody                                | BPAB2482 | Stromelysin-2(SL-2)  | Reacts with: human             | WB   |
| Anti-MMP10 Antibody                                | BPAB2483 | Stromelysin-2  | Reacts with: human             | WB   |
| Anti-MMP10 Antibody                                | BPAB2484 | Stromelysin-2  | Reacts with: human, mouse, rat | WB,IHC-P,IF,Direct ELISA                     |
| Anti-MMP11 Antibody                                | BPAB2485 | Stromelysin-3  | Reacts with: human, mouse, rat | WB,IHC-P                                     |
| Anti-MMP12 Antibody                                | BPAB2486 | Macrophage metalloelastase   | Reacts with: mouse             | WB,ELISA                                     |
| Anti-MMP12 Antibody                                | BPAB2487 | Macrophage metalloelastase   | Reacts with: human             | WB   |
| Anti-MMP13 Antibody                                | BPAB2488 | Collagenase 3  | Reacts with: human             | WB   |
| Anti-MMP13 Antibody                                | BPAB2489 | Collagenase 3  | Reacts with: human, mouse, rat | WB,IHC-P,Direct ELISA                        |
|  | BPAB2490 |  |                                |  |
| Anti-MMP14 Antibody                                | BPAB2491 | Matrix metalloproteinase-14  | Reacts with: human, rat        | Predicted to work with: human WB,IHC-P       |
| Anti-MMP14 Antibody                                | BPAB2492 | Matrix metalloproteinase-14  | Reacts with: human             | WB   |
| Anti-MMP16 Antibody                                | BPAB2493 | Matrix metalloproteinase-16(MMP-16)  | Reacts with: human, rat        | Predicted to work with: human WB,IHC-P,IHC-F |
| Anti-MMP16 Antibody                                | BPAB2494 | Matrix metalloproteinase-16  | Reacts with: human, mouse, rat | WB,IHC-P,Direct ELISA                        |
|  | BPAB2495 |  |                                |  |
|  | BPAB2496 |  |                                |  |
| Anti-MMP2 Antibody                                 | BPAB2497 | 72 kDa type IV collagenase   | Reacts with: human, mouse, rat | WB,ELISA                                     |
| Anti-MMP24 Antibody                                | BPAB2498 | Matrix metalloproteinase-24  | Reacts with: human             | Predicted to work with: r WB                 |

|  |          |   |   |                               |
|--|----------|---|---|-------------------------------|
| Anti-MMP3 Antibody                                 | BPAB2499 | Stromelysin-1   | Reacts with: human                            | WB                            |
| Anti-MMP7 Antibody                                 | BPAB2500 | Matrilysin  | Reacts with: mouse, rat                       | WB,IHC-P                      |
| Anti-MMP7 Antibody                                 | BPAB2501 | Matrilysin  | Reacts with: human                            | WB,IHC-P,ELISA                |
| Anti-MMP7 Antibody                                 | BPAB2502 | Matrilysin  | Reacts with: mouse, rat                       | WB,IHC-P,ELISA                |
|  | BPAB2503 |   |   |                               |
| Anti-MMP8 Antibody                                 | BPAB2504 | Neutrophil collagenase  | Reacts with: human                            | WB,IHC-P,ELISA                |
| Anti-MMP8 Antibody                                 | BPAB2505 | Neutrophil collagenase  | Reacts with: mouse, rat                       | WB,IHC-P,ELISA                |
| Anti-MMP9 Antibody                                 | BPAB2506 | Matrix metalloproteinase-9(MMP-9)                             | Reacts with: human, rat                       | WB                            |
| Anti-MMP9 Antibody                                 | BPAB2507 | Matrix metalloproteinase-9                                    | Reacts with: human                            | WB,ELISA                      |
| Anti-MMP9 Antibody                                 | BPAB2508 | Matrix metalloproteinase-9                                    | Reacts with: mouse, rat                       | WB,IHC-P,ELISA                |
| Anti-MMP9 Antibody                                 | BPAB2509 | Matrix metalloproteinase-9                                    | Reacts with: mouse, rat                       | WB,IHC-P                      |
| Anti-MNAT1 Antibody                                | BPAB2510 | CDK-activating kinase assembly factor MAT1                    | Reacts with: human, mouse, rat                | WB,IHC-P                      |
| Anti-Monoamine Oxidase A/MAOA Antibody             | BPAB2511 | Amine oxidase[flavin-containing] A                            | Reacts with: human                            | WB,IHC-P                      |
| Anti-Monoamine Oxidase A/MAOA Antibody             | BPAB2512 | Amine oxidase [flavin-containing] A                           | Reacts with: human, mouse, rat                | WB,IHC-P                      |
| Anti-Monoamine Oxidase B/MAOB Antibody             | BPAB2513 | Amine oxidase[flavin-containing] B                            | Reacts with: mouse, rat                       | WB,IHC-P                      |
| Anti-Monoamine Oxidase B/MAOB Antibody             | BPAB2514 | Amine oxidase [flavin-containing] B                           | Reacts with: human, mouse, rat                | WB,IHC-P                      |
| Anti-Monocarboxylic acid transporter 1/SLC16A1 Ant | BPAB2515 | Monocarboxylate transporter 1                                 | Reacts with: human                            | WB,IHC-P                      |
| Anti-Morg1/WDR83 Antibody                          | BPAB2516 | WD repeat domain-containing protein 83                        | Reacts with: human, ratPredicted to work wi   | WB,IHC-P                      |
| Anti-Mouse CD62P DyLight® 488 conjugated Antibod   | BPAB2517 | P-selectin  | Reacts with: mouse                            | FCM                           |
| Anti-Mouse CD62P DyLight® 550 conjugated Antibod   | BPAB2518 | P-selectin  | Reacts with: mouse                            | FCM                           |
| Anti-Mouse CD8 alpha DyLight® 488 conjugated Antil | BPAB2519 | T-cell surface glycoprotein CD8 alpha chain                   | Reacts with: mouse                            | FCM                           |
| Anti-Mouse CD8 alpha DyLight® 550 conjugated Antil | BPAB2520 | T-cell surface glycoprotein CD8 alpha chain                   | Reacts with: mouse                            | FCM                           |
| Anti-Mouse CD90/Thy1 DyLight® 488 conjugated Anti  | BPAB2521 | Thy-1 membrane glycoprotein                                   | Reacts with: mouse                            | FCM                           |
| Anti-Mouse CD90/Thy1 DyLight® 550 conjugated Anti  | BPAB2522 | Thy-1 membrane glycoprotein                                   | Reacts with: mouse                            | FCM                           |
| Anti-mouse Prolactin Antibody                      | BPAB2523 | Prolactin(PRL)  | Reacts with: mouse                            | WB,ELISA                      |
| Anti-mouse TNF alpha Antibody                      | BPAB2524 | tumor necrosis factor   | Reacts with: mouse                            | WB,IHC-P,ELISA                |
| Anti-MPG Antibody                                  | BPAB2525 | DNA-3-methyladenine glycosylase                               | Reacts with: human, ratPredicted to work wi   | WB                            |
| Anti-MPP1 Antibody                                 | BPAB2526 | 55 kDa erythrocyte membrane protein                           | Reacts with: human, mouse, rat                | WB                            |
| Anti-MPP1/KIF20B Antibody                          | BPAB3793 | Kinesin-like protein KIF20B                                   | Reacts with: human, mouse, rat                | WB,Direct ELISA               |
| Anti-MPP2 Antibody                                 | BPAB2527 | MAGUK p55 subfamily member 2                                  | Reacts with: human, mouse, rat                | WB                            |
| Anti-MPS1/RPS27 Antibody                           | BPAB2529 | 40S ribosomal protein S27                                     | Reacts with: human, mouse, rat                | WB,IHC-P                      |
| Anti-MR1 Antibody                                  | BPAB2530 | Major histocompatibility complex class I-related gene protein | Reacts with: human, mouse, rat                | WB,IHC-F,ICC,FCM,Direct ELISA |
| Anti-MRE11/MRE11 Antibody                          | BPAB2531 | Double-strand break repair protein MRE11                      | Reacts with: human, mouse, rat                | WB,IHC-P,Direct ELISA         |
| Anti-MRGX1/MRGPRX1 Antibody                        | BPAB2532 | Mas-related G-protein coupled receptor member X1              | Rat. No cross reactivity with other proteins. | WB,IHC-P                      |
| Anti-MRP1/ABCC1 Antibody                           | BPAB2533 | Multidrug resistance-associated protein 1                     | Reacts with: human, ratPredicted to work wi   | WB,IHC-P                      |
| Anti-MRP1/ABCC1 Antibody                           | BPAB2534 | Multidrug resistance-associated protein 1                     | Reacts with: human                            | WB                            |
| Anti-MRP2/ABCC2 Antibody                           | BPAB2535 | Canalicular multispecific organic anion transporter 1         | Reacts with: human, mouse, rat                | WB,IHC-P                      |
| Anti-MRP4/ABCC4 Antibody                           | BPAB2536 | Multidrug resistance-associated protein 4                     | Reacts with: humanPredicted to work with: r   | WB                            |
| Anti-MRP4/ABCC4 Antibody                           | BPAB2537 | Multidrug resistance-associated protein 4                     | Reacts with: human, mouse, rat                | WB,IHC-P                      |
| Anti-MRP4/ABCC4 Antibody                           | BPAB2538 | Multidrug resistance-associated protein 4                     | Reacts with: human                            | WB                            |
| Anti-MRP8/S100A8 Antibody                          | BPAB2539 | Protein S100-A8   | Reacts with: mouse, rat                       | WB,IHC-P                      |
| Anti-MSH2 Antibody                                 | BPAB2540 | DNA mismatch repair protein Msh2                              | Reacts with: human                            | WB,IHC-P,ICC                  |
| Anti-MSH3 Antibody                                 | BPAB2541 | DNA mismatch repair protein Msh3                              | Reacts with: human, mouse                     | WB                            |
| Anti-MSH6 Antibody                                 | BPAB2542 | DNA mismatch repair protein Msh6                              | Reacts with: human, mouse, rat                | WB                            |
| Anti-MSK1/RPS6KA5 Antibody                         | BPAB2543 | Ribosomal protein S6 kinase alpha-5                           | Reacts with: human, mouse, rat                | WB,IHC-P,ICC                  |
| Anti-MST1 Antibody                                 | BPAB2544 | Hepatocyte growth factor-like protein                         | Reacts with: human, mouse, rat                | WB                            |
| Anti-MTA1 Antibody                                 | BPAB2545 | Metastasis-associated protein MTA1                            | Reacts with: human, mouse, rat                | WB,IHC-P,IHC-F                |
|  | BPAB2546 |   |   |                               |
| Anti-MTCO1/MT-CO1 Antibody                         | BPAB2547 | Cytochrome c oxidase subunit 1                                | Reacts with: human, mouse, rat                | WB,IHC-P,ICC                  |
| Anti-MTCO1/mt-Co1 Antibody                         | BPAB2548 | Cytochrome c oxidase subunit 1                                | Reacts with: mouse, rat                       | WB,IHC-P,ICC                  |
| Anti-MT-ND4 Antibody                               | BPAB3842 | NADH-ubiquinone oxidoreductase chain 4                        | Reacts with: human                            | WB,Direct ELISA               |

|   |          |  |  |                                     |
|---|----------|--|--|-------------------------------------|
| Anti-mTOR/MTOR Antibody                                 | BPAB3843 | Serine/threonine-protein kinase mTOR                   | Reacts with: human, mouse, rat                       | WB,IHC-P,Direct ELISA               |
| Anti-mtTFA/TFAM Antibody                                | BPAB2549 | Transcription factor A, mitochondrial                  | Reacts with: human                                   | WB,IHC-P,IHC-F,ICC                  |
| Anti-mtTFA/TFAM Antibody                                | BPAB2552 | Transcription factor A, mitochondrial                  | Reacts with: human, mouse, rat                       | WB,IHC-P                            |
| Anti-MTUS1 Antibody                                     | BPAB3795 | Microtubule-associated tumor suppressor 1              | Reacts with: human, mouse, rat                       | WB,ICC,IF,Direct ELISA              |
| Anti-MUC1 Antibody                                      | BPAB2553 | Mucin-1  | Reacts with: human                                   | WB                                  |
| Anti-MUC1 Antibody                                      | BPAB2555 | Mucin-1  | Reacts with: mouse, rat                              | WB,IHC-P,IHC-F                      |
| Anti-MUC1 Antibody                                      | BPAB2556 | Mucin-1  | Reacts with: human                                   | IHC-P                               |
| Anti-MUC1 Antibody                                      | BPAB2557 | Mucin-1  | Reacts with: human, mouse, rat                       | WB,IHC-P,Direct ELISA               |
|   | BPAB2558 |  |  |                                     |
| Anti-MUC2 Antibody                                      | BPAB2559 | Mucin-2  | Reacts with: human, mouse, rat                       | IHC-P                               |
| Anti-MUC3/MUC3A/MUC3B Antibody                          | BPAB2560 | Mucin-3A/Mucin-3B                                      | Reacts with: human                                   | WB                                  |
| Anti-MUC4 Antibody                                      | BPAB2561 | Mucin-4  | Reacts with: ratPredicted to work with: human        | WB                                  |
| Anti-MUC7 Antibody                                      | BPAB2562 | Mucin-7  | Reacts with: human                                   | WB                                  |
| Anti-Mucin 5AC/MUC5AC Antibody                          | BPAB2563 | Mucin-5AC  | Reacts with: human                                   | WB,IHC-P                            |
| Anti-Mucin 5AC/MUC5AC Antibody                          | BPAB2564 | Mucin-5AC  | Reacts with: human                                   | WB,IHC-P                            |
| Anti-Mucin Gastric Antibody (monoclonal, 45M1)          | BPAB2565 | Mucin-5AC  | Human, rabbit, rat                                   | WB,IHC-P,ICC                        |
| Anti-MUM1/IRF4 Antibody                                 | BPAB2566 | Interferon regulatory factor 4                         | Reacts with: human                                   | WB,IHC-P                            |
| Anti-MUC13 Antibody                                     | BPAB3796 | Mucin-13   | Reacts with: human, mouse, rat                       | WB,IHC-P,Direct ELISA               |
| Anti-Munc18-1/STXB1 Antibody                            | BPAB2567 | Syntaxin-binding protein 1                             | Reacts with: human, mouse, rat                       | WB,IHC-P                            |
| Anti-MUC20 Antibody                                     | BPAB3844 | Mucin-20   | Reacts with: human, mouse, rat                       | WB,IHC-P,Direct ELISA               |
| Anti-Musashi 1/Ms1 Antibody                             | BPAB2569 | RNA-binding protein Musashi homolog 1                  | Reacts with: human, mouse, rat                       | WB,IHC-P                            |
| Anti-muscarinic Acetylcholine Receptor 1/CHRM1 Antibody | BPAB2571 | Muscarinic acetylcholine receptor M1                   | Reacts with: human, mouse, rat                       | WB,IHC-P                            |
|   | BPAB2572 |  |  |                                     |
| Anti-Muscarinic Acetylcholine Receptor 2/CHRM2 Antibody | BPAB2573 | Muscarinic acetylcholine receptor M2                   | Reacts with: human, mouse, rat                       | WB,IHC-P                            |
| Anti-Muscarinic Acetylcholine Receptor 2/CHRM2 Antibody | BPAB2574 | Muscarinic acetylcholine receptor M2                   | Reacts with: mouse, ratPredicted to work with: human | WB                                  |
| Anti-MVD Antibody                                       | BPAB2575 | Diphosphomevalonate decarboxylase                      | Reacts with: human, mouse, rat                       | WB                                  |
| Anti-MVP Antibody                                       | BPAB2576 | Major vault protein                                    | Reacts with: human, mouse, rat                       | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA |
| Anti-MYBPC3 Antibody                                    | BPAB2577 | Myosin-binding protein C, cardiac-type                 | Reacts with: human, mouse, rat                       | WB,IHC-P,Direct ELISA               |
| Anti-MyD88 Antibody                                     | BPAB2578 | Myeloid differentiation primary response protein MyD88 | Reacts with: human, ratPredicted to work with: human | WB,IHC-P                            |
| Anti-MyD88 Antibody                                     | BPAB2579 | Myeloid differentiation primary response protein MyD88 | Reacts with: human, mouse, rat                       | WB,IHC-P,IF,ELISA(Cap)              |
| Anti-MyD88 Antibody                                     | BPAB2580 | Myeloid differentiation primary response protein MyD88 | Reacts with: mouse, rat                              | WB,ELISA(Cap)                       |
| Anti-MyD88 Antibody                                     | BPAB2581 | Myeloid differentiation primary response protein MyD88 | Reacts with: mouse, rat                              | WB,ELISA(Cap)                       |
| Anti-Myelin Basic Protein/MBP Antibody                  | BPAB2582 | Myelin basic protein(MBP)                              | Reacts with: human, mouse, rat                       | WB,IHC-P,IF                         |
| Anti-Myelin oligodendrocyte glycoprotein/MOG Antibody   | BPAB2583 | Myelin-oligodendrocyte glycoprotein                    | Reacts with: human, mouse, rat                       | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-Myelin PLP/PLP1 Antibody                           | BPAB2584 | Myelin proteolipid protein                             | Reacts with: human, mouse, rat                       | WB                                  |
| Anti-Myelin Protein Zero/MPZ Antibody                   | BPAB2585 | Myelin protein P0                                      | Reacts with: human, mouse, rat                       | WB,Direct ELISA                     |
| Anti-Myeloperoxidase/MPO Antibody                       | BPAB2586 | Myeloperoxidase(MPO)                                   | Reacts with: human, ratPredicted to work with: human | WB,IHC-P,IF                         |
| Anti-Myeloperoxidase/MPO Antibody                       | BPAB2587 | Myeloperoxidase  | Reacts with: human, mouse, rat                       | WB,IHC-P                            |
| Anti-Myf5 Antibody                                      | BPAB2588 | Myogenic factor 5                                      | Reacts with: human, mouse, rat                       | WB,Direct ELISA                     |
| Anti-Myoglobin Antibody (monoclonal, MG-1)              | BPAB2589 | Myoglobin  | Human  | IHC-P                               |
| Anti-Myoglobin/MB Antibody                              | BPAB2590 | myoglobin  | Reacts with: human                                   | WB                                  |
| Anti-Myoglobin/MB Antibody                              | BPAB2591 | myoglobin  | Reacts with: ratPredicted to work with: mouse        | WB,IHC-P                            |
| Anti-Myoglobin/MB Antibody                              | BPAB2592 | Myoglobin  | Reacts with: human                                   | WB                                  |
| Anti-Myosin light chain kinase/MYLK Antibody            | BPAB2593 | Myosin light chain kinase, smooth muscle               | Reacts with: human, mouse, rat                       | WB,IHC-P,Direct ELISA               |
| Anti-Myosin Phosphatase/PPP1R12A Antibody               | BPAB2594 | Protein phosphatase 1 regulatory subunit 12A           | Reacts with: human, ratPredicted to work with: human | WB,IHC-F,ICC,FCM                    |
| Anti-Myosin Phosphatase/PPP1R12A Antibody               | BPAB2595 | Protein phosphatase 1 regulatory subunit 12A           | Reacts with: human, mouse                            | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-Myosin(Skeletal, Fast) Antibody (monoclonal, M)    | BPAB2596 | Myosin-1; Myosin-2                                     | Human, mouse, rabbit, rat                            | WB,IHC-P                            |
| Anti-Myosin(Skeletal, Slow) Antibody (monoclonal, N)    | BPAB2597 | Myosin-7   | Human, mouse, rabbit, rat                            | WB,IHC-P                            |
| Anti-Myosin(Smooth) Antibody (monoclonal, hSM-V)        | BPAB2598 | Myosin-11  | Human, chicken, rabbit                               | WB,IHC-P,IHC-F                      |
| Anti-N Cadherin/CDH2 Antibody                           | BPAB2599 | Cadherin-2   | Reacts with: human, ratPredicted to work with: human | WB,IHC-P                            |
| Anti-N myc interactor/NMI Antibody                      | BPAB2600 | N-myc-interactor                                       | Reacts with: human                                   | WB,IHC-P                            |

|   |          |   |   |                               |
|---|----------|---|---|-------------------------------|
| Anti-N-Cadherin Antibody (monoclonal, GC-4) | BPAB2601 | Cadherin-2  | Human, mouse, rat, rabbit, chicken          | WB,IHC-F                      |
| Anti-n-Myc/MYCN Antibody                    | BPAB2602 | N-myc proto-oncogene protein                                | Reacts with: human, rat                     | WB                            |
| Anti-NADPH oxidase 4/NOX4 Antibody          | BPAB2603 | NADPH oxidase 4   | Reacts with: human, ratPredicted to work wi | WB,IHC-P                      |
| Anti-NADPH oxidase 4/NOX4 Antibody          | BPAB2604 | NADPH oxidase 4   | Reacts with: human, mouse, rat              | WB,IHC-P                      |
| Anti-NAK/TBK1 Antibody                      | BPAB2605 | Serine/threonine-protein kinase TBK1                        | Reacts with: human, ratPredicted to work wi | WB,IHC-P                      |
| Anti-NALP2/NLRP2 Antibody                   | BPAB3797 | NACHT, LRR and PYD domains-containing protein 2             | Reacts with: human, mouse, rat              | WB,Direct ELISA               |
| Anti-Nanog Antibody                         | BPAB2606 | Homeobox protein NANOG                                      | Reacts with: human, mouse, rat              | WB                            |
| Anti-NAP2/PPBP Antibody                     | BPAB2608 | Platelet basic protein                                      | Reacts with: human                          | WB,IHC-P,ELISA                |
| Anti-NAP2/Ppbp Antibody                     | BPAB2609 | Chemokine (C-X-C motif) ligand 7, isoform CRA_b             | Reacts with: mouse                          | WB,IHC-P,Direct ELISA         |
| Anti-NARG1/NAA15 Antibody                   | BPAB2610 | N-alpha-acetyltransferase 15, NatA auxiliary subunit        | Reacts with: human, mouse                   | WB,IHC-P                      |
| Anti-NAT1 Antibody                          | BPAB2611 | Arylamine N-acetyltransferase 1                             | Reacts with: human                          | WB                            |
| Anti-Nav1.5/SCN5A Antibody                  | BPAB2612 | Sodium channel protein type 5 subunit alpha                 | Reacts with: mousePredicted to work with: h | WB                            |
| Anti-NCAM Antibody (monoclonal, NCAM-0B11)  | BPAB2613 | Neural cell adhesion molecule 1                             | Human, mouse, rat                           | WB,ICC                        |
| Anti-NCAM/NCAM1 Antibody                    | BPAB2614 | Neural cell adhesion molecule 1(N-CAM-1/NCAM-1)             | Reacts with: human, mouse, rat              | WB,IHC-P                      |
| Anti-NCF1 Antibody                          | BPAB2615 | Neutrophil cytosol factor 1                                 | Reacts with: human, mouse, rat              | WB,Direct ELISA               |
| Anti-NCKAP1 Antibody                        | BPAB2616 | Nck-associated protein 1                                    | Reacts with: human, mouse, rat              | WB                            |
| Anti-NCOA4 Antibody                         | BPAB2617 | Nuclear receptor coactivator 4                              | Reacts with: human, mouse, rat              | WB,Direct ELISA               |
| Anti-NCR1 Antibody                          | BPAB2618 | Natural cytotoxicity triggering receptor 1                  | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA         |
| Anti-NDRG1 Antibody                         | BPAB2619 | Protein NDRG1   | Reacts with: human                          | WB,IHC-P                      |
| Anti-NDRG2 Antibody                         | BPAB2620 | Protein NDRG2   | Reacts with: human                          | WB                            |
| Anti-NDRG2 Antibody                         | BPAB2621 | Protein NDRG2   | Reacts with: mouse, ratPredicted to work wi | WB,IHC-P                      |
| Anti-NDRG3 Antibody                         | BPAB2622 | Protein NDRG3   | Reacts with: human, mouse, rat              | WB,IHC-P                      |
| Anti-NDUFA1 Antibody                        | BPAB2623 | NADH dehydrogenase[ubiquinone] 1 alpha subcomplex subunit 1 | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC            |
| Anti-Nebulin Antibody (monoclonal, NB2)     | BPAB2624 | Nebulin   | Chicken                                     | WB                            |
| Anti-NEDD4 Antibody                         | BPAB2625 | E3 ubiquitin-protein ligase NEDD4                           | Reacts with: human, mouse, rat              | WB,Direct ELISA               |
| Anti-NEDD4-2/NEDD4L Antibody                | BPAB2626 | E3 ubiquitin-protein ligase NEDD4-like                      | Reacts with: human, mouse, rat              | WB,IHC-F,ICC,FCM,Direct ELISA |
| Anti-NEDD8 Antibody                         | BPAB2627 | NEDD8   | Reacts with: human, mouse, rat              | WB,IHC-P                      |
| Anti-NEFH Antibody (monoclonal, N52)        | BPAB2628 | Neurofilament heavy polypeptide                             | Human, mouse, rat                           | WB,IHC-P,IHC-F                |
|   | BPAB2629 |   |   |                               |
| Anti-Nephrin/NPHS1 Antibody                 | BPAB2630 | Nephrin   | Reacts with: human, mouse, rat              | WB,IHC-P                      |
| Anti-Nestin Antibody                        | BPAB2631 | Nestin  | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F                |
| Anti-Netrin 1/NTN1 Antibody                 | BPAB2632 | Netrin-1  | Reacts with: human, ratPredicted to work wi | WB                            |
| Anti-Neurexin 1/NRXN1 Antibody              | BPAB2633 | Neurexin-1-beta   | Reacts with: human, mouse, rat              | WB,IHC-F,ICC,FCM,Direct ELISA |
| Anti-Neurocan/NCAN Antibody                 | BPAB2634 | Neurocan core protein                                       | Reacts with: human, mouse, rat              | WB,IHC-P                      |
| Anti-Neurokinin 1 Receptor/TACR1 Antibody   | BPAB2635 | Substance-P receptor (SPR)                                  | Reacts with: human, ratPredicted to work wi | WB                            |
| Anti-Neurokinin 1 Receptor/TACR1 Antibody   | BPAB2636 | Substance-P receptor  | Reacts with: human, rat                     | WB                            |
| Anti-Neuropeptide S/NPS Antibody            | BPAB2637 | Neuropeptide S  | Reacts with: mouse, ratPredicted to work wi | WB                            |
| Anti-Neuropeptide Y/NPY Antibody            | BPAB2638 | Pro-neuropeptide Y  | Reacts with: human, mouse, rat              | WB,IHC-P                      |
| Anti-Neuropilin 1/NRP1 Antibody             | BPAB2639 | Neuropilin-1  | Reacts with: human, ratPredicted to work wi | WB                            |
| Anti-Neuropilin 1/NRP1 Antibody             | BPAB2640 | Neuropilin-1  | Reacts with: human, rat                     | WB,IHC-P                      |
| Anti-Neuroserpin/SERPINI1 Antibody          | BPAB2641 | Neuroserpin   | Reacts with: human, mouse, rat              | WB                            |
|   | BPAB2642 |   |   |                               |
| Anti-Neutrophil Elastase/ELANE Antibody     | BPAB2643 | Neutrophil elastase   | Reacts with: mouse, rat                     | WB,IHC-P                      |
| Anti-NF-kB p65/RELA Antibody                | BPAB2644 | Transcription factor p65                                    | Reacts with: humanPredicted to work with: r | WB                            |
| Anti-NF-kB p65/RELA Antibody                | BPAB2645 | Transcription factor p65                                    | Reacts with: human, ratPredicted to work wi | WB,IHC-P,ICC                  |
| Anti-NF-kB p65/RELA Antibody                | BPAB2646 | Transcription factor p65                                    | Reacts with: human                          | WB                            |
| Anti-NF-kB p65/RELA Antibody                | BPAB2647 | Transcription factor p65                                    | Reacts with: mouse, rat                     | WB                            |
| Anti-NF-kB p65/RELA Antibody                | BPAB2648 | Transcription factor p65                                    | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA         |
| Anti-NF68 Antibody (monoclonal, NR4)        | BPAB2649 | Neurofilament light polypeptide                             | Human, pig, rat                             | WB,IHC-P,IHC-F                |
|   | BPAB2650 |   |   |                               |
| Anti-NFAT1/NFATC2 Antibody                  | BPAB2651 | Nuclear factor of activated T-cells, cytoplasmic 2          | Reacts with: human, mouse, rat              | WB,Direct ELISA               |

|  |          |   |  |                               |
|--|----------|---|--|-------------------------------|
| Anti-NFAT2/NFATC1 Antibody                             | BPAB2652 | Nuclear factor of activated T-cells, cytoplasmic 1    | Reacts with: human                           | WB,IHC-F,ICC,FCM              |
| Anti-NFAT2/NFATC1 Antibody                             | BPAB2653 | Nuclear factor of activated T-cells, cytoplasmic 1    | Reacts with: human, mouse, rat               | WB,IHC-F,ICC,FCM,Direct ELISA |
| Anti-NFAT4/NFATC3 Antibody                             | BPAB2654 | Nuclear factor of activated T-cells, cytoplasmic 3    | Reacts with: human, mouse, rat               | WB,IHC-F,ICC,FCM,Direct ELISA |
| Anti-NFATC4 Antibody                                   | BPAB2655 | Nuclear factor of activated T-cells, cytoplasmic 4    | Reacts with: human, mouse, rat               | WB,IHC-F,ICC,FCM,Direct ELISA |
| Anti-NFIA Antibody                                     | BPAB2656 | Nuclear factor 1 A-type                               | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM        |
| Anti-NFIA Antibody (monoclonal, 16H11)                 | BPAB2657 | Nuclear factor 1 A-type                               | Reacts with: human                           | WB,IHC-P,FCM                  |
| Anti-NFIB/NF1B2 Antibody                               | BPAB2658 | Nuclear factor 1 B-type                               | Reacts with: human, mouse, rat               | WB,IHC-P                      |
| Anti-NFkB p100/p52/NFKB2 Antibody                      | BPAB2659 | Nuclear factor NF-kappa-B p100 subunit                | Reacts with: mouse, rat                      | WB,IHC-P                      |
| Anti-NFkB p100/p52/NFKB2 Antibody                      | BPAB2660 | Nuclear factor NF-kappa-B p100 subunit                | Reacts with: human                           | WB                            |
| Anti-NFkB p100/p52/NFKB2 Antibody                      | BPAB2661 | Nuclear factor NF-kappa-B p100 subunit                | Reacts with: human, mouse, rat               | WB,IHC-P                      |
| Anti-NFkB p105/p50/NFKB1 Antibody                      | BPAB2662 | Nuclear factor NF-kappa-B p105 subunit                | Reacts with: human, ratPredicted to work wi  | WB                            |
| Anti-NFkB p105/p50/NFKB1 Antibody                      | BPAB2663 | Nuclear factor NF-kappa-B p105 subunit                | Reacts with: humanPredicted to work with: r  | WB                            |
| Anti-NFkB p105/p50/NFKB1 Antibody                      | BPAB2664 | Nuclear factor NF-kappa-B p105 subunit                | Reacts with: human, rat                      | WB,IHC-P                      |
| Anti-NGF Antibody                                      | BPAB2665 | Beta-nerve growth factor                              | Reacts with: human                           | WB,ELISA                      |
| Anti-NGF Antibody                                      | BPAB2666 | Beta-nerve growth factor(Beta-NGF)                    | Reacts with: human, ratPredicted to work wi  | WB                            |
| Anti-NGF/NGF Beta Antibody                             | BPAB2667 | Beta-nerve growth factor                              | Reacts with: human                           | WB,ELISA                      |
| Anti-Nicastrin/NCSTN Antibody                          | BPAB2668 | Nicastrin   | Reacts with: human, ratPredicted to work wi  | WB                            |
| Anti-Nicotinic Acetylcholine Receptor alpha 1/CHRNA    | BPAB2669 | Acetylcholine receptor subunit alpha                  | Reacts with: human, ratPredicted to work wi  | WB                            |
| Anti-Nicotinic Acetylcholine Receptor alpha 3/CHRNA    | BPAB2670 | Neuronal acetylcholine receptor subunit alpha-3       | Reacts with: human, mouse, rat               | WB,IHC-F,ICC,FCM              |
| Anti-Nicotinic Acetylcholine Receptor alpha 4/CHRNA    | BPAB2671 | Neuronal acetylcholine receptor subunit alpha-4       | Reacts with: human, mouse, rat               | WB                            |
| Anti-Nicotinic Acetylcholine Receptor alpha 5/CHRNA    | BPAB2672 | Neuronal acetylcholine receptor subunit alpha-5       | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM        |
| Anti-Niemann Pick C1/NPC1 Antibody                     | BPAB2673 | Niemann-Pick C1 protein                               | Reacts with: human, mouse, rat               | WB,Direct ELISA               |
| Anti-Niemann Pick C2/NPC2 Antibody                     | BPAB2674 | Epididymal secretory protein E1                       | Reacts with: human                           | WB,IHC-P                      |
| Anti-NIRF/UHRF2 Antibody                               | BPAB2675 | E3 ubiquitin-protein ligase UHRF2                     | Reacts with: human, mouse, rat               | WB,IHC-P                      |
| Anti-Nitric Oxide Synthase, Brain(1-181) NOS1 Antibody | BPAB2676 | Nitric oxide synthase, brain                          | Human, goat, pig, rat                        | WB                            |
| Anti-NKCC1/SLC12A2 Antibody                            | BPAB2677 | Solute carrier family 12 member 2                     | Reacts with: human, ratPredicted to work wi  | WB,IHC-P,IHC-F                |
| Anti-NKG2D/KLRK1 Antibody                              | BPAB2678 | NKG2-D type II integral membrane protein              | Reacts with: mouse, ratPredicted to work wi  | WB                            |
| Anti-Nkx2.5/NKX2-5 Antibody                            | BPAB2679 | Homeobox protein Nkx-2.5                              | Reacts with: human, mouse                    | WB                            |
| Anti-NLRP4G Antibody                                   | BPAB2680 | NLR family, pyrin domain containing 4G                | Reacts with: mouse                           | WB,IHC-P                      |
| Anti-NM23A/NME1 Antibody                               | BPAB2681 | Nucleoside diphosphate kinase A                       | Reacts with: human, mouse, rat               | WB,IHC-F,ICC,FCM              |
| Anti-NM23A/NME1 Antibody                               | BPAB2682 | Nucleoside diphosphate kinase A(NDK A)                | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM        |
| Anti-NMDAR1/GRIN1 Antibody                             | BPAB2683 | Glutamate receptor ionotropic, NMDA 1                 | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                      |
| Anti-NMDAR1/GRIN1 Antibody                             | BPAB2684 | Glutamate receptor ionotropic, NMDA 1                 | Reacts with: human, mouse, rat               | WB                            |
|  | BPAB2685 |   |  |                               |
| Anti-NMDAR2A/GRIN2A Antibody                           | BPAB2686 | Glutamate receptor ionotropic, NMDA 2A                | Reacts with: mouse, ratPredicted to work wi  | WB,IHC-P                      |
| Anti-NMDAR2A/GRIN2A Antibody                           | BPAB2687 | Glutamate receptor ionotropic, NMDA 2A                | Reacts with: mouse, ratPredicted to work wi  | WB                            |
| Anti-NMDAR2B/GRIN2B Antibody                           | BPAB2688 | Glutamate receptor ionotropic, NMDA 2B                | Reacts with: mouse, ratPredicted to work wi  | WB                            |
| Anti-NMDAR2B/GRIN2B Antibody                           | BPAB2689 | Glutamate receptor ionotropic, NMDA 2B                | Reacts with: human, mouse, rat               | WB                            |
| Anti-NMDAR2B/GRIN2B Antibody                           | BPAB2690 | Glutamate receptor ionotropic, NMDA 2B                | Reacts with: mouse, ratPredicted to work wi  | WB                            |
| Anti-NMDAR2C/GRIN2C Antibody                           | BPAB2691 | Glutamate receptor ionotropic, NMDA 2C                | Reacts with: ratPredicted to work with: humi | WB                            |
| Anti-NME2 Antibody                                     | BPAB2692 | Nucleoside diphosphate kinase B(NDK B)                | Reacts with: human, mouse, rat               | WB,IHC-P,ICC                  |
| Anti-nmt55 p54nrb Antibody (monoclonal, 11E2)          | BPAB2693 | Non-POU domain-containing octamer-binding protein     | Reacts with: human                           | WB,ICC,FCM                    |
| Anti-nmt55/p54nrb/NONO Antibody                        | BPAB2694 | Non-POU domain-containing octamer-binding protein     | Reacts with: human, mouse, rat               | WB,IHC-P                      |
| Anti-NMU Antibody                                      | BPAB2695 | Neuromedin-U  | Reacts with: mouse, ratPredicted to work wi  | WB                            |
| Anti-nNOS (neuronal)/NOS1 Antibody                     | BPAB2696 | Nitric oxide synthase, brain                          | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                      |
| Anti-nNOS (neuronal)/NOS1 Antibody                     | BPAB2697 | Nitric oxide synthase, brain                          | Reacts with: mouse, ratPredicted to work wi  | WB                            |
| Anti-Noggin Antibody                                   | BPAB2698 | Noggin  | Reacts with: human, mouse, rat               | WB,Direct ELISA               |
| Anti-Nogo A/RTN4 Antibody                              | BPAB2699 | Reticulon-4   | Reacts with: mouse, ratPredicted to work wi  | WB,IHC-P                      |
| Anti-Notch1 Antibody                                   | BPAB2700 | Neurogenic locus notch homolog protein 1(Notch 1/hN1) | Reacts with: human                           | WB                            |
| Anti-Notch1 Antibody                                   | BPAB2701 | Neurogenic locus notch homolog protein 1              | Reacts with: mousePredicted to work with: h  | WB                            |
| Anti-NOTCH4 Antibody                                   | BPAB2702 | Neurogenic locus notch homolog protein 4(Notch 4)     | Reacts with: human                           | WB                            |

|   |          |  |   |                                    |
|---|----------|--|---|------------------------------------|
| Anti-NOV/CCN3 Antibody                            | BPAB2703 | Protein NOV homolog  | Reacts with: human, rat                     | WB,IHC-P                           |
| Anti-Nova1 Antibody                               | BPAB2704 | RNA-binding protein Nova-1                                       | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC/IF,Direct ELISA |
| Anti-NOX1 Antibody                                | BPAB2705 | NADPH oxidase 1(NOX-1)   | Reacts with: mouse, rat                     | WB,IHC-P                           |
| Anti-NOX1 Antibody                                | BPAB2706 | NADPH oxidase 1(NOX-1)   | Reacts with: human                          | WB,IHC-P                           |
| Anti-NOX2/gp91phox/CYBB Antibody                  | BPAB2707 | Cytochrome b-245 heavy chain                                     | Reacts with: human, ratPredicted to work    | WB,IHC-P                           |
| Anti-NOX2/gp91phox/CYBB Antibody                  | BPAB2708 | Cytochrome b-245 heavy chain                                     | Reacts with: human, mouse, rat              | WB,Direct ELISA                    |
| Anti-NOX5 Antibody                                | BPAB2709 | NADPH oxidase 5  | Reacts with: human                          | WB,IHC-P,ICC                       |
| Anti-NOX5 Antibody                                | BPAB2710 | NADPH oxidase 5  | Reacts with: human                          | WB,IHC-F,ICC,FCM,Direct ELISA      |
| Anti-NOXA1 Antibody                               | BPAB2711 | NADPH oxidase activator 1  | Reacts with: human                          | WB                                 |
| Anti-NPAS2 Antibody                               | BPAB2712 | Neuronal PAS domain-containing protein 2                         | Reacts with: human, mouse, rat              | WB                                 |
| Anti-NPHS2 Antibody                               | BPAB2713 | Podocin  | Reacts with: ratPredicted to work with: hu  | WB                                 |
| Anti-NPHS2 Antibody                               | BPAB2714 | Podocin  | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F                     |
| Anti-NPM2 Antibody                                | BPAB2715 | Nucleoplasmin-2  | Reacts with: human                          | WB                                 |
|   | BPAB2716 |  |   |                                    |
| Anti-NQO1 Antibody                                | BPAB2717 | NAD(P)H dehydrogenase [quinone] 1                                | Reacts with: human, rat                     | WB                                 |
| Anti-NR2F2 Antibody                               | BPAB2718 | COUP transcription factor 2                                      | Reacts with: human, rat                     | WB                                 |
| Anti-NR2F6 Antibody                               | BPAB2719 | Nuclear receptor subfamily 2 group F member 6                    | Reacts with: human, rat                     | WB                                 |
| Anti-NR5A2/LRH1 Antibody                          | BPAB2720 | Nuclear receptor subfamily 5 group A member 2                    | Reacts with: human                          | WB                                 |
| Anti-NRAMP1/SLC11A1 Antibody                      | BPAB3857 | Natural resistance-associated macrophage protein 1               | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA              |
| Anti-NRF1 Antibody                                | BPAB2721 | Nuclear respiratory factor 1                                     | Reacts with: human, ratPredicted to work    | WB,IHC-P,ICC                       |
| Anti-NRF1 Antibody                                | BPAB2723 | Nuclear respiratory factor 1                                     | Reacts with: human, mouse, rat              | WB,IHC-P,ICC/IF,Direct ELISA       |
|   | BPAB2724 |  |   |                                    |
| Anti-Nrf2/NFE2L2 Antibody                         | BPAB2725 | Nuclear factor erythroid 2-related factor 2                      | Reacts with: human, mouse, rat              | WB,IHC-P                           |
| Anti-NRG1 Antibody                                | BPAB2726 | Pro-neuregulin-1, membrane-bound isoform                         | Reacts with: human, ratPredicted to work wi | WB,IHC-P,IHC-F,ICC                 |
| Anti-NRG1 Antibody                                | BPAB2727 | Pro-neuregulin-1, membrane-bound isoform                         | Reacts with: human                          | WB                                 |
| Anti-NRG2 Antibody                                | BPAB2728 | Pro-neuregulin-2, membrane-bound isoform(Pro-NRG2)               | Reacts with: human, ratPredicted to work wi | WB                                 |
| Anti-NRP2 Antibody                                | BPAB2729 | Neuropilin-2   | Reacts with: ratPredicted to work with: hum | WB                                 |
| Anti-NSE/ENO2 Antibody                            | BPAB2730 | Gamma-enolase  | Reacts with: ratPredicted to work with: hum | WB,IHC-P                           |
| Anti-NSE/ENO2 Antibody                            | BPAB2731 | Gamma-enolase  | Reacts with: human, mouse, rat              | WB,IHC-P                           |
| Anti-NSF Antibody                                 | BPAB2732 | Vesicle-fusing ATPase  | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA              |
| Anti-NTAL/LAT2 Antibody                           | BPAB2733 | Linker for activation of T-cells family member 2                 | Reacts with: human                          | WB                                 |
|   | BPAB2734 |  |   |                                    |
|   | BPAB2735 |  |   |                                    |
| Anti-Nucleobindin 2/NUCB2 Antibody                | BPAB2736 | Nucleobindin-2   | Reacts with: mouse, rat                     | WB,IHC-P,ELISA                     |
| Anti-Nucleophosmin/NPM1 Antibody                  | BPAB2737 | Nucleophosmin  | Reacts with: human, ratPredicted to work wi | WB,IHC-P,ICC                       |
| Anti-Nucleophosmin/NPM1 Antibody                  | BPAB2738 | Nucleophosmin  | Reacts with: human, mouse, rat              | WB,IHC-P                           |
| Anti-Nucleoside phosphorylase/PNP Antibody        | BPAB2739 | Purine nucleoside phosphorylase                                  | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM             |
| Anti-NUMB Antibody                                | BPAB2740 | Protein numb homolog   | Reacts with: human, mouse                   | WB                                 |
| Anti-NUP98 Antibody                               | BPAB2741 | Nuclear pore complex protein Nup98-Nup96                         | Reacts with: human, mouse, rat              | WB                                 |
| Anti-NUR77/NR4A1 Antibody                         | BPAB2742 | Nuclear receptor subfamily 4 group A member 1                    | Reacts with: humanPredicted to work with: r | WB                                 |
| Anti-NUR77/NR4A1 Antibody                         | BPAB2743 | Nuclear receptor subfamily 4 group A member 1                    | Reacts with: human, mouse, rat              | WB                                 |
|   | BPAB2744 |  |   |                                    |
| Anti-Occludin/OCN Antibody                        | BPAB2745 | Occludin   | Reacts with: human                          | WB,IHC-P                           |
| Anti-Oct-1/POU2F1 Antibody                        | BPAB2746 | POU domain, class 2, transcription factor 1                      | Reacts with: human                          | WB,IHC-P                           |
| Anti-Ogg1 Antibody                                | BPAB2747 | N-glycosylase/DNA lyase  | Reacts with: human, mouse, rat              | WB                                 |
| Anti-OGT/O-Linked N-Acetylglucosamine Transferase | BPAB2748 | UDP-N-acetylglucosamine--peptide N-acetylglucosaminyltransferase | Reacts with: human, mouse, rat              | WB,IHC-P                           |
| Anti-OLFM4 Antibody                               | BPAB3847 | Olfactomedin-4   | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA              |
| Anti-Olf/Ogn Antibody                             | BPAB2749 | Mimecan  | Reacts with: mouse, rat                     | WB,ELISA(Cap)                      |
| Anti-Olfactory Marker Protein/OMP Antibody        | BPAB2751 | Olfactory marker protein   | Reacts with: human, mouse, rat              | WB                                 |
| Anti-Olig1 Antibody                               | BPAB2752 | Oligodendrocyte transcription factor 1                           | Reacts with: human                          | WB                                 |
| Anti-Oligodendrocyte myelin glycoprotein/OMG Anti | BPAB2753 | Oligodendrocyte-myelin glycoprotein                              | Reacts with: human, mouse, rat              | WB                                 |

|  |          |  |   |  |
|--|----------|--|---|--|
| Anti-Oncostatin M/OSM Antibody                     | BPAB2754 | Oncostatin-M(OSM)  | Reacts with: human                          | WB,IHC-P                               |
| Anti-Oncostatin M/OSM Antibody                     | BPAB2755 | Oncostatin-M   | Reacts with: human                          | WB,IHC-P,ELISA                         |
| Anti-Oncostatin M/Osm Antibody                     | BPAB2756 | Oncostatin-M   | Reacts with: mouse, rat                     | WB,ELISA(Cap)                          |
| Anti-Oncostatin M/Osm Antibody                     | BPAB2757 | Oncostatin-M   | Reacts with: mouse, rat                     | WB,Direct ELISA                        |
| Anti-ONECUT2 Antibody                              | BPAB3798 | One cut domain family member 2                                 | Reacts with: human, mouse                   | WB                                     |
| Anti-OPA1 Antibody                                 | BPAB2758 | Dynamin-like 120 kDa protein, mitochondrial                    | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-OPCML Antibody                                | BPAB2760 | Opioid-binding protein/cell adhesion molecule(OBCAM/OPCML/Opio | Reacts with: humanPredicted to work with: r | WB,IHC-P                               |
| Anti-Optineurin/OPTN Antibody                      | BPAB2761 | Optineurin   | Reacts with: human                          | WB,IHC-P                               |
| Anti-Optineurin/OPTN Antibody (monoclonal, 3D8)    | BPAB2762 | Optineurin   | Reacts with: human, mouse, rat              | WB,FCM                                 |
| Anti-Orai1 Antibody                                | BPAB2763 | Calcium release-activated calcium channel protein 1            | Reacts with: humanPredicted to work with: r | WB                                     |
|  | BPAB2764 |  |   |  |
| Anti-Ornithine Carbamoyltransferase/OTC Antibody   | BPAB2765 | Ornithine carbamoyltransferase, mitochondrial                  | Reacts with: mouse, ratPredicted to work wi | WB                                     |
| Anti-OSBP1 Antibody                                | BPAB2766 | Oxysterol-binding protein 1                                    | Reacts with: human, ratPredicted to work wi | WB                                     |
| Anti-Osteocalcin/BGLAP Antibody                    | BPAB2767 | Osteocalcin  | Reacts with: human                          | WB,IHC-P                               |
| Anti-Osteocalcin/BGLAP Antibody                    | BPAB2768 | Osteocalcin  | Reacts with: human                          | IHC-P,IHC-F,ICC,FCM                    |
| Anti-Osteocalcin/BGLAP Antibody                    | BPAB2769 | Osteocalcin  | Reacts with: mouse                          | IHC-P                                  |
| Anti-Osteocalcin/BGLAP Antibody                    | BPAB2770 | Osteocalcin  | Reacts with: rat                            | IHC-P,IP,IHC-F,ICC,FCM                 |
| Anti-Osteopontin/SPP1 Antibody                     | BPAB2771 | Osteopontin  | Reacts with: human, mouse, rat              | WB,ELISA                               |
| Anti-Osteopontin/SPP1 Antibody                     | BPAB2772 | Osteopontin  | Reacts with: human                          | WB,IHC-P                               |
|  | BPAB2773 |  |   |  |
| Anti-Osteoprotegerin/TNFRSF11B Antibody            | BPAB2774 | Tumor necrosis factor receptor superfamily member 11B          | Reacts with: human, ratPredicted to work wi | WB                                     |
| Anti-Otoferlin Antibody                            | BPAB2775 | Otoferlin  | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-Otx2 Antibody                                 | BPAB2776 | Homeobox protein OTX2  | Reacts with: human                          | WB                                     |
| Anti-P cadherin/CDH3 Antibody                      | BPAB2777 | Cadherin-3   | Reacts with: human                          | WB,IHC-P,ICC                           |
| Anti-P cadherin/CDH3 Antibody                      | BPAB2778 | Cadherin-3   | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,IF,FCM,Direct ELISA |
| Anti-P Glycoprotein/ABCB1 Antibody                 | BPAB2779 | Multidrug resistance protein 1                                 | Reacts with: human, mouse, rat              | IHC-P,IHC-F                            |
| Anti-P Glycoprotein/ABCB1 Antibody                 | BPAB2780 | Multidrug resistance protein 1                                 | Reacts with: human, mouse, rat              | WB                                     |
| Anti-P-Glycoprotein(MDR) Antibody (monoclonal, F4) | BPAB2781 | Multidrug resistance protein 1                                 | Human                                       | WB,IHC-P,IHC-F,ICC                     |
| Anti-p107/RBL1 Antibody                            | BPAB2782 | Retinoblastoma-like protein 1                                  | Reacts with: human, ratPredicted to work wi | WB,IHC-P                               |
| Anti-p16INK4a/CDKN2 Antibody (monoclonal, DCS-5C)  | BPAB2783 | Cyclin-dependent kinase inhibitor 2A, isoforms 1/2/3           | Human                                       | WB,IHC-F,ICC                           |
|  | BPAB2784 |  |   |  |
| Anti-p19INK4d Antibody (monoclonal, DCS-100)       | BPAB2785 | Cyclin-dependent kinase 4 inhibitor D                          | Human                                       | WB,IHC-P,ICC                           |
|  | BPAB2786 |  |   |  |
| Anti-p27 KIP 1/CDKN1B Antibody                     | BPAB2787 | Cyclin-dependent kinase inhibitor 1B                           | Reacts with: human, rat                     | WB,IHC-F,ICC,FCM                       |
| Anti-p27Kip1 Antibody (monoclonal, DCS-72)         | BPAB2788 | Cyclin-dependent kinase inhibitor 1B                           | Human, mouse, rat                           | WB,ICC                                 |
|  | BPAB2789 |  |   |  |
| Anti-P2RX4 Antibody                                | BPAB2790 | P2X purinoceptor 4   | Reacts with: human                          | WB                                     |
| Anti-P2RX7 Antibody                                | BPAB2791 | P2X purinoceptor 7   | Reacts with: human, ratPredicted to work wi | WB                                     |
| Anti-P2RY5/LPAR6 Antibody                          | BPAB2792 | Lysophosphatidic acid receptor 6                               | Reacts with: human, mouse, rat              | WB                                     |
| Anti-P2X2/P2RX2 Antibody                           | BPAB2793 | P2X purinoceptor 2   | Reacts with: human, mouse, rat              | WB,IHC-P                               |
|  | BPAB2794 |  |   |  |
| Anti-P2X5/P2RX5 Antibody                           | BPAB2795 | P2X purinoceptor 5   | Reacts with: mouse, ratPredicted to work wi | WB,IHC-P                               |
| Anti-P2X6/P2RX6 Antibody                           | BPAB2796 | P2X purinoceptor 6   | Reacts with: human                          | WB                                     |
|  | BPAB2797 |  |   |  |
| Anti-p53 Antibody (monoclonal, BP53-12)            | BPAB2798 | Cellular tumor antigen p53                                     | Human                                       | WB,IHC-P,IHC-F,ICC                     |
| Anti-P53/TP53 Antibody                             | BPAB2799 | Cellular tumor antigen p53                                     | Reacts with: human                          | WB,IHC-P                               |
| Anti-p53R2/RRM2B Antibody                          | BPAB2800 | Ribonucleoside-diphosphate reductase subunit M2 B              | Reacts with: human, ratPredicted to work wi | WB                                     |
| Anti-p57 Kip2/CDKN1C Antibody                      | BPAB2801 | Cyclin-dependent kinase inhibitor 1C                           | Reacts with: mouse, rat                     | WB                                     |
| Anti-p63/TP63 Antibody                             | BPAB2802 | Tumor protein 63   | Reacts with: human, ratPredicted to work wi | WB,IHC-P,ICC                           |
| Anti-p63/TP63 Antibody                             | BPAB2803 | Tumor protein 63   | Reacts with: human                          | WB,IHC-P,ICC                           |
|  | BPAB2804 |  |   |  |

|  |          |  |   |  |
|--|----------|--|---|--|
| Anti-p73/TP73 Antibody                             | BPAB2805 | Tumor protein p73  | Reacts with: human, mouse, rat              | WB,IHC-P                               |
|  | BPAB2806 |  |   |  |
| Anti-p90 Autoantigen/KIAA1524 Antibody             | BPAB2807 | Protein CIP2A  | Reacts with: human, mouse                   | WB                                     |
| Anti-p95 NBS1/NBN Antibody                         | BPAB2808 | Nibrin   | Reacts with: human, mouse, rat              | WB,IHC-P,ICC                           |
| Anti-PACE4/PCSK6 Antibody                          | BPAB2809 | Proprotein convertase subtilisin/kexin type 6                    | Reacts with: human, rat                     | WB                                     |
| Anti-PADI4/PAD4 Antibody                           | BPAB2810 | Protein-arginine deiminase type-4                                | Reacts with: human                          | WB                                     |
| Anti-PAFAH/PLA2G7 Antibody                         | BPAB2811 | Platelet-activating factor acetylhydrolase                       | Reacts with: human                          | WB,ELISA(Cap)                          |
| Anti-PAH Antibody                                  | BPAB2812 | Phenylalanine-4-hydroxylase                                      | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC/IF,FCM              |
| Anti-PAI1/Serpine1 Antibody                        | BPAB2813 | Plasminogen activator inhibitor 1                                | Reacts with: mouse, rat                     | WB,Direct ELISA                        |
| Anti-PAK1 Antibody                                 | BPAB2814 | Serine/threonine-protein kinase PAK 1                            | Reacts with: human, ratPredicted to work wi | WB                                     |
| Anti-PAK3 Antibody                                 | BPAB2815 | Serine/threonine-protein kinase PAK 3                            | Reacts with: mouse, ratPredicted to work wi | WB                                     |
| Anti-PAK5/PAK7 Antibody                            | BPAB2816 | Serine/threonine-protein kinase PAK 7                            | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-PAK6 Antibody                                 | BPAB2817 | Serine/threonine-protein kinase PAK 6                            | Reacts with: human, ratPredicted to work wi | WB,IHC-P                               |
| Anti-Pan-Cadherin Antibody (monoclonal, CH-19)     | BPAB2818 | Cadherin-1; Cadherin-2; Cadherin-3                               | Human, mouse, rat, rabbit, chicken, snake.  | WB,IHC-P                               |
| Anti-PAPP A/PAPPA Antibody                         | BPAB2819 | Pappalysin-1   | Reacts with: human                          | WB,IHC-P                               |
| Anti-PAR2/F2RL1 Antibody                           | BPAB2820 | Proteinase-activated receptor 2                                  | Reacts with: human                          | WB                                     |
| Anti-Parathyroid Hormone Receptor 1/PTH1R Antibody | BPAB2821 | Parathyroid hormone/parathyroid hormone-related peptide receptor | Reacts with: humanPredicted to work with: r | WB,IHC-P,ICC                           |
| Anti-PARK7/DJ1 Antibody                            | BPAB2822 | Protein deglycase DJ-1   | Reacts with: human, mouse, rat              | WB,IHC-P,ICC                           |
| Anti-PARK7/DJ1 Antibody                            | BPAB2823 | Protein DJ-1   | Reacts with: mouse, rat                     | WB,IHC-P,ELISA(Cap)                    |
| Anti-PARK7/DJ1 Antibody                            | BPAB2824 | Protein DJ-1   | Reacts with: mouse, rat                     | WB,IHC-P,ELISA(Cap)                    |
| Anti-Parkin/PRKN Antibody                          | BPAB2825 | E3 ubiquitin-protein ligase parkin                               | Reacts with: human, mouse, rat              | WB,IHC-P,ICC                           |
| Anti-PARN Antibody                                 | BPAB2826 | Poly(A)-specific ribonuclease PARN                               | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM,IF,Direct ELISA |
| Anti-PARN Antibody (monoclonal, 11D8)              | BPAB2827 | Poly(A)-specific ribonuclease PARN                               | Reacts with: human, mouse, rat              | WB,IHC-P,ICC/IF,FCM                    |
| Anti-PARP/PARP1 Antibody                           | BPAB2828 | Poly [ADP-ribose] polymerase 1                                   | Reacts with: ratPredicted to work with: hum | WB                                     |
| Anti-PARP/PARP1 Antibody                           | BPAB2829 | Poly [ADP-ribose] polymerase 1                                   | Reacts with: human, mouse, rat              | WB,IHC-P,ICC,IF                        |
| Anti-Parvin alpha/PARVA Antibody                   | BPAB2830 | Alpha-parvin   | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-Patched/PTCH1 Antibody                        | BPAB2831 | Protein patched homolog 1  | Reacts with: mouse, ratPredicted to work wi | WB                                     |
| Anti-Pax2 Antibody                                 | BPAB2832 | Paired box protein Pax-2   | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-PAX5 Antibody                                 | BPAB2833 | Paired box protein Pax-5   | Reacts with: human, mouse, rat              | WB,IHC-P,ICC/IF,Direct ELISA           |
| Anti-PAX6 Antibody                                 | BPAB2834 | Paired box protein Pax-6   | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-PAX8 Antibody                                 | BPAB2835 | Paired box protein Pax-8   | Reacts with: human, mouse, rat              | WB                                     |
| Anti-Paxillin Antibody (monoclonal, PXC-10)        | BPAB2836 | Paxillin   | Human, mouse, rat, chicken                  | WB,ICC                                 |
| Anti-Paxillin/PXN Antibody                         | BPAB2837 | Paxillin   | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC                     |
| Anti-PBK Antibody                                  | BPAB2838 | Lymphokine-activated killer T-cell-originated protein kinase     | Reacts with: human, ratPredicted to work wi | WB                                     |
| Anti-PBK Antibody                                  | BPAB2839 | Lymphokine-activated killer T-cell-originated protein kinase     | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-PBP/PEBP1 Antibody                            | BPAB2840 | Phosphatidylethanolamine-binding protein 1(PEBP-1)               | Reacts with: ratPredicted to work with: mou | WB,IHC-P                               |
| Anti-PBP/PEBP1 Antibody                            | BPAB2841 | Phosphatidylethanolamine-binding protein 1                       | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM                 |
| Anti-PC1/3/PCSK1 Antibody                          | BPAB2842 | Neuroendocrine convertase 1                                      | Reacts with: human, ratPredicted to work wi | WB,IHC-P,IF                            |
| Anti-PC4/SUB1 Antibody                             | BPAB2843 | Activated RNA polymerase II transcriptional coactivator p15      | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-PCDH15 Antibody                               | BPAB2844 | Protocadherin-15   | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM                 |
| Anti-PCK Antibody (monoclonal, C-11+PCK-26+CY-90)  | BPAB2845 |  | Human, rat                                  | WB,IHC-P,IHC-F                         |
| Anti-PCK-26 Antibody (monoclonal, PCK-26)          | BPAB2846 |  | Human, mouse, rat                           | WB,IHC-P,IHC-F                         |
| Anti-PCNA Antibody (monoclonal, PC 10)             | BPAB2847 | Proliferating cell nuclear antigen                               | Human, mouse, rat                           | WB,IHC-P,IHC-F,ICC                     |
| Anti-PCSK9 Antibody                                | BPAB2848 | Proprotein convertase subtilisin/kexin type 9                    | Reacts with: human                          | WB,IHC-P                               |
| Anti-PD-L1/B7-H1/CD274 Antibody                    | BPAB2849 | Programmed cell death 1 ligand 1                                 | Reacts with: human                          | WB                                     |
| Anti-PD-L1/CD274 Antibody                          | BPAB2850 | Programmed cell death 1 ligand 1(PD-L1/PDCD1 ligand 1/Programme  | Reacts with: human, ratPredicted to work wi | WB                                     |
| Anti-PD-L1/CD274 Antibody                          | BPAB2851 | Programmed cell death 1 ligand 1                                 | Reacts with: human                          | WB                                     |
| Anti-PD-L1/CD274 Antibody                          | BPAB2852 | Programmed cell death 1 ligand 1                                 | Reacts with: mouse                          | WB,ELISA                               |
| Anti-PD1/PDCD1 Antibody                            | BPAB2853 | Programmed cell death protein 1                                  | Reacts with: human, mouse                   | WB                                     |
|  | BPAB2854 |  |   |  |
|  | BPAB2855 |  |   |  |



|  |          |  |   |                                     |
|--|----------|--|---|-------------------------------------|
| Anti-PDCD10 Antibody                     | BPAB2856 | Programmed cell death protein 10                                     | Reacts with: human, mouse, rat              | WB,Direct ELISA                     |
| Anti-PDCD4 Antibody                      | BPAB2857 | Programmed cell death protein 4                                      | Reacts with: mousePredicted to work with: h | WB                                  |
|  | BPAB2858 |  |   |                                     |
| Anti-PDE4D Antibody                      | BPAB2859 | cAMP-specific 3',5'-cyclic phosphodiesterase 4D                      | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA |
| Anti-PDE5A Antibody                      | BPAB2860 | cGMP-specific 3',5'-cyclic phosphodiesterase                         | Reacts with: human, rat                     | WB,IHC-P                            |
| Anti-PDGF beta/PDGFB Antibody            | BPAB2861 | Platelet-derived growth factor subunit B                             | Reacts with: human, mouse, rat              | WB                                  |
| Anti-PDGF beta/PDGFB Antibody            | BPAB2862 | Platelet-derived growth factor subunit B                             | Reacts with: mouse, ratPredicted to work wi | WB                                  |
|  | BPAB2863 |  |   |                                     |
| Anti-PDGF Receptor alpha/PDGFRa Antibody | BPAB2864 | Platelet-derived growth factor receptor alpha                        | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-PDGF Receptor beta/PDGFRB Antibody  | BPAB2865 | Platelet-derived growth factor receptor beta                         | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA               |
| Anti-PDK2 Antibody                       | BPAB2866 | [Pyruvate dehydrogenase (acetyl-transferring)] kinase isozyme 2, mit | Reacts with: human, ratPredicted to work wi | WB,IHC-P,ICC                        |
| Anti-PDK2 Antibody                       | BPAB2867 | [Pyruvate dehydrogenase (acetyl-transferring)] kinase isozyme 2, mit | Reacts with: human, mouse, rat              | WB,Direct ELISA                     |
| Anti-PDK4 Antibody                       | BPAB2868 | [Pyruvate dehydrogenase (acetyl-transferring)] kinase isozyme 4, mit | Reacts with: human, mouse, rat              | WB                                  |
| Anti-PDPK1 Antibody                      | BPAB2869 | 3-phosphoinositide-dependent protein kinase 1                        | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F                      |
| Anti-Pea3/ETV4 Antibody                  | BPAB2870 | ETS translocation variant 4  | Reacts with: human, rat                     | WB                                  |
| Anti-PEF1 Antibody                       | BPAB3848 | Peflin   | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA               |
| Anti-Peptide YY/PYY Antibody             | BPAB2871 | Peptide YY   | Reacts with: mouse, rat                     | WB,IHC-P                            |
| Anti-Peptide YY/PYY Antibody             | BPAB2873 | Peptide YY   | Reacts with: human, mouse, rat              | IHC-P                               |
|  | BPAB2874 |  |   |                                     |
| Anti-PER1 Antibody                       | BPAB2875 | Period circadian protein homolog 1                                   | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA               |
| Anti-PER2 Antibody                       | BPAB2876 | Period circadian protein homolog 2                                   | Reacts with: human                          | WB                                  |
| Anti-PER3 Antibody                       | BPAB2877 | Period circadian protein homolog 3                                   | Reacts with: human, mouse, rat              | WB,Direct ELISA                     |
| Anti-Perforin/PRF1 Antibody              | BPAB2878 | Perforin-1   | Reacts with: human                          | WB                                  |
| Anti-Perilipin 3/PLIN3 Antibody          | BPAB2879 | Perilipin-3  | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-Perilipin A/PLIN1 Antibody          | BPAB2880 | Perilipin-1  | Reacts with: human, mouse, rat              | WB,IHC-F,ICC,FCM                    |
| Anti-Periostin/POSTN Antibody            | BPAB2881 | Periostin  | Reacts with: mousePredicted to work with: r | WB                                  |
| Anti-Periostin/POSTN Antibody            | BPAB2882 | Periostin  | Reacts with: human                          | WB                                  |
| Anti-Periostin/Postn Antibody            | BPAB2883 | Periostin  | Reacts with: mouse, rat                     | WB,IHC-P,Direct ELISA               |
| Anti-Periplakin/PPL Antibody             | BPAB2884 | Periplakin   | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-PERK/EIF2AK3 Antibody               | BPAB2885 | Eukaryotic translation initiation factor 2-alpha kinase 3            | Reacts with: human                          | WB,ICC                              |
| Anti-PERK/EIF2AK3 Antibody               | BPAB2886 | Eukaryotic translation initiation factor 2-alpha kinase 3            | Reacts with: human, mouse, rat              | WB,Direct ELISA                     |
| Anti-Peroxiredoxin 1/PRDX1 Antibody      | BPAB2887 | Peroxiredoxin-1  | Reacts with: human, ratPredicted to work wi | WB                                  |
| Anti-Peroxiredoxin 1/PRDX1 Antibody      | BPAB2888 | Peroxiredoxin-1  | Reacts with: human, mouse, rat              | WB,IHC-P,ICC                        |
| Anti-Peroxiredoxin 2/PRDX2 Antibody      | BPAB2889 | Peroxiredoxin-2  | Reacts with: human, ratPredicted to work wi | WB                                  |
| Anti-Peroxiredoxin 3/PRDX3 Antibody      | BPAB2890 | Thioredoxin-dependent peroxide reductase, mitochondrial              | Reacts with: human, mouse, rat              | WB,IHC-P,ICC                        |
| Anti-Peroxiredoxin 3/PRDX3 Antibody      | BPAB2891 | Thioredoxin-dependent peroxide reductase, mitochondrial              | Reacts with: human, ratPredicted to work wi | WB,IHC-P                            |
| Anti-Peroxiredoxin 3/PRDX3 Antibody      | BPAB2892 | Thioredoxin-dependent peroxide reductase, mitochondrial              | Reacts with: human, mouse, rat              | WB,IHC-P,ICC                        |
| Anti-Peroxiredoxin 4/PRDX4 Antibody      | BPAB2893 | Peroxiredoxin-4  | Reacts with: human, ratPredicted to work wi | WB                                  |
| Anti-Peroxiredoxin 4/PRDX4 Antibody      | BPAB2894 | Peroxiredoxin-4  | Reacts with: human, mouse, rat              | WB,IHC-P,ICC                        |
| Anti-Peroxiredoxin 5/PRDX5 Antibody      | BPAB2895 | Peroxiredoxin-5, mitochondrial                                       | Reacts with: human, ratPredicted to work wi | WB,IHC-P                            |
| Anti-Peroxiredoxin 5/PRDX5 Antibody      | BPAB2896 | Peroxiredoxin-5, mitochondrial                                       | Reacts with: human, mouse, rat              | WB,IHC-P,ICC                        |
| Anti-Peroxiredoxin 6/PRDX6 Antibody      | BPAB2897 | Peroxiredoxin-6  | Reacts with: human, mouse                   | WB,IHC-P                            |
| Anti-PF4 Antibody                        | BPAB2898 | Platelet factor 4(PF-4)  | Reacts with: human                          | WB,IHC-P                            |
| Anti-PF4 Antibody                        | BPAB2899 | Platelet factor 4  | Reacts with: human                          | WB,ELISA                            |
| Anti-PF4 Antibody                        | BPAB2900 | Platelet factor 4  | Reacts with: mouse, rat                     | WB,IHC-P,ELISA                      |
| Anti-PF4 Antibody                        | BPAB2901 | Platelet factor 4  | Reacts with: mouse, rat                     | WB,IHC-P,Direct ELISA               |
| Anti-PGF Antibody                        | BPAB2902 | Placenta growth factor   | Reacts with: mouse, rat                     | WB,Direct ELISA                     |
| Anti-PGF Antibody                        | BPAB2903 | Placenta growth factor   | Reacts with: human, mouse                   | WB,Direct ELISA                     |
| Anti-PGK1 Antibody                       | BPAB2904 | Phosphoglycerate kinase 1  | Reacts with: human, ratPredicted to work wi | WB,ICC                              |
| Anti-PGK1 Antibody                       | BPAB2905 | Phosphoglycerate kinase 1  | Reacts with: human, rat                     | WB                                  |
| Anti-PGP9.5/Uchl1 Antibody               | BPAB2906 | Ubiquitin carboxyl-terminal hydrolase isozyme L1                     | Reacts with: human, mouse, rat              | WB,IHC-P                            |

|  |          |  |  |                                     |
|--|----------|--|--|-------------------------------------|
| Anti-PGRMC1 Antibody                                     | BPAB2907 | Membrane-associated progesterone receptor component 1                  | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-PHD3/EGLN3 Antibody                                 | BPAB2908 | Egl nine homolog 3   | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-PHO1/APOBEC3A Antibody                              | BPAB2909 | DNA dC->dU-editing enzyme APOBEC-3A                                    | Reacts with: human, mouse                    | WB,Direct ELISA                     |
| Anti-Phospholamban/PLN Antibody                          | BPAB2910 | Cardiac phospholamban(PLB)   | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-Phospholamban/PLN Antibody                          | BPAB2911 | Cardiac phospholamban  | Reacts with: human, mouse, rat               | WB                                  |
| Anti-Phospholipase A2/PLA2G4A Antibody                   | BPAB2912 | Cytosolic phospholipase A2   | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-Phospholipase A2/PLA2G4A Antibody                   | BPAB2913 | Cytosolic phospholipase A2   | Reacts with: human, mouse                    | WB                                  |
| Anti-Phospholipase C beta 1/PLCB1 Antibody               | BPAB2914 | 1-phosphatidylinositol 4,5-bisphosphate phosphodiesterase beta-1       | Reacts with: human, mouse, rat               | WB                                  |
| Anti-Phospholipase D1/PLD1 Antibody                      | BPAB2915 | Phospholipase D1   | Reacts with: human, mouse                    | WB                                  |
| Anti-Phosphoserine Aminotransferase/PSAT1 Antibody       | BPAB2916 | Phosphoserine aminotransferase   | Reacts with: human, mouse, rat               | WB,IHC-P                            |
|  | BPAB2917 |  |  |                                     |
| Anti-PI 3 Kinase catalytic subunit alpha/PIK3CA Antibody | BPAB2918 | Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit alpha | Reacts with: human, rat                      | WB                                  |
| Anti-PI 3 Kinase p85 alpha/PIK3R1 Antibody               | BPAB2919 | Phosphatidylinositol 3-kinase regulatory subunit alpha(PI3-kinase reg  | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-PI 3 Kinase p85 beta/PIK3R2 Antibody                | BPAB2920 | Phosphatidylinositol 3-kinase regulatory subunit beta(PI3-kinase regu  | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                            |
| Anti-PI 3 Kinase p85 beta/PIK3R2 Antibody                | BPAB2921 | Phosphatidylinositol 3-kinase regulatory subunit beta                  | Reacts with: human                           | WB                                  |
| Anti-PI3 Kinase p110 beta/PIK3CB Antibody                | BPAB2922 | Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit beta  | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-PIAS1 Antibody                                      | BPAB2923 | E3 SUMO-protein ligase PIAS1   | Reacts with: human, mouse, rat               | WB,IHC-P,ICC                        |
| Anti-PIAS3 Antibody                                      | BPAB2924 | E3 SUMO-protein ligase PIAS3   | Reacts with: human, mouse, rat               | WB                                  |
| Anti-PIGR Antibody                                       | BPAB2925 | Polymeric immunoglobulin receptor                                      | Reacts with: human                           | WB                                  |
| Anti-PIM1 Antibody                                       | BPAB2926 | Serine/threonine-protein kinase pim-1                                  | Reacts with: human                           | WB                                  |
| Anti-Pin1 Antibody                                       | BPAB2927 | Peptidyl-prolyl cis-trans isomerase NIMA-interacting 1                 | Reacts with: human, mouse, rat               | WB                                  |
| Anti-PINX1 Antibody                                      | BPAB2928 | PIN2/TERF1-interacting telomerase inhibitor 1                          | Reacts with: human                           | WB                                  |
| Anti-PKB alpha Antibody (monoclonal, PKB-175)            | BPAB2929 | RAC-alpha serine/threonine-protein kinase                              | Human, mouse, rat, chicken                   | WB                                  |
| Anti-PKC alpha/PRKCA Antibody                            | BPAB2930 | Protein kinase C alpha type  | Reacts with: humanPredicted to work with: r  | WB,IHC-P                            |
| Anti-PKC alpha/PRKCA Antibody                            | BPAB2931 | Protein kinase C alpha type  | Reacts with: human, mouse, rat               | WB                                  |
| Anti-PKC beta 1/PRKCB Antibody                           | BPAB2932 | Protein kinase C beta type   | Reacts with: human, mouse, rat               | WB                                  |
| Anti-PKC beta 1/PRKCB Antibody                           | BPAB2933 | Protein kinase C beta type   | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-PKC delta/PRKCD Antibody                            | BPAB2934 | Protein kinase C delta type  | Reacts with: human                           | WB                                  |
| Anti-PKC epsilon/PRKCE Antibody                          | BPAB2935 | Protein kinase C epsilon type  | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-PKC eta/PRKCH Antibody                              | BPAB2936 | Protein kinase C eta type  | Reacts with: human                           | WB,IHC-F,ICC,FCM                    |
| Anti-PKC gamma/PRKCG Antibody                            | BPAB2937 | Protein kinase C gamma type(PKC-gamma)                                 | Reacts with: ratPredicted to work with: humi | WB                                  |
| Anti-PKC gamma/PRKCG Antibody                            | BPAB2938 | Protein kinase C gamma type  | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-PKC iota/PRKCI Antibody                             | BPAB2939 | Protein kinase C iota type   | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-PKLR Antibody                                       | BPAB2940 | Pyruvate kinase PKLR   | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-PKM2 Antibody                                       | BPAB2941 | Pyruvate kinase PKM  | Reacts with: human Predicted to work with:   | WB                                  |
| Anti-PKM2 Antibody                                       | BPAB2942 | Pyruvate kinase PKM  | Reacts with: human                           | WB,IHC-P                            |
| Anti-PKR/EIF2AK2 Antibody                                | BPAB2943 | Interferon-induced, double-stranded RNA-activated protein kinase       | Reacts with: human                           | WB                                  |
| Anti-PKR/EIF2AK2 Antibody                                | BPAB2944 | Interferon-induced, double-stranded RNA-activated protein kinase       | Reacts with: human                           | WB                                  |
| Anti-PLA2G6 Antibody                                     | BPAB2945 | 85/88 kDa calcium-independent phospholipase A2                         | Reacts with: human, mouse, rat               | WB,Direct ELISA                     |
| Anti-PLAC9 Antibody                                      | BPAB2946 | Placenta-specific protein 9  | Reacts with: human                           | WB,Direct ELISA                     |
| Anti-Placental alkaline phosphatase (PLAP)/ALP Antibody  | BPAB2947 | Alkaline phosphatase, placental type                                   | Reacts with: human                           | WB,IHC-P                            |
| Anti-Plakophilin 2/PKP2 Antibody                         | BPAB2948 | Plakophilin-2  | Reacts with: human, ratPredicted to work wi  | WB                                  |
| Anti-Plasminogen/PLG Antibody                            | BPAB2949 | Plasminogen  | Reacts with: human, mouse, rat               | WB                                  |
| Anti-Plasminogen/PLG Antibody                            | BPAB3799 | Plasminogen  | Reacts with: human, mouse, rat               | WB,FCM,Direct ELISA                 |
| Anti-Plastin L/LCP1 Antibody                             | BPAB2950 | Plastin-2  | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA |
| Anti-PLAT Antibody                                       | BPAB2952 | Tissue-type plasminogen activator                                      | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-PLAU Antibody                                       | BPAB2953 | Urokinase-type plasminogen activator                                   | Reacts with: human, mouse, rat               | WB,Direct ELISA                     |
| Anti-PLCG 2/PLCG2 Antibody                               | BPAB2954 | 1-phosphatidylinositol 4,5-bisphosphate phosphodiesterase gamma-       | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA               |
| Anti-Plectin Antibody                                    | BPAB2955 | Plectin  | Reacts with: human, mouse, rat               | WB,IHC-P                            |
| Anti-Pleiotrophin/PTN Antibody                           | BPAB2956 | Pleiotrophin(PTN)  | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                            |
| Anti-Pleiotrophin/PTN Antibody                           | BPAB2957 | Pleiotrophin   | Reacts with: human, mouse, rat               | WB,Direct ELISA                     |

|                                       |          |  |   |
|---------------------------------------|----------|--|---|
| Anti-PLK1 Antibody                    | BPAB2958 |  |   |
| Anti-PLK2 Antibody                    | BPAB2959 | Serine/threonine-protein kinase PLK1                                 | Reacts with: human, mouse, rat WB,IHC-P                               |
| Anti-PLK2 Antibody                    | BPAB2960 | Serine/threonine-protein kinase PLK2                                 | Reacts with: human, ratPredicted to work wi WB,IHC-P,IHC-F,ICC,FCM    |
| Anti-PLTP Antibody                    | BPAB2961 | Serine/threonine-protein kinase PLK2                                 | Reacts with: human, mouse, rat WB,IHC-P,IHC-F,ICC/IF,FCM,Direct ELISA |
| Anti-Plzf/ZBTB16 Antibody             | BPAB2962 | Phospholipid transfer protein  | Reacts with: human WB,IHC-P   |
| Anti-PML Protein Antibody             | BPAB2963 | Zinc finger and BTB domain-containing protein 16                     | Reacts with: human, rat WB  |
| Anti-PML Protein Antibody             | BPAB2964 | Protein PML  | Reacts with: human, mouse, rat WB,IHC-P                               |
| Anti-PMP70/ABCD3 Antibody             | BPAB2965 | Protein PML  | Reacts with: mouse WB,IHC-P   |
| Anti-PMS2 Antibody                    | BPAB2966 | ATP-binding cassette sub-family D member 3                           | Reacts with: human, ratPredicted to work wi WB,IHC-P                  |
| Anti-PMVK Antibody                    | BPAB2967 | Mismatch repair endonuclease PMS2                                    | Reacts with: human, mouse, rat WB,Direct ELISA                        |
| Anti-Podoplanin/gp36/PDPN Antibody    | BPAB2968 | Phosphomevalonate kinase(PMKase/hPMK)                                | Reacts with: ratPredicted to work with: hum WB,IHC-P                  |
| Anti-Podoplanin/gp36/PDPN Antibody    | BPAB2969 | Podoplanin   | Reacts with: human WB   |
| Anti-Podoplanin/gp36/PDPN Antibody    | BPAB2970 | Podoplanin   | Reacts with: human WB   |
| Anti-Podoplanin/gp36/PDPN Antibody    | BPAB2971 | Podoplanin   | Reacts with: ratPredicted to work with: mou WB                        |
| Anti-PODXL Antibody                   | BPAB2972 | Podocalyxin  | Reacts with: human, mouse, rat WB,IHC-P                               |
|                                       | BPAB2973 |  |   |
| Anti-POMT2 Antibody                   | BPAB2974 | Protein O-mannosyl-transferase 2                                     | Reacts with: human, mouse, rat WB                                     |
| Anti-PON1 Antibody                    | BPAB2975 | Serum paraoxonase/arylesterase 1                                     | Reacts with: human, mouse, rat WB                                     |
| Anti-PON1 Antibody                    | BPAB2976 | Serum paraoxonase/arylesterase 1                                     | Reacts with: mouse, rat WB,IHC-P                                      |
| Anti-PON1 Antibody                    | BPAB2977 | Serum paraoxonase/arylesterase 1                                     | Reacts with: mouse, rat WB,IHC-P,Direct ELISA                         |
| Anti-PON1 Antibody (monoclonal, 11H2) | BPAB2978 | Serum paraoxonase/arylesterase 1                                     | Reacts with: mouse, rat ELISA(Cap)                                    |
| Anti-PON1 Antibody (monoclonal, 6B1)  | BPAB2979 | Serum paraoxonase/arylesterase 1                                     | Reacts with: mouse, rat WB,IHC-P,ELISA(Cap)                           |
| Anti-PON1 Antibody (monoclonal, 9D3)  | BPAB2980 | Serum paraoxonase/arylesterase 1                                     | Reacts with: mouse, rat WB,IHC-P,ELISA(Cap)                           |
| Anti-PON2 Antibody                    | BPAB2981 | Serum paraoxonase/arylesterase 2                                     | Reacts with: human, mouse, rat WB                                     |
| Anti-PON2 Antibody                    | BPAB2982 | Serum paraoxonase/arylesterase 2                                     | Reacts with: human WB   |
|                                       | BPAB2983 |  |   |
| Anti-PP2A-alpha/PPP2CA Antibody       | BPAB2984 | Serine/threonine-protein phosphatase 2A catalytic subunit alpha isof | Reacts with: human, ratPredicted to work wi WB,IHC-P                  |
| Anti-PP2A-alpha/PPP2CA Antibody       | BPAB2985 | Serine/threonine-protein phosphatase 2A catalytic subunit alpha isof | Reacts with: human, mouse, rat WB,IHC-P                               |
| Anti-PPA2 Antibody                    | BPAB3800 | Inorganic pyrophosphatase 2, mitochondrial                           | Reacts with: human WB,Direct ELISA                                    |
| Anti-PPAR alpha/PPARA Antibody        | BPAB2986 | Peroxisome proliferator-activated receptor alpha(PPAR-alpha)         | Reacts with: human, mouse, rat WB,IHC-P,IHC-F,ICC                     |
| Anti-PPAR gamma/PPARG Antibody        | BPAB2988 | Peroxisome proliferator-activated receptor gamma(PPAR-gamma)         | Reacts with: human WB   |
| Anti-PPAR gamma/PPARG Antibody        | BPAB2989 | Peroxisome proliferator-activated receptor gamma                     | Reacts with: human, mouse, rat WB                                     |
| Anti-PPCS Antibody                    | BPAB2990 | Phosphopantothenate--cysteine ligase                                 | Reacts with: human, mouse, rat WB,IHC-P,IHC-F,ICC,FCM                 |
| Anti-PPID Antibody                    | BPAB2991 | Peptidyl-prolyl cis-trans isomerase D(PPIase D)                      | Reacts with: human, ratPredicted to work wi WB,IHC-P                  |
| Anti-PPID Antibody                    | BPAB2992 | Peptidyl-prolyl cis-trans isomerase D                                | Reacts with: human, mouse, rat WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA    |
| Anti-PPID Antibody (monoclonal, 5A6)  | BPAB2993 | Peptidyl-prolyl cis-trans isomerase D                                | Reacts with: human, mouse, rat, monkey WB,IHC-P,FCM                   |
|                                       | BPAB2994 |  |   |
| Anti-PPP1R15B Antibody                | BPAB2995 | Protein phosphatase 1 regulatory subunit 15B                         | Reacts with: human WB   |
| Anti-PPT1 Antibody                    | BPAB2996 | Palmitoyl-protein thioesterase 1                                     | Reacts with: human, rat WB,IHC-P,IHC-F,ICC,FCM                        |
| Anti-PRC1 Antibody                    | BPAB2997 | Protein regulator of cytokinesis 1                                   | Reacts with: human WB   |
| Anti-PRDM1/Blimp1 Antibody            | BPAB2998 | PR domain zinc finger protein 1                                      | Reacts with: human, mouse, rat WB,IHC-P,Direct ELISA                  |
| Anti-Prealbumin/TTR Antibody          | BPAB2999 | Transthyretin  | Reacts with: mouse, rat WB,IHC-P                                      |
| Anti-Prealbumin/TTR Antibody          | BPAB3000 | Transthyretin  | Reacts with: human WB,IHC-P   |
| Anti-Prealbumin/TTR Antibody          | BPAB3001 | Transthyretin  | Reacts with: mouse, rat WB,IHC-P                                      |
| Anti-PREB Antibody                    | BPAB3002 | Prolactin regulatory element-binding protein                         | Reacts with: human WB   |
| Anti-Presenilin 2/PSEN2 Antibody      | BPAB3003 | Presenilin-2(PS-2)   | Reacts with: human, ratPredicted to work wi WB,IHC-P                  |
| Anti-Prion protein PrP/PRNP Antibody  | BPAB3004 | Major prion protein(PrP)   | Reacts with: human WB   |
| Anti-Prion protein PrP/PRNP Antibody  | BPAB3005 | Major prion protein(PrP)   | Reacts with: ratPredicted to work with: mou WB,IHC-P                  |
| Anti-Prion protein PrP/PRNP Antibody  | BPAB3006 | Major prion protein  | Reacts with: mouse, ratPredicted to work wi WB,IHC-P                  |
| Anti-PRMT4/CARM1 Antibody             | BPAB3007 | Histone-arginine methyltransferase CARM1                             | Reacts with: human, ratPredicted to work wi WB                        |
| Anti-Profilin 1/PFN1 Antibody         | BPAB3008 | Profilin-1   | Reacts with: human, mouse, rat WB                                     |

|   |          |   |  |
|---|----------|---|--|
| Anti-Profilin 2/PFN2 Antibody                         | BPAB3009 | Profilin-2  | Reacts with: human, ratPredicted to work wi WB,IHC-P         |
| Anti-Progesterone Receptor/PGR Antibody               | BPAB3010 | Progesterone receptor(PR)   | Reacts with: humanPredicted to work with: r WB,IHC-P         |
| Anti-Progesterone Receptor/PGR Antibody               | BPAB3011 | Progesterone receptor   | Reacts with: human, rat WB,IHC-P                             |
| Anti-Prohibitin/PHB Antibody                          | BPAB3012 | Prohibitin  | Human, Mouse, Rat. No cross reactivity with WB,IHC-P,ICC     |
| Anti-Prohibitin/PHB Antibody                          | BPAB3013 | Prohibitin  | Reacts with: human, mouse, rat WB,IHC-P,ICC                  |
| Anti-Prokineticin 1/PROK1 Antibody                    | BPAB3014 | Prokineticin-1  | Reacts with: human WB,ELISA                                  |
| Anti-Prokineticin 1/PROK1 Antibody                    | BPAB3015 | Prokineticin-1  | Reacts with: mouse WB  |
| Anti-Prolactin Receptor/PRLR Antibody                 | BPAB3016 | Prolactin receptor  | Reacts with: human, ratPredicted to work wi WB,IHC-P         |
| Anti-Prolactin Receptor/PRLR Antibody                 | BPAB3017 | Prolactin receptor  | Reacts with: human WB  |
| Anti-Prolactin/PRL Antibody                           | BPAB3018 | Prolactin   | Reacts with: human WB,ELISA                                  |
| Anti-Prolactin/PRL Antibody                           | BPAB3019 | Prolactin   | Reacts with: mouse WB,ELISA                                  |
|   | BPAB3020 |   |  |
| Anti-PROM1 Antibody                                   | BPAB3021 | Prominin-1  | Reacts with: human, rat WB,IHC-P                             |
| Anti-PROM1 Antibody                                   | BPAB3022 | Prominin-1  | Reacts with: mouse, rat WB                                   |
| Anti-PROM1 Antibody                                   | BPAB3023 | Prominin-1  | Reacts with: human WB,IHC-P                                  |
| Anti-PROM1 Antibody                                   | BPAB3024 | Prominin-1  | Reacts with: human, mouse, rat WB                            |
| Anti-Proprotein Convertase 2/PCSK2 Antibody           | BPAB3025 | Neuroendocrine convertase 2   | Reacts with: human, ratPredicted to work wi WB,IHC-P         |
| Anti-Proprotein convertase PC4/PCSK4 Antibody         | BPAB3026 | Proprotein convertase subtilisin/kexin type 4                       | Reacts with: ratPredicted to work with: mou: WB              |
| Anti-Prostaglandin E Receptor EP1/PTGER1 Antibody     | BPAB3027 | Prostaglandin E2 receptor EP1 subtype(PGE receptor EP1 subtype/PGE  | Reacts with: human WB  |
| Anti-Prostaglandin E Receptor EP2/PTGER2 Antibody     | BPAB3028 | Prostaglandin E2 receptor EP2 subtype                               | Reacts with: human WB  |
| Anti-Prostaglandin E Receptor EP4/PTGER4 Antibody     | BPAB3029 | Prostaglandin E2 receptor EP4 subtype                               | Reacts with: human WB  |
| Anti-Prostate Specific Antigen/KLK3 Antibody          | BPAB3030 | Prostate-specific antigen   | Reacts with: human, rat WB                                   |
| Anti-Prosrfactant Protein B/SFTPB Antibody            | BPAB3031 | Pulmonary surfactant-associated protein B                           | Reacts with: human, mouse, rat WB                            |
| Anti-Prosrfactant Protein C/SFTPC Antibody            | BPAB3032 | Pulmonary surfactant-associated protein C                           | Reacts with: humanPredicted to work with: r WB               |
| Anti-Proteasome 20S alpha 2/PSMA2 Antibody            | BPAB3033 | Proteasome subunit alpha type-2                                     | Reacts with: human, rat WB                                   |
| Anti-Proteasome 20S alpha 3/PSMA3 Antibody            | BPAB3034 | Proteasome subunit alpha type-3                                     | Reacts with: human, mouse, rat WB,IHC-P                      |
| Anti-Proteasome 20S C2/PSMA1 Antibody                 | BPAB3035 | Proteasome subunit alpha type-1                                     | Reacts with: human, mouse, rat WB,IHC-P                      |
| Anti-Protein C inhibitor/SERPINA5 Antibody            | BPAB3036 | Plasma serine protease inhibitor                                    | Reacts with: human, mouse, rat WB,IHC-P                      |
| Anti-Protein C/PROC Antibody                          | BPAB3037 | Vitamin K-dependent protein C                                       | Reacts with: human WB,IHC-P,IHC-F,ICC,FCM                    |
| Anti-Protein C/PROC Antibody                          | BPAB3038 | Vitamin K-dependent protein C                                       | Reacts with: human, mouse, rat WB,Direct ELISA               |
| Anti-Protein Kinase A regulatory subunit I alpha/PRKI | BPAB3039 | cAMP-dependent protein kinase type I-alpha regulatory subunit       | Reacts with: human, rat WB,IHC-P                             |
| Anti-Protein S/PROS1 Antibody                         | BPAB3040 | Vitamin K-dependent protein S                                       | Reacts with: human WB,Direct ELISA                           |
|   | BPAB3041 |   |  |
| Anti-Prothrombin/F2 Antibody                          | BPAB3042 | Prothrombin   | Reacts with: rat WB  |
| Anti-Prothrombin/F2 Antibody                          | BPAB3043 | Prothrombin   | Reacts with: human WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA       |
| Anti-PROX1 Antibody                                   | BPAB3044 | Prospero homeobox protein 1   | Reacts with: human, ratPredicted to work wi WB               |
| Anti-PRX Antibody                                     | BPAB3045 | Periaxin  | Reacts with: human, mouse, rat WB,IHC-F,ICC,FCM,Direct ELISA |
| Anti-PSCA Antibody                                    | BPAB3046 | Prostate stem cell antigen  | Reacts with: mouse, ratPredicted to work wi WB               |
| Anti-PSD Antibody                                     | BPAB3047 | PH and SEC7 domain-containing protein 1                             | Reacts with: human, mouse, rat WB,Direct ELISA               |
| Anti-PSD95/DLG4 Antibody                              | BPAB3048 | Disks large homolog 4   | Reacts with: human, ratPredicted to work wi WB,IHC-P         |
| Anti-PSD95/DLG4 Antibody                              | BPAB3049 | Disks large homolog 4   | Reacts with: human, rat WB,IHC-P                             |
| Anti-PSMA4 Antibody                                   | BPAB3050 | Proteasome subunit alpha type-4                                     | Reacts with: human, mouse, rat WB                            |
| Anti-Psoriasis/S100A7 Antibody                        | BPAB3051 | Protein S100-A7   | Reacts with: human, mouse, rat WB,IHC-P,Direct ELISA         |
| Anti-PTCH2 Antibody                                   | BPAB3052 | Protein patched homolog 2(PTC2)                                     | Reacts with: humanPredicted to work with: r WB               |
| Anti-PTCRA Antibody                                   | BPAB3053 | Pre T-cell antigen receptor alpha                                   | Reacts with: human WB,Direct ELISA                           |
| Anti-PTEN Antibody                                    | BPAB3054 | Phosphatidylinositol 3,4,5-trisphosphate 3-phosphatase and dual-spe | Reacts with: ratPredicted to work with: hum: WB              |
| Anti-PTEN Antibody                                    | BPAB3055 | Phosphatidylinositol 3,4,5-trisphosphate 3-phosphatase and dual-spe | Reacts with: human, mouse, rat WB                            |
| Anti-PTOV1 Antibody                                   | BPAB3056 | Prostate tumor-overexpressed gene 1 protein                         | Reacts with: ratPredicted to work with: hum: WB              |
| Anti-PTP1B/PTPN1 Antibody                             | BPAB3057 | Tyrosine-protein phosphatase non-receptor type 1                    | Reacts with: human, mouse, rat WB,IHC-P                      |
| Anti-PTP4A2 Antibody                                  | BPAB3058 | Protein tyrosine phosphatase type IVA 2                             | Reacts with: human, mouse, rat WB,IHC-P,IHC-F,ICC,FCM        |
| Anti-PTPN22 Antibody                                  | BPAB3059 | Tyrosine-protein phosphatase non-receptor type 22                   | Reacts with: human, mouse, rat WB,IHC-F,ICC,FCM              |

|  |          |   |   |                                     |
|--|----------|---|---|-------------------------------------|
| Anti-PTPN22 Antibody                       | BPAB3060 | Tyrosine-protein phosphatase non-receptor type 22                   | Reacts with: mouse, rat                     | WB,IHC-P,Direct ELISA               |
| Anti-PU.1/Spi1 Antibody                    | BPAB3061 | Transcription factor PU.1   | Reacts with: human, mouse, rat              | IHC-P                               |
| Anti-PUMA/BBC3 Antibody                    | BPAB3062 | Bcl-2-binding component 3   | Reacts with: human, ratPredicted to work wi | WB                                  |
| Anti-PVRL4/NECTIN4 Antibody                | BPAB3063 | Nectin-4  | Reacts with: human                          | WB                                  |
| Anti-Pyrophosphatase 1/PPA1 Antibody       | BPAB3064 | Inorganic pyrophosphatase   | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA               |
| Anti-PYROXD1 Antibody                      | BPAB3801 | Pyridine nucleotide-disulfide oxidoreductase domain-containing prot | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA               |
| Anti-RAB10 Antibody                        | BPAB3065 | Ras-related protein Rab-10  | Reacts with: human, mouse, rat              | WB                                  |
| Anti-Rab11A Antibody                       | BPAB3067 | Ras-related protein Rab-11A   | Reacts with: human, mousePredicted to wor   | WB                                  |
| Anti-Rab11A Antibody                       | BPAB3068 | Ras-related protein Rab-11A   | Reacts with: human, mouse, rat              | WB                                  |
| Anti-RAB11B Antibody                       | BPAB3069 | Ras-related protein Rab-11B   | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-RAB13 Antibody                        | BPAB3070 | Ras-related protein Rab-13  | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-RAB14 Antibody                        | BPAB3071 | Ras-related protein Rab-14  | Reacts with: human, rat                     | WB                                  |
| Anti-Rab18 Antibody                        | BPAB3072 | Ras-related protein Rab-18  | Reacts with: human, rat                     | WB                                  |
|  | BPAB3073 |   |   |                                     |
| Anti-RAB27A Antibody                       | BPAB3074 | Ras-related protein Rab-27A   | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA |
| Anti-Rab3A Antibody                        | BPAB3075 | Ras-related protein Rab-3A  | Reacts with: mouse, ratPredicted to work wi | WB                                  |
| Anti-Rab3C Antibody                        | BPAB3076 | Ras-related protein Rab-3C  | Reacts with: human, ratPredicted to work wi | WB                                  |
| Anti-RAB3GAP2 Antibody                     | BPAB3802 | Rab3 GTPase-activating protein non-catalytic subunit                | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA               |
| Anti-Rab5/RAB5A Antibody                   | BPAB3077 | Ras-related protein Rab-5A  | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-Rab5/RAB5A Antibody                   | BPAB3079 | Ras-related protein Rab-5A  | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-Rab5/RAB5A Antibody (monoclonal, 3E9) | BPAB3080 | Ras-related protein Rab-5A  | Reacts with: human, mouse, rat              | WB,FCM                              |
| Anti-RAB6A Antibody                        | BPAB3081 | Ras-related protein Rab-6A  | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-RAB7/RAB7A Antibody                   | BPAB3082 | Ras-related protein Rab-7a  | Reacts with: human, mouse, rat              | WB                                  |
| Anti-RAB8A Antibody                        | BPAB3083 | Ras-related protein Rab-8A  | Reacts with: human, mouse , rat             | WB,IHC-P                            |
| Anti-Rab9/RAB9A Antibody                   | BPAB3084 | Ras-related protein Rab-9A  | Reacts with: human, mouse, rat              | WB                                  |
| Anti-Rab9/RAB9A Antibody                   | BPAB3085 | Ras-related protein Rab-9A  | Reacts with: human, mouse, rat              | WB                                  |
| Anti-Rac1 Antibody                         | BPAB3086 | Ras-related C3 botulinum toxin substrate 1                          | Reacts with: human, mouse, rat              | WB                                  |
| Anti-RACK1 Antibody                        | BPAB3087 | Receptor of activated protein C kinase 1                            | Reacts with: human, mouse, rat              | WB                                  |
|  | BPAB3088 |   |   |                                     |
| Anti-Rad51 Antibody                        | BPAB3089 | DNA repair protein RAD51 homolog 1                                  | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-Rad51 Antibody                        | BPAB3090 | DNA repair protein RAD51 homolog 1                                  | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-Rad51C Antibody                       | BPAB3091 | DNA repair protein RAD51 homolog 3                                  | Reacts with: human                          | WB                                  |
| Anti-Raf1 Antibody                         | BPAB3092 | RAF proto-oncogene serine/threonine-protein kinase                  | Reacts with: human, mouse, rat              | WB                                  |
| Anti-RAG2 Antibody                         | BPAB3093 | V(D)J recombination-activating protein 2                            | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-RAGE/AGER Antibody                    | BPAB3094 | Advanced glycosylation end product-specific receptor                | Reacts with: human, ratPredicted to work wi | WB,IHC-P,IHC-F                      |
| Anti-RAGE/AGER Antibody                    | BPAB3095 | Advanced glycosylation end product-specific receptor                | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-RALA Antibody                         | BPAB3096 | Ras-related protein Ral-A   | Reacts with: human, mouse, rat              | WB                                  |
| Anti-RALB Antibody                         | BPAB3097 | Ras-related protein Ral-B   | Reacts with: human, mouse, rat              | WB                                  |
| Anti-RALBP1 Antibody                       | BPAB3098 | RalA-binding protein 1  | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA               |
| Anti-Ran Antibody                          | BPAB3099 | GTP-binding nuclear protein Ran                                     | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-RanBP1 Antibody                       | BPAB3100 | Ran-specific GTPase-activating protein                              | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-RanBP2 Antibody                       | BPAB3101 | E3 SUMO-protein ligase RanBP2                                       | Reacts with: mouse, ratPredicted to work wi | WB                                  |
| Anti-RANK/TNFRSF11A Antibody               | BPAB3102 | Tumor necrosis factor receptor superfamily member 11A               | Reacts with: human                          | WB,IHC-P                            |
| Anti-RANK/TNFRSF11A Antibody               | BPAB3103 | Tumor necrosis factor receptor superfamily member 11A               | Reacts with: mouse                          | WB,ELISA                            |
| Anti-RANK/TNFRSF11A Antibody               | BPAB3104 | Tumor necrosis factor receptor superfamily member 11A               | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-RANK/TNFRSF11A Antibody               | BPAB3105 | Tumor necrosis factor receptor superfamily member 11A               | Reacts with: human, rat                     | WB,Direct ELISA                     |
| Anti-RANKL/TNFSF11 Antibody                | BPAB3106 | Tumor necrosis factor ligand superfamily member 11                  | Reacts with: mouse, rat                     | WB,ELISA                            |
| Anti-RANTES/CCL5 Antibody                  | BPAB3107 | C-C motif chemokine 5   | Reacts with: human                          | WB,ELISA                            |
| Anti-RAP1A Antibody                        | BPAB3108 | Ras-related protein Rap-1A  | Reacts with: human, mouse, rat              | WB                                  |
| Anti-RASA1 Antibody                        | BPAB3109 | Ras GTPase-activating protein 1                                     | Reacts with: human                          | WB                                  |
| Anti-RASAL1/RASAL1 Antibody                | BPAB3110 | RasGAP-activating-like protein 1                                    | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA               |

|  |          |  |  |                        |
|--|----------|--|--|------------------------|
| Anti-rat IFN gamma Antibody                  | BPAB3111 | Interferon gamma(IFN-gamma)  | Reacts with: rat                             | WB,IHC-P,ELISA         |
| Anti-Rb2 p130/RBL2 Antibody                  | BPAB3112 | Retinoblastoma-like protein 2                                      | Reacts with: human, mouse, rat               | WB                     |
| Anti-RbAp48 Antibody (monoclonal, 9F3)       | BPAB3113 | Histone-binding protein RBBP4                                      | Reacts with: human, mouse, rat               | WB,IHC-P               |
| Anti-RbAp48/RBBP4 Antibody                   | BPAB3114 | Histone-binding protein RBBP4                                      | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F         |
| Anti-RBMS3 Antibody                          | BPAB3803 | RNA-binding motif, single-stranded-interacting protein 3           | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA  |
| Anti-RBP2 Antibody                           | BPAB3115 | Retinol-binding protein 2  | Reacts with: human, mouse, rat               | WB,IHC-P               |
| Anti-RBP4 Antibody                           | BPAB3117 | Retinol-binding protein 4  | Reacts with: human, mouse, rat               | WB,IHC-P,ELISA         |
| Anti-RBP4 Antibody                           | BPAB3118 | Retinol-binding protein 4  | Reacts with: human, mouse, rat               | WB,IHC-P,ELISA(Cap)    |
| Anti-REA/PHB2 Antibody                       | BPAB3119 | Prohibitin-2   | Reacts with: human, mousePredicted to wor    | WB,IHC-P,ICC           |
| Anti-RECK Antibody                           | BPAB3120 | Reversion-inducing cysteine-rich protein with Kazal motifs         | Reacts with: human, mouse                    | WB                     |
| Anti-Regucalcin/RGN Antibody                 | BPAB3121 | Regucalcin   | Reacts with: human, mouse, rat               | WB,IHC-P               |
| Anti-Rel B/RELB Antibody                     | BPAB3122 | Transcription factor RelB  | Reacts with: human, mouse, rat               | WB                     |
| Anti-Rel B/RELB Antibody                     | BPAB3123 | Transcription factor RelB  | Reacts with: human                           | WB                     |
| Anti-Relaxin 1/RLN1 Antibody                 | BPAB3124 | Prorelaxin H1  | Reacts with: human, rat                      | WB,IHC-P               |
| Anti-RENT1/hUPF1 Antibody                    | BPAB3125 | Regulator of nonsense transcripts 1                                | Reacts with: human, mouse, rat               | WB,IHC-P               |
| Anti-Resistin/RETN Antibody                  | BPAB3126 | Resistin   | Reacts with: mouse                           | WB,IHC-P               |
| Anti-Resistin/RETN Antibody                  | BPAB3127 | Resistin   | Reacts with: human                           | WB,ELISA               |
| Anti-RET Antibody                            | BPAB3851 | Proto-oncogene tyrosine-protein kinase receptor Ret                | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA  |
| Anti-Reticulon 1/RTN1 Antibody               | BPAB3128 | Reticulon-1  | Reacts with: ratPredicted to work with: humi | WB                     |
| Anti-Retinal S antigen/SAG Antibody          | BPAB3130 | S-arrestin   | Reacts with: human, mouse, rat               | WB,Direct ELISA        |
| Anti-Retinoid X Receptor alpha/RXRA Antibody | BPAB3131 | Retinoic acid receptor RXR-alpha                                   | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA  |
| Anti-RFC1 Antibody                           | BPAB3132 | Replication factor C subunit 1                                     | Reacts with: human                           | WB,IHC-P               |
| Anti-RGS14 Antibody                          | BPAB3133 | Regulator of G-protein signaling 14                                | Reacts with: human, ratPredicted to work wi  | WB                     |
| Anti-RGS3 Antibody                           | BPAB3134 | Regulator of G-protein signaling 3                                 | Reacts with: human, ratPredicted to work wi  | WB,IHC-P               |
| Anti-RGS9 Antibody                           | BPAB3135 | Regulator of G-protein signaling 9                                 | Reacts with: human, mouse, rat               | WB                     |
| Anti-RHOB Antibody                           | BPAB3136 | Rho-related GTP-binding protein RhoB                               | Reacts with: human, mouse, rat               | WB,IHC-P               |
| Anti-RIAM/APBB1IP Antibody                   | BPAB3137 | Amyloid beta A4 precursor protein-binding family B member 1-intera | Reacts with: human, rat                      | WB,IHC-P,IHC-F,ICC     |
| Anti-Ribonuclease 3/RNASE3 Antibody          | BPAB3138 | Eosinophil cationic protein  | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA  |
| Anti-Ribonuclease A/RNASE1 Antibody          | BPAB3139 | Ribonuclease pancreatic  | Reacts with: human                           | WB                     |
| Anti-Ribonuclease Inhibitor/RNH1 Antibody    | BPAB3140 | Ribonuclease inhibitor   | Reacts with: human, mouse, rat, monkey       | WB,IHC-P,IHC-F,ICC,FCM |
| Anti-RING2/RING1B/RNF2 Antibody              | BPAB3141 | E3 ubiquitin-protein ligase RING2                                  | Reacts with: human, rat                      | WB,IHC-P               |
| Anti-RIP/RIPK1 Antibody                      | BPAB3142 | Receptor-interacting serine/threonine-protein kinase 1             | Reacts with: human                           | WB                     |
| Anti-RIP/RIPK1 Antibody                      | BPAB3143 | Receptor-interacting serine/threonine-protein kinase 1             | Reacts with: human                           | WB                     |
| Anti-RIP140/NRIP1 Antibody                   | BPAB3144 | Nuclear receptor-interacting protein 1                             | Reacts with: mouse, ratPredicted to work wi  | WB                     |
| Anti-RIP2/RIPK2 Antibody                     | BPAB3145 | Receptor-interacting serine/threonine-protein kinase 2             | Reacts with: human, ratPredicted to work wi  | WB                     |
| Anti-RIP3/RIPK3 Antibody                     | BPAB3146 | Receptor-interacting serine/threonine-protein kinase 3             | Reacts with: human                           | WB                     |
| Anti-RMI2 Antibody                           | BPAB3147 | RecQ-mediated genome instability protein 2                         | Reacts with: human, mouse, rat               | WB,IHC-P               |
| Anti-RNA polymerase II RPB1/POLR2A Antibody  | BPAB3148 | DNA-directed RNA polymerase II subunit RPB1                        | Reacts with: human, mouse, rat               | IHC-P,Direct ELISA     |
|  | BPAB3149 |  |  |                        |
| Anti-RND1 Antibody                           | BPAB3150 | Rho-related GTP-binding protein Rho6                               | Reacts with: mousePredicted to work with: h  | WB                     |
| Anti-RNF123 Antibody                         | BPAB3804 | E3 ubiquitin-protein ligase RNF123                                 | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA  |
| Anti-RNF169 Antibody                         | BPAB3853 | E3 ubiquitin-protein ligase RNF169                                 | Reacts with: human, mouse, rat               | WB,IHC-P,Direct ELISA  |
| Anti-RNF186 Antibody                         | BPAB3151 | RING finger protein 186  | Reacts with: human                           | WB,Direct ELISA        |
| Anti-RNF31/HOIP Antibody                     | BPAB3852 | E3 ubiquitin-protein ligase RNF31                                  | Reacts with: human, mouse, rat               | WB,Direct ELISA        |
| Anti-RNF43 Antibody                          | BPAB3154 | E3 ubiquitin-protein ligase RNF43                                  | Reacts with: human, mouse, rat               | WB,Direct ELISA        |
| Anti-ROC1/RBX1 Antibody                      | BPAB3156 | E3 ubiquitin-protein ligase RBX1                                   | Reacts with: mouse, ratPredicted to work wi  | WB                     |
| Anti-ROCK2 Antibody                          | BPAB3157 | Rho-associated protein kinase 2                                    | Reacts with: human, ratPredicted to work wi  | WB,IHC-P               |
| Anti-ROCK2 Antibody                          | BPAB3158 | Rho-associated protein kinase 2                                    | Reacts with: human, mouse, rat               | WB,IHC-P               |
|  | BPAB3159 |  |  |                        |
|  | BPAB3160 |  |  |                        |
|  | BPAB3161 |  |  |                        |

|   |          |  |   |  |
|---|----------|--|---|--|
| Anti-ROBO1 Antibody                                 | BPAB3854 | Roundabout homolog 1   | Reacts with: human, mouse, rat              | WB,Direct ELISA                        |
| Anti-RP2 Antibody                                   | BPAB3162 | Protein XRP2   | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA                  |
| Anti-RPA70 Antibody (monoclonal, 11H4)              | BPAB3164 | Replication protein A 70 kDa DNA-binding subunit                   | Reacts with: human, mouse, monkey           | WB,IHC-P,IF,FCM                        |
| Anti-RPA70/RPA1 Antibody                            | BPAB3165 | Replication protein A 70 kDa DNA-binding subunit                   | Reacts with: human                          | WB                                     |
| Anti-RPGR Antibody                                  | BPAB3166 | X-linked retinitis pigmentosa GTPase regulator                     | Reacts with: human, mouse, rat              | WB,Direct ELISA                        |
| Anti-RPL19 Antibody                                 | BPAB3167 | 60S ribosomal protein L19  | Reacts with: human, mouse, rat              | WB                                     |
| Anti-RPS3 Antibody                                  | BPAB3168 | 40S ribosomal protein S3   | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-RPS6 Antibody                                  | BPAB3169 | 40S ribosomal protein S6   | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-RPS6 Antibody (monoclonal, 2H7)                | BPAB3170 | 40S ribosomal protein S6   | Reacts with: human, mouse, rat              | WB,IHC-P,ICC/IF,FCM                    |
| Anti-RRBP1 Antibody                                 | BPAB3171 | Ribosome-binding protein 1   | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM                 |
| Anti-RRM2 Antibody                                  | BPAB3172 | Ribonucleoside-diphosphate reductase subunit M2                    | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-RSK1 p90/RPS6KA1 Antibody                      | BPAB3173 | Ribosomal protein S6 kinase alpha-1                                | Reacts with: humanPredicted to work with: r | WB                                     |
| Anti-RSK3/RPS6KA2 Antibody                          | BPAB3174 | Ribosomal protein S6 kinase alpha-2                                | Reacts with: human, mouse, rat              | WB,IHC-P,ICC/IF,Direct ELISA           |
| Anti-RTKL1 Antibody                                 | BPAB3175 | Regulator of telomere elongation helicase 1                        | Reacts with: human, mouse, rat              | WB,Direct ELISA                        |
| Anti-RTN3 Antibody                                  | BPAB3176 | Reticulon-3  | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-RUNX1/AML1 Antibody                            | BPAB3177 | Runt-related transcription factor 1                                | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-RUNX1T1/ETO Antibody                           | BPAB3178 | Protein CBFA2T1  | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA    |
| Anti-RUNX2 Antibody                                 | BPAB3179 | Runt-related transcription factor 2                                | Reacts with: human, ratPredicted to work wi | WB                                     |
| Anti-RUNX2 Antibody                                 | BPAB3180 | Runt-related transcription factor 2                                | Reacts with: human                          | WB                                     |
| Anti-RUNX3 Antibody                                 | BPAB3181 | Runt-related transcription factor 3                                | Reacts with: mouse, rat                     | WB                                     |
| Anti-RUNX3 Antibody                                 | BPAB3182 | Runt-related transcription factor 3                                | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-S-100(beta-subunit) Antibody (monoclonal, SH-E | BPAB3183 | Protein S100-B   | Human, rabbit, rat                          | IHC-P                                  |
| Anti-S100 alpha 6/S100A6 Antibody                   | BPAB3184 | Protein S100-A6  | Reacts with: human, mouse, rat              | WB,IHC-P,ICC                           |
| Anti-S100 beta/S100B Antibody                       | BPAB3185 | Protein S100-B   | Reacts with: human, ratPredicted to work wi | WB                                     |
| Anti-S100A10 Antibody                               | BPAB3186 | Protein S100-A10   | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM,IF,Direct ELISA |
| Anti-S100A11 Antibody                               | BPAB3187 | Protein S100-A11   | Reacts with: human                          | WB                                     |
| Anti-S100A9 Antibody                                | BPAB3188 | Protein S100-A9  | Reacts with: human                          | WB,IHC-P,ELISA                         |
| Anti-S100A9 Antibody                                | BPAB3189 | Protein S100-A9  | Reacts with: mouse, rat                     | WB,IHC-P,ELISA                         |
| Anti-Sacsin Antibody                                | BPAB3190 | Sacsin   | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA                  |
| Anti-SAE2/UBA2 Antibody                             | BPAB3191 | SUMO-activating enzyme subunit 2                                   | Reacts with: human, mouse, rat              | WB,IHC-P,ICC/IF,IHC-F,FCM,Direct ELISA |
| Anti-SAFB Antibody                                  | BPAB3192 | Scaffold attachment factor B1                                      | Reacts with: human                          | WB                                     |
| Anti-SAP102/DLG3 Antibody                           | BPAB3193 | Disks large homolog 3  | Reacts with: mouse, ratPredicted to work wi | WB,IHC-P                               |
| Anti-SAP97?/DLG1 Antibody                           | BPAB3194 | Disks large homolog 1  | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-SAPK4/MAPK13 Antibody                          | BPAB3195 | Mitogen-activated protein kinase 13                                | Reacts with: humanPredicted to work with: r | WB                                     |
| Anti-SAPK4/MAPK13 Antibody                          | BPAB3196 | Mitogen-activated protein kinase 13                                | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-SATB1 Antibody                                 | BPAB3197 | DNA-binding protein SATB1  | Reacts with: human, mouse, rat              | WB,IHC-F,ICC,FCM,Direct ELISA          |
| Anti-Sca1/Ly6A/E Antibody                           | BPAB3198 | Lymphocyte antigen 6A-2/6E-1                                       | Reacts with: mouse                          | WB                                     |
| Anti-Scavenging Receptor SR-BI/SCARB1 Antibody      | BPAB3199 | Scavenger receptor class B member 1                                | Reacts with: mouse, rat                     | WB,IHC-F,ICC,FCM                       |
| Anti-SCF/KITLG Antibody                             | BPAB3200 | Kit ligand   | Reacts with: human                          | WB,ELISA                               |
| Anti-SCF/KITLG Antibody                             | BPAB3201 | Kit ligand   | Reacts with: human                          | WB,IHC-P                               |
| Anti-SCF/KITLG Antibody                             | BPAB3202 | Kit ligand   | Reacts with: human, mouse, rat              | WB,IHC-P,ELISA(Cap)                    |
| Anti-SCLY Antibody                                  | BPAB3203 | Selenocysteine lyase   | Reacts with: Hu                             | WB                                     |
| Anti-Scn1a Antibody                                 | BPAB3204 | Sodium channel protein type 1 subunit alpha                        | Reacts with: human, mouse, rat              | WB                                     |
|   | BPAB3205 |  |   |  |
| Anti-SCN4B Antibody                                 | BPAB3206 | Sodium channel subunit beta-4                                      | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-SCP3/YCP3 Antibody                             | BPAB3207 | Synaptonemal complex protein 3                                     | Reacts with: human                          | WB                                     |
| Anti-SCRIBBLE Antibody                              | BPAB3208 | Protein scribble homolog   | Reacts with: human, mouse, rat              | WB,IHC-F,ICC,FCM,Direct ELISA          |
| Anti-SCTR Antibody                                  | BPAB3209 | Secretin receptor  | Reacts with: human, rat                     | WB                                     |
|   | BPAB3210 |  |   |  |
| Anti-SDHA Antibody                                  | BPAB3211 | Succinate dehydrogenase[ubiquinone] flavoprotein subunit, mitocho  | Reacts with: humanPredicted to work with: r | WB,IHC-P                               |
| Anti-SDHA Antibody                                  | BPAB3212 | Succinate dehydrogenase [ubiquinone] flavoprotein subunit, mitocho | Reacts with: human, ratPredicted to work wi | WB                                     |

|   |          |   |   |                       |
|---|----------|---|---|-----------------------|
| Anti-SDHA Antibody                                | BPAB3213 | Succinate dehydrogenase [ubiquinone] flavoprotein subunit, mitochondr | Reacts with: human, mouse, rat              | WB                    |
| Anti-SDHB Antibody                                | BPAB3214 | Succinate dehydrogenase[ubiquinone] iron-sulfur subunit, mitochondr   | Reacts with: human, ratPredicted to work wi | WB,IHC-P              |
| Anti-SDHB Antibody                                | BPAB3215 | Succinate dehydrogenase [ubiquinone] iron-sulfur subunit, mitochondr  | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA |
| Anti-SDHC Antibody                                | BPAB3216 | Succinate dehydrogenase cytochrome b560 subunit, mitochondrial        | Reacts with: human, ratPredicted to work wi | WB,IHC-P              |
| Anti-Secretogranin 3/SCG3 Antibody                | BPAB3217 | Secretogranin-3   | Reacts with: human, ratPredicted to work wi | WB,IHC-P,IHC-F,ICC    |
| Anti-SECTM1/Sectm1b Antibody                      | BPAB3218 | Secreted and transmembrane protein 1b                                 | Reacts with: mouse                          | WB                    |
| Anti-Securin/PTTG1 Antibody                       | BPAB3219 | Securin   | Reacts with: human                          | WB                    |
| Anti-Selenium Binding Protein 1/SELENBP1 Antibody | BPAB3220 | Selenium-binding protein 1  | Reacts with: human                          | WB,IHC-P              |
| Anti-Semaphorin 3A/SEMA3A Antibody                | BPAB3221 | Semaphorin-3A   | Reacts with: human                          | WB                    |
| Anti-Semaphorin 3A/SEMA3A Antibody                | BPAB3222 | Semaphorin-3A   | Reacts with: human, mouse, rat              | WB,Direct ELISA       |
| Anti-Semaphorin 3B/SEMA3B Antibody                | BPAB3856 | Semaphorin-3B   | Reacts with: human, mouse, rat              | WB,Direct ELISA       |
| Anti-Semaphorin 3C/SEMA3C Antibody                | BPAB3856 | Semaphorin-3C   | Reacts with: human, mouse, rat              | WB,Direct ELISA       |
| Anti-Semaphorin 3E/SEMA3E Antibody                | BPAB3806 | Semaphorin-3E   | Reacts with: human, mouse, rat              | WB,Direct ELISA       |
| Anti-SERCA1 ATPase/ATP2A1 Antibody                | BPAB3223 | Sarcoplasmic/endoplasmic reticulum calcium ATPase 1                   | Reacts with: mouse, ratPredicted to work wi | WB,IHC-P              |
| Anti-SERCA1 ATPase/ATP2A1 Antibody                | BPAB3227 | Sarcoplasmic/endoplasmic reticulum calcium ATPase 1(SERCA1/SR Ca      | Reacts with: human, ratPredicted to work wi | WB,IHC-P              |
| Anti-SERCA2 ATPase/ATP2A2 Antibody                | BPAB3228 | Sarcoplasmic/endoplasmic reticulum calcium ATPase 2                   | Reacts with: mouse, ratPredicted to work wi | WB,IHC-P              |
| Anti-SERCA2 ATPase/ATP2A2 Antibody                | BPAB3229 | Sarcoplasmic/endoplasmic reticulum calcium ATPase 2(SERCA2/SR Ca      | Reacts with: human, ratPredicted to work wi | WB,IHC-P              |
| Anti-SERCA3 ATPase/ATP2A3 Antibody                | BPAB3230 | Sarcoplasmic/endoplasmic reticulum calcium ATPase 3                   | Reacts with: mouse, ratPredicted to work wi | WB,IHC-P              |
| Anti-Serotonin transporter/SLC6A4 Antibody        | BPAB3231 | Sodium-dependent serotonin transporter                                | Reacts with: human, mouse                   | WB                    |
| Anti-Serotonin transporter/SLC6A4 Antibody        | BPAB3232 | Sodium-dependent serotonin transporter                                | Reacts with: human                          | WB                    |
| Anti-Serotonin transporter/SLC6A4 Antibody        | BPAB3233 | Sodium-dependent serotonin transporter                                | Reacts with: rat                            | WB,IHC-P              |
| Anti-Serotonin transporter/SLC6A4 Antibody        | BPAB3234 | Sodium-dependent serotonin transporter                                | Reacts with: human, rat                     | WB,IHC-P              |
| Anti-SerpinB2 Antibody                            | BPAB3235 | Plasminogen activator inhibitor 2                                     | Reacts with: human                          | WB,IHC-P              |
| Anti-Serum Amyloid P/APCS Antibody                | BPAB3236 | Serum amyloid P-component   | Reacts with: mouse                          | WB,IHC-P,ELISA        |
| Anti-Serum Amyloid P/APCS Antibody                | BPAB3237 | Serum amyloid P-component   | Reacts with: rat                            | WB,IHC-P              |
| Anti-Serum Amyloid P/APCS Antibody                | BPAB3238 | Serum amyloid P-component   | Reacts with: human                          | WB,IHC-P,Direct ELISA |
| Anti-Sex Hormone Binding Globulin/SHBG Antibody   | BPAB3239 | Sex hormone-binding globulin  | Reacts with: human                          | WB                    |
| Anti-SF2/SRSF1 Antibody                           | BPAB3240 | Serine/arginine-rich splicing factor 1                                | Reacts with: human, mouse, rat              | WB,IHC-P              |
| Anti-SF3B4 Antibody                               | BPAB3241 | Splicing factor 3B subunit 4  | Reacts with: human, mouse, rat              | WB,IHC-P              |
| Anti-SFRP1 Antibody                               | BPAB3242 | Secreted frizzled-related protein 1                                   | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA |
| Anti-SFRP2 Antibody                               | BPAB3243 | Secreted frizzled-related protein 2                                   | Reacts with: human                          | WB,ELISA              |
| Anti-SFRP4 Antibody                               | BPAB3244 | Secreted frizzled-related protein 4                                   | Reacts with: human, rat                     | WB                    |
| Anti-SFRP4 Antibody                               | BPAB3245 | Secreted frizzled-related protein 4                                   | Reacts with: human                          | WB,IHC-P,ELISA        |
| Anti-SFRS3/SRSF3 Antibody                         | BPAB3246 | Serine/arginine-rich splicing factor 3                                | Reacts with: human, mouse, rat              | WB                    |
| Anti-SFTPA1 Antibody                              | BPAB3247 | Pulmonary surfactant-associated protein A1(PSP-A/PSPA/SP-A/SP-A1      | Reacts with: human, rat                     | WB                    |
| Anti-SFTPA1 Antibody                              | BPAB3248 | Pulmonary surfactant-associated protein A                             | Reacts with: mouse, rat                     | WB,IHC-P              |
| Anti-SFTPA1/2 Antibody                            | BPAB3249 | Pulmonary surfactant-associated protein A1/Pulmonary surfactant-as    | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F        |
| Anti-SGK1 Antibody                                | BPAB3250 | Serine/threonine-protein kinase Sgk1                                  | Reacts with: human, mouse, rat              | WB,IHC-P,ICC          |
| Anti-SGK1 Antibody                                | BPAB3251 | Serine/threonine-protein kinase Sgk1                                  | Reacts with: human                          | WB                    |
| Anti-SGLT1/SLC5A1 Antibody                        | BPAB3252 | Sodium/glucose cotransporter 1  | Reacts with: human, ratPredicted to work wi | WB                    |
| Anti-SGLT2/SLC5A2 Antibody                        | BPAB3808 | Sodium/glucose cotransporter 2  | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA |
| Anti-SHANK3 Antibody                              | BPAB3253 | SH3 and multiple ankyrin repeat domains protein 3                     | Reacts with: mouse, ratPredicted to work wi | WB                    |
| Anti-SHC/SHC1 Antibody                            | BPAB3255 | SHC-transforming protein 1  | Reacts with: human, ratPredicted to work wi | WB,IHC-P,IHC-F,ICC    |
| Anti-SHC/SHC1 Antibody                            | BPAB3256 | SHC-transforming protein 1  | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F        |
| Anti-SHIP/INPP5D Antibody                         | BPAB3257 | Phosphatidylinositol 3,4,5-trisphosphate 5-phosphatase 1              | Reacts with: human, mouse, rat              | WB,IHC-P              |
| Anti-SHP2/PTPN11 Antibody                         | BPAB3258 | Tyrosine-protein phosphatase non-receptor type 11                     | Human, Mouse, Rat. No cross reactivity with | WB,IHC-P              |
| Anti-SHP2/PTPN11 Antibody                         | BPAB3259 | Tyrosine-protein phosphatase non-receptor type 11                     | Reacts with: human, mouse, rat              | WB,IHC-F,ICC,FCM      |
| Anti-SHP2/PTPN11 Antibody                         | BPAB3260 | Tyrosine-protein phosphatase non-receptor type 11                     | Reacts with: human, mouse, rat              | WB,IHC-P              |
| Anti-SHP2/PTPN11 Antibody (monoclonal, 2E6)       | BPAB3261 | Tyrosine-protein phosphatase non-receptor type 11                     | Reacts with: human, mouse, rat              | WB,IHC-P,ICC/IF,FCM   |
| Anti-SI Antibody                                  | BPAB3262 | Sucrase-isomaltase, intestinal  | Reacts with: human, mouse, rat              | WB,IHC-P              |
| Anti-SIAH Interacting Protein/CACYBP Antibody     | BPAB3263 | Calcyclin-binding protein   | Reacts with: human, mouse, rat              | WB,IHC-P              |



|   |          |  |  |                               |
|---|----------|--|--|-------------------------------|
| Anti-SIAH Interacting Protein/CACYBP Antibody | BPAB3264 | Calcyclin-binding protein(CacyBP/hCacyBP)                  | Reacts with: human, ratPredicted to work wi    | WB,IHC-P,ICC                  |
| Anti-SIDT1 Antibody                           | BPAB3265 | SID1 transmembrane family member 1                         | Reacts with: human                             | WB                            |
| Anti-SIRT1 Antibody                           | BPAB3266 | NAD-dependent protein deacetylase sirtuin-1                | Reacts with: human                             | WB                            |
|   | BPAB3267 |  |  |                               |
| Anti-SIRT2 Antibody                           | BPAB3268 | NAD-dependent protein deacetylase sirtuin-2                | Reacts with: human, mouse, rat                 | WB,IHC-P                      |
| Anti-SIRT3 Antibody                           | BPAB3269 | NAD-dependent protein deacetylase sirtuin-3, mitochondrial | Reacts with: human, rat                        | WB                            |
| Anti-SIRT4 Antibody                           | BPAB3270 | NAD-dependent protein lipoamidase sirtuin-4, mitochondrial | Reacts with: human, mouse, rat                 | WB,IHC-P                      |
| Anti-SIRT6 Antibody                           | BPAB3271 | NAD-dependent protein deacetylase sirtuin-6                | Reacts with: human, mouse                      | WB,IHC-P                      |
| Anti-SIRT7 Antibody                           | BPAB3272 | NAD-dependent protein deacetylase sirtuin-7                | Reacts with: human, mouse, rat                 | WB,IHC-P                      |
| Anti-SIX1 Antibody                            | BPAB3273 | Homeobox protein SIX1                                      | Reacts with: human                             | WB                            |
| Anti-Six3 Antibody                            | BPAB3274 | Homeobox protein SIX3                                      | Reacts with: mouse, ratPredicted to work wi    | WB                            |
| Anti-SKAP55/SKAP1 Antibody                    | BPAB3275 | Src kinase-associated phosphoprotein 1                     | Reacts with: human, rat                        | WB,IHC-P                      |
| Anti-SKP2 Antibody                            | BPAB3276 | S-phase kinase-associated protein 2                        | Reacts with: human, ratPredicted to work wi    | WB,IHC-P                      |
| Anti-SKP2 Antibody                            | BPAB3277 | S-phase kinase-associated protein 2                        | Reacts with: human, mouse, rat                 | WB                            |
| Anti-SLC10A1 Antibody                         | BPAB3278 | Sodium/bile acid cotransporter                             | Human, Mouse, Rat. No cross reactivity with WB |                               |
|   | BPAB3279 |  |  |                               |
| Anti-SLC10A1 Antibody                         | BPAB3280 | Sodium/bile acid cotransporter                             | Reacts with: human, ratPredicted to work wi    | WB,IHC-P                      |
| Anti-SLC10A1 Antibody                         | BPAB3281 | Sodium/bile acid cotransporter                             | Reacts with: human, mouse, rat                 | WB,IHC-P,IHC-F,ICC,FCM,IF     |
| Anti-SLC12A1 Antibody                         | BPAB3282 | Solute carrier family 12 member 1                          | Reacts with: ratPredicted to work with: hum    | WB,IHC-P,IHC-F                |
| Anti-SLC12A1 Antibody                         | BPAB3283 | Solute carrier family 12 member 1                          | Reacts with: human, mouse, rat                 | WB,IHC-P                      |
|   | BPAB3284 |  |  |                               |
| Anti-SLC12A3 Antibody                         | BPAB3285 | Solute carrier family 12 member 3                          | Reacts with: human, mouse, rat                 | WB,IHC-P,Direct ELISA         |
| Anti-SLC12A6 Antibody                         | BPAB3286 | Solute carrier family 12 member 6                          | Reacts with: humanPredicted to work with: r    | WB                            |
| Anti-SLC15A2 Antibody                         | BPAB3287 | Solute carrier family 15 member 2                          | Reacts with: mouse, ratPredicted to work wi    | WB                            |
|   | BPAB3288 |  |  |                               |
| Anti-SLC16A4 Antibody                         | BPAB3289 | Monocarboxylate transporter 5                              | Reacts with: human, ratPredicted to work wi    | WB,IHC-P                      |
| Anti-SLC19A1 Antibody                         | BPAB3290 | Folate transporter 1                                       | Reacts with: human                             | WB                            |
| Anti-SLC1A4 Antibody                          | BPAB3291 | Neutral amino acid transporter A                           | Reacts with: human, mouse, rat                 | WB,IHC-P                      |
| Anti-SLC22A1 Antibody                         | BPAB3292 | Solute carrier family 22 member 1                          | Reacts with: human                             | WB                            |
| Anti-SLC22A2 Antibody                         | BPAB3293 | Solute carrier family 22 member 2                          | Reacts with: mouse, ratPredicted to work wi    | WB,IHC-P                      |
|   | BPAB3294 |  |  |                               |
| Anti-SLC22A6 Antibody                         | BPAB3295 | Solute carrier family 22 member 6                          | Reacts with: human, rat                        | WB,IHC-P                      |
| Anti-SLC22A7 Antibody                         | BPAB3296 | Solute carrier family 22 member 7                          | Reacts with: human, ratPredicted to work wi    | WB                            |
| Anti-SLC26A4 Antibody                         | BPAB3297 | Pendrin  | Reacts with: human, mouse, rat                 | WB                            |
| Anti-SLC30A4 Antibody                         | BPAB3298 | Zinc transporter 4   | Reacts with: human, ratPredicted to work wi    | WB,IHC-P                      |
| Anti-SLC31A1/CTR1 Antibody                    | BPAB3299 | High affinity copper uptake protein 1                      | Reacts with: human, mouse, rat                 | WB                            |
| Anti-SLC34A2 Antibody                         | BPAB3300 | Sodium-dependent phosphate transport protein 2B            | Reacts with: human, mouse, rat                 | WB,IHC-P,IHC-F,ICC,FCM        |
| Anti-SLC7A3 Antibody                          | BPAB3301 | Cationic amino acid transporter 3                          | Reacts with: human                             | WB                            |
|   | BPAB3302 |  |  |                               |
| Anti-SLC9A2 Antibody                          | BPAB3303 | Sodium/hydrogen exchanger 2                                | Reacts with: human, ratPredicted to work wi    | WB,IHC-P                      |
| Anti-SLIT1 Antibody                           | BPAB3304 | Slit homolog 1 protein                                     | Reacts with: human, mouse, rat                 | WB                            |
| Anti-SLK Antibody                             | BPAB3305 | STE20-like serine/threonine-protein kinase                 | Reacts with: human, mouse, rat                 | WB,IHC-F,ICC,FCM,Direct ELISA |
| Anti-SLPI Antibody                            | BPAB3306 | Antileukoproteinase  | Reacts with: human                             | WB,IHC-P,Direct ELISA         |
| Anti-SLUG/SNAI2 Antibody                      | BPAB3307 | Zinc finger protein SNAI2                                  | Reacts with: human, mouse, rat                 | WB,IHC-P                      |
| Anti-SM22 alpha/TAGLN Antibody                | BPAB3308 | Transgelin   | Reacts with: human, mouse, rat                 | IHC-P                         |
| Anti-Smac/Diablo Antibody                     | BPAB3309 | Diablo homolog, mitochondrial                              | Reacts with: human, mouse, rat                 | WB,IHC-P,ELISA                |
| Anti-Smad Interacting Protein 1/ZEB2 Antibody | BPAB3310 | Zinc finger E-box-binding homeobox 2                       | Reacts with: humanPredicted to work with: r    | WB                            |
| Anti-Smad Interacting Protein 1/ZEB2 Antibody | BPAB3311 | Zinc finger E-box-binding homeobox 2                       | Reacts with: human, mouse, rat                 | WB,IHC-P,IHC-F,ICC,FCM        |
| Anti-Smad1 Antibody                           | BPAB3312 | Mothers against decapentaplegic homolog 1                  | Reacts with: human, ratPredicted to work wi    | WB,IHC-P,ICC                  |
| Anti-SMAD1 Antibody                           | BPAB3313 | Mothers against decapentaplegic homolog 1                  | Reacts with: human, mouse, rat                 | WB                            |
| Anti-SMAD1/SMAD2/SMAD3/SMAD5 Antibody         | BPAB3314 | Mothers against decapentaplegic homolog 1/2/3/5            | Reacts with: human, ratPredicted to work wi    | WB                            |

|   |          |  |   |  |
|---|----------|--|---|--|
| Anti-SMAD1/SMAD5 Antibody                               | BPAB3315 | Mothers against decapentaplegic homolog 1/5                              | Reacts with: human, mouse, rat              | WB                                     |
| Anti-Smad2 Antibody                                     | BPAB3316 | Mothers against decapentaplegic homolog 2                                | Reacts with: human, rat                     | Predicted to work with WB,IHC-P,ICC    |
| Anti-SMAD2 Antibody                                     | BPAB3358 | Mothers against decapentaplegic homolog 2                                | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA                  |
|   | BPAB3317 |  |   |  |
| Anti-SMAD2/3 Antibody                                   | BPAB3319 | Mothers against decapentaplegic homolog 2/3                              | Human, Mouse, Rat. No cross reactivity with | WB,IHC-P,IHC-F                         |
|   | BPAB3320 |  |   |  |
| Anti-Smad3 Antibody                                     | BPAB3321 | Mothers against decapentaplegic homolog 3                                | Reacts with: human                          | WB                                     |
| Anti-Smad4 Antibody                                     | BPAB3322 | Mothers against decapentaplegic homolog 4                                | Reacts with: human, rat                     | Predicted to work with WB,IHC-P        |
| Anti-Smad4 Antibody                                     | BPAB3323 | Mothers against decapentaplegic homolog 4                                | Reacts with: human, mouse, rat              | WB                                     |
| Anti-Smad4(DPC4) Antibody (monoclonal, DCS-46)          | BPAB3324 | Mothers against decapentaplegic homolog 4                                | Human                                       | WB,ICC                                 |
| Anti-SMAD5 Antibody                                     | BPAB3325 | Mothers against decapentaplegic homolog 5                                | Reacts with: human, rat                     | Predicted to work with WB,IHC-P        |
| Anti-SMARCAD1 Antibody                                  | BPAB3811 | SWI/SNF-related matrix-associated actin-dependent regulator of chromatin | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA                  |
|   | BPAB3326 |  |   |  |
|   | BPAB3328 |  |   |  |
| Anti-SMC3 Antibody                                      | BPAB3329 | Structural maintenance of chromosomes protein 3                          | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-SMC3 Antibody (monoclonal, 4C12)                   | BPAB3330 | Structural maintenance of chromosomes protein 3                          | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-SMC6L1 Antibody                                    | BPAB3331 | Structural maintenance of chromosomes protein 6                          | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM,IF,Direct ELISA |
| Anti-SMN1/2 Antibody                                    | BPAB3332 | Survival motor neuron protein  | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-SMN1/2 Antibody (monoclonal, 3D10)                 | BPAB3333 | Survival motor neuron protein  | Reacts with: human                          | WB,IHC-P,ICC                           |
| Anti-Smoothelin/SMTN Antibody                           | BPAB3334 | Smoothelin   | Reacts with: human, mouse                   | WB                                     |
| Anti-SMURF 2/SMURF2 Antibody                            | BPAB3335 | E3 ubiquitin-protein ligase SMURF2                                       | Reacts with: human, mouse, rat              | WB                                     |
| Anti-SMURF1 Antibody                                    | BPAB3336 | E3 ubiquitin-protein ligase SMURF1                                       | Reacts with: human, rat                     | WB                                     |
| Anti-SMYD3 Antibody                                     | BPAB3337 | Histone-lysine N-methyltransferase SMYD3                                 | Reacts with: human                          | WB,IHC-P                               |
| Anti-SNAI3 Antibody                                     | BPAB3338 | Zinc finger protein SNAI3  | Reacts with: human                          | WB                                     |
| Anti-SNAIL/SNAI1 Antibody                               | BPAB3339 | Zinc finger protein SNAI1  | Reacts with: human, mouse, rat              | WB                                     |
| Anti-SNAP23 Antibody                                    | BPAB3340 | Synaptosomal-associated protein 23(SNAP-23)                              | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC                     |
| Anti-SNAP25 Antibody                                    | BPAB3341 | Synaptosomal-associated protein 25(SNAP-25)                              | Reacts with: rat                            | Predicted to work with: human WB,IHC-P |
| Anti-SNAP25 Antibody                                    | BPAB3342 | Synaptosomal-associated protein 25                                       | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA                  |
| Anti-SNF5/SMARCB1 Antibody                              | BPAB3343 | SWI/SNF-related matrix-associated actin-dependent regulator of chromatin | Reacts with: human, rat                     | Predicted to work with WB,IHC-P        |
| Anti-SNRPN Antibody                                     | BPAB3344 | Small nuclear ribonucleoprotein-associated protein N(snRNP-N)            | Reacts with: human, rat                     | Predicted to work with WB,IHC-P,ICC    |
| Anti-SNRPN Antibody                                     | BPAB3345 | Small nuclear ribonucleoprotein-associated protein N                     | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-SNRPN Antibody (monoclonal, 6F12)                  | BPAB3346 | Small nuclear ribonucleoprotein-associated protein N                     | Reacts with: human, mouse, rat              | WB                                     |
| Anti-SOCS1 Antibody                                     | BPAB3347 | Suppressor of cytokine signaling 1(SOCS-1)                               | Reacts with: human, rat                     | Predicted to work with WB,IHC-P        |
| Anti-SOCS2 Antibody                                     | BPAB3348 | Suppressor of cytokine signaling 2(SOCS-2)                               | Reacts with: human, mouse, rat              | WB                                     |
| Anti-SOCS2 Antibody                                     | BPAB3349 | Suppressor of cytokine signaling 2                                       | Reacts with: human, rat                     | WB                                     |
| Anti-SOCS3 Antibody                                     | BPAB3350 | Suppressor of cytokine signaling 3(SOCS-3)                               | Reacts with: human                          | Predicted to work with: rat WB,IHC-P   |
| Anti-SOCS3 Antibody                                     | BPAB3351 | Suppressor of cytokine signaling 3                                       | Reacts with: human, rat                     | WB                                     |
| Anti-SOCS4 Antibody                                     | BPAB3352 | Suppressor of cytokine signaling 4                                       | Reacts with: human                          | WB                                     |
| Anti-SOD2 Antibody                                      | BPAB3353 | Superoxide dismutase[Mn], mitochondrial                                  | Reacts with: human, mouse, rat              | WB,IHC-P,ICC                           |
| Anti-SOD2 Antibody                                      | BPAB3354 | Superoxide dismutase [Mn], mitochondrial                                 | Reacts with: human, mouse                   | WB,IHC-P,ICC                           |
| Anti-Sodium/Hydrogen Exchanger 1/SLC9A1 Antibody        | BPAB3355 | Sodium/hydrogen exchanger 1  | Reacts with: human, mouse, rat              | WB,IHC-P                               |
| Anti-Solute carrier family 22 member 5/SLC22A5 Antibody | BPAB3356 | Solute carrier family 22 member 5  | Reacts with: mouse, rat                     | WB                                     |
| Anti-Somatostatin Receptor 1/SSTR1 Antibody             | BPAB3357 | Somatostatin receptor type 1(SS-1-R/SS1-R/SS1R)                          | Reacts with: rat                            | Predicted to work with: human WB,IHC-P |
| Anti-Somatostatin Receptor 2/SSTR2 Antibody             | BPAB3358 | Somatostatin receptor type 2(SS-2-R/SS2-R/SS2R)                          | Reacts with: rat                            | Predicted to work with: human WB       |
|   | BPAB3359 |  |   |  |
|   | BPAB3360 |  |   |  |
|   | BPAB3361 |  |   |  |
| Anti-Sonic Hedgehog/SHH Antibody                        | BPAB3362 | Sonic hedgehog protein   | Reacts with: human, rat                     | Predicted to work with WB,IHC-P        |
| Anti-SOX1 Antibody                                      | BPAB3363 | Transcription factor SOX-1   | Reacts with: mouse, rat                     | Predicted to work with WB              |
| Anti-SOX10 Antibody                                     | BPAB3364 | Transcription factor SOX-10  | Reacts with: human, mouse, rat              | WB                                     |
| Anti-SOX15 Antibody                                     | BPAB3860 | Protein SOX-15   | Reacts with: human, mouse, rat              | WB,IHC-P,ICC/IF,Direct ELISA           |

|   |          |   |   |                               |
|---|----------|---|---|-------------------------------|
| Anti-SOX2 Antibody                                  | BPAB3365 | Transcription factor SOX-2  | Reacts with: human, mouse, rat              | WB,IHC-P                      |
| Anti-SOX3 Antibody                                  | BPAB3367 | Transcription factor SOX-3  | Reacts with: human, mouse, rat              | WB                            |
| Anti-SOX4 Antibody                                  | BPAB3368 | Transcription factor SOX-4  | Reacts with: human, mouse                   | WB                            |
| Anti-SOX5 Antibody                                  | BPAB3369 | Transcription factor SOX-5  | Reacts with: human, mouse, rat, pig         | WB                            |
| Anti-SOX7 Antibody                                  | BPAB3370 | Transcription factor SOX-7  | Reacts with: human, mouse, rat              | WB                            |
| Anti-SOX9 Antibody                                  | BPAB3371 | Transcription factor SOX-9  | Reacts with: human, mouse, rat              | WB,Direct ELISA               |
| Anti-SOX9 Antibody                                  | BPAB3859 | Transcription factor SOX-9  | Reacts with: human, mouse, rat              | WB,IHC-P                      |
| Anti-SP1 Antibody                                   | BPAB3372 | Transcription factor Sp1  | Reacts with: human                          | WB                            |
|   | BPAB3374 |   |   |                               |
| Anti-SP1 Antibody                                   | BPAB3375 | Transcription factor Sp1  | Reacts with: human, mouse, rat              | WB,IHC-P,IF,Direct ELISA      |
| Anti-SP100 Antibody                                 | BPAB3376 | Nuclear autoantigen Sp-100  | Reacts with: human                          | WB                            |
| Anti-SP2 transcription factor Antibody              | BPAB3377 | Transcription factor Sp2  | Reacts with: human, rat                     | WB                            |
| Anti-SP3?Antibody                                   | BPAB3378 | Transcription factor Sp3  | Reacts with: human, mouse, rat              | WB,IHC-P                      |
| Anti-Sp5?Antibody                                   | BPAB3379 | Transcription factor Sp5  | Reacts with: human                          | WB,IHC-P                      |
| Anti-SP6 Antibody                                   | BPAB3380 | Transcription factor Sp6  | Reacts with: human, mouse, rat              | WB                            |
| Anti-SPARC Antibody                                 | BPAB3381 | SPARC   | Reacts with: human                          | WB,IHC-P                      |
| Anti-SPARC Antibody                                 | BPAB3382 | SPARC   | Reacts with: human                          | WB                            |
| Anti-SPARC Antibody                                 | BPAB3383 | SPARC   | Reacts with: human, mouse, rat              | WB                            |
| Anti-SPARC Antibody                                 | BPAB3384 | SPARC   | Reacts with: human, mouse, rat              | WB,Direct ELISA               |
| Anti-SPARCL1 Antibody                               | BPAB3385 | SPARC-like protein 1  | Reacts with: human, mouse, rat              | WB,IHC-P                      |
| Anti-SPARCL1 Antibody                               | BPAB3386 | SPARC-like protein 1  | Reacts with: human, mouse, rat              | WB,IHC-P                      |
| Anti-SPCS1 Antibody                                 | BPAB3861 | Signal peptidase complex subunit 1                                      | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA         |
| Anti-Spectrin(alpha and beta) Antibody (monoclonal, | BPAB3387 | Spectrin alpha chain, erythrocytic 1; Spectrin beta chain, erythrocytic | Human                                       | WB                            |
| Anti-SPHK1 Antibody                                 | BPAB3389 | Sphingosine kinase 1  | Reacts with: humanPredicted to work with: r | WB,IHC-P,ICC                  |
| Anti-SPHK2 Antibody                                 | BPAB3390 | Sphingosine kinase 2  | Reacts with: human, mouse, rat              | WB,IHC-F,ICC,FCM,Direct ELISA |
| Anti-splicing factor 1/SF1 Antibody                 | BPAB3391 | Splicing factor 1   | Reacts with: human, ratPredicted to work wi | WB,IHC-P,IHC-F,ICC            |
| Anti-splicing factor 1/SF1 Antibody                 | BPAB3392 | Splicing factor 1   | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA         |
| Anti-SPR Antibody                                   | BPAB3393 | Sepiapterin reductase   | Reacts with: human, mouse                   | WB,Direct ELISA               |
| Anti-SPTLC1 Antibody                                | BPAB3394 | Serine palmitoyltransferase 1   | Reacts with: human                          | WB,IHC-P                      |
| Anti-SPTLC1 Antibody                                | BPAB3395 | Serine palmitoyltransferase 1   | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC/IF,FCM     |
| Anti-SQSTM1/p62 Antibody                            | BPAB3396 | Sequestosome-1  | Reacts with: human, ratPredicted to work wi | WB,IHC-P,ICC                  |
| Anti-SQSTM1/p62 Antibody                            | BPAB3397 | Sequestosome-1  | Reacts with: human, mouse, monkey, rat      | WB,IHC-P,IHC-F,ICC,IF         |
| Anti-SR1/SRI Antibody                               | BPAB3398 | Sorcin  | Reacts with: human, rat                     | WB                            |
| Anti-Src Antibody                                   | BPAB3399 | Proto-oncogene tyrosine-protein kinase Src                              | Reacts with: human, ratPredicted to work wi | WB                            |
| Anti-Src Antibody                                   | BPAB3400 | Proto-oncogene tyrosine-protein kinase Src                              | Reacts with: human                          | WB,IHC-P                      |
|   | BPAB3401 |   |   |                               |
| Anti-SRCIN1 Antibody                                | BPAB3402 | SRC kinase signaling inhibitor 1  | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA         |
| Anti-SRI Antibody                                   | BPAB3403 | Sorcin  | Reacts with: human, mouse, rat              | WB,IHC-P                      |
| Anti-SRY Antibody                                   | BPAB3404 | Sex-determining region Y protein  | Reacts with: human                          | WB                            |
| Anti-SSH3BP1/ABI1 Antibody                          | BPAB3405 | Abl interactor 1  | Reacts with: human, ratPredicted to work wi | WB,IHC-P,ICC                  |
| Anti-SSH3BP1/ABI1 Antibody                          | BPAB3406 | Abl interactor 1  | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM        |
| Anti-SSR3 Antibody                                  | BPAB3407 | Translocon-associated protein subunit gamma(TRAP-gamma)                 | Reacts with: human, mouse, rat              | WB,IHC-P,ICC                  |
| Anti-SSX2 Antibody                                  | BPAB3408 | Protein SSX2  | Reacts with: human                          | WB,IHC-P                      |
| Anti-ST5 Antibody                                   | BPAB3409 | Suppression of tumorigenicity 5 protein                                 | Reacts with: human, mouse, rat              | WB                            |
| Anti-ST7 Antibody                                   | BPAB3410 | Suppressor of tumorigenicity 7 protein                                  | Reacts with: human                          | WB                            |
| Anti-STAM1 Antibody                                 | BPAB3411 | Signal transducing adapter molecule 1                                   | Reacts with: human, mouse, rat              | WB,Direct ELISA               |
| Anti-Stanniocalcin 1/STC1 Antibody                  | BPAB3412 | Stanniocalcin-1   | Reacts with: humanPredicted to work with: r | WB                            |
| Anti-Stanniocalcin 2/STC2 Antibody                  | BPAB3413 | Stanniocalcin-2   | Reacts with: human, ratPredicted to work wi | WB                            |
| Anti-STAR Antibody                                  | BPAB3414 | Steroidogenic acute regulatory protein, mitochondrial                   | Reacts with: human, mouse, rat              | WB                            |
| Anti-STAT1 Antibody                                 | BPAB3415 | Signal transducer and activator of transcription 1-alpha/beta           | Reacts with: human, mouse, rat              | WB                            |
| Anti-STAT1 Antibody                                 | BPAB3416 | Signal transducer and activator of transcription 1-alpha/beta           | Reacts with: human                          | WB                            |

|  |          |   |  |  |
|--|----------|---|--|--|
| Anti-STAT1 Antibody                                | BPAB3417 | Signal transducer and activator of transcription 1-alpha/beta | Reacts with: human, mouse, rat         | WB,IHC-P                               |
| Anti-STAT1 Antibody                                | BPAB3418 | Signal transducer and activator of transcription 1-alpha/beta | Reacts with: human, mouse, monkey, rat | WB,IHC-P,ICC/IF                        |
| Anti-STAT2 Antibody                                | BPAB3419 | Signal transducer and activator of transcription 2            | Reacts with: human                     | WB                                     |
| Anti-STAT2 Antibody                                | BPAB3420 | Signal transducer and activator of transcription 2            | Reacts with: human, mouse, rat         | WB                                     |
| Anti-STAT3 Antibody                                | BPAB3421 | Signal transducer and activator of transcription 3            | Reacts with: human, rat                | Predicted to work with: WB,IHC-P,ICC   |
|  | BPAB3422 |   |  |  |
| Anti-STAT3 Antibody                                | BPAB3423 | Signal transducer and activator of transcription 3            | Reacts with: human, mouse, rat         | WB                                     |
| Anti-STAT3 Antibody                                | BPAB3424 | Signal transducer and activator of transcription 3            | Reacts with: human, mouse, rat         | WB                                     |
| Anti-STAT4 Antibody                                | BPAB3425 | Signal transducer and activator of transcription 4            | Reacts with: human, rat                | Predicted to work with: WB             |
| Anti-STAT5a Antibody                               | BPAB3426 | Signal transducer and activator of transcription 5A           | Reacts with: human                     | WB                                     |
| Anti-STAT5b Antibody                               | BPAB3427 | Signal transducer and activator of transcription 5B           | Reacts with: human, rat                | Predicted to work with: WB,IHC-P       |
| Anti-STAT5b Antibody                               | BPAB3428 | Signal transducer and activator of transcription 5B           | Reacts with: human, rat                | WB                                     |
|  | BPAB3429 |   |  |  |
|  | BPAB3430 |   |  |  |
| Anti-STAT6 Antibody                                | BPAB3431 | Signal transducer and activator of transcription 6            | Reacts with: rat                       | Predicted to work with: human: WB      |
| Anti-Stathmin 1/STMN1 Antibody                     | BPAB3432 | Stathmin  | Reacts with: human, mouse, rat         | WB,IHC-P                               |
| Anti-Staufen/STAU1 Antibody                        | BPAB3433 | Double-stranded RNA-binding protein Staufen homolog 1         | Reacts with: human                     | WB                                     |
| Anti-Stefin B Antibody (monoclonal, 2B6)           | BPAB3434 | Cystatin-B  | Reacts with: human                     | WB,IHC-P,IHC-F,ICC,FCM                 |
| Anti-Stefin B/CSTB Antibody                        | BPAB3435 | Cystatin-B  | Reacts with: rat                       | Predicted to work with: mouse: WB      |
| Anti-Stefin B/CSTB Antibody                        | BPAB3436 | Cystatin-B  | Reacts with: human                     | WB,IHC-P                               |
| Anti-Stefin B/CSTB Antibody                        | BPAB3437 | Cystatin-B  | Reacts with: human                     | WB,IHC-P,ELISA                         |
| Anti-Steroid sulfatase/STS Antibody                | BPAB3438 | Steryl-sulfatase  | Reacts with: human, mouse, rat         | WB,Direct ELISA                        |
|  | BPAB3439 |   |  |  |
| Anti-STIM1 Antibody                                | BPAB3440 | Stromal interaction molecule 1                                | Reacts with: human, mouse, rat         | WB,IHC-P                               |
| Anti-STIP1 Antibody                                | BPAB3441 | Stress-induced-phosphoprotein 1                               | Reacts with: human, rat                | WB                                     |
| Anti-Stra8 Antibody                                | BPAB3442 | Protein Stra8   | Reacts with: rat                       | WB                                     |
| Anti-Stra8 Antibody                                | BPAB3443 | Stimulated by retinoic acid gene 8 protein homolog            | Reacts with: human                     | WB                                     |
| Anti-strogen Related Receptor gamma/ESRRG Antibody | BPAB3444 | Estrogen-related receptor gamma                               | Reacts with: human, mouse, rat         | WB,IHC-P,IHC-F,ICC/IF,FCM,Direct ELISA |
| Anti-STUB1 Antibody (monoclonal, 13I8)             | BPAB3445 | E3 ubiquitin-protein ligase CHIP                              | Reacts with: human, mouse, rat         | WB,IHC-P                               |
| Anti-STUB1/STUB1 Antibody                          | BPAB3446 | E3 ubiquitin-protein ligase CHIP                              | Reacts with: human, mouse, rat         | WB,IHC-P,Direct ELISA                  |
| Anti-STXBP2 Antibody                               | BPAB3447 | Syntaxin-binding protein 2                                    | Reacts with: human, mouse, rat         | WB                                     |
| Anti-SULT2A1 Antibody                              | BPAB3448 | Bile salt sulfotransferase                                    | Reacts with: human, mouse, rat         | WB,IHC-P                               |
| Anti-SULT2B1 Antibody                              | BPAB3449 | Sulfotransferase family cytosolic 2B member 1                 | Reacts with: human, rat                | WB,IHC-P                               |
| Anti-Sumo 1/SUMO1 Antibody                         | BPAB3450 | Small ubiquitin-related modifier 1                            | Reacts with: human, rat                | Predicted to work with: WB             |
| Anti-Superoxide Dismutase 1/SOD1 Antibody          | BPAB3451 | Superoxide dismutase[Cu-Zn]                                   | Reacts with: human, mouse, rat         | WB,IHC-P,IHC-F,ICC                     |
| Anti-Superoxide Dismutase 1/SOD1 Antibody          | BPAB3452 | Superoxide dismutase [Cu-Zn]                                  | Reacts with: human, mouse, rat         | WB                                     |
| Anti-Superoxide Dismutase 3/SOD3 Antibody          | BPAB3453 | Extracellular superoxide dismutase[Cu-Zn]                     | Reacts with: human                     | WB,IHC-P,IHC-F,ICC                     |
| Anti-Superoxide Dismutase 3/SOD3 Antibody          | BPAB3454 | Extracellular superoxide dismutase [Cu-Zn]                    | Reacts with: mouse                     | WB,IHC-P                               |
| Anti-Superoxide Dismutase 3/SOD3 Antibody          | BPAB3455 | Extracellular superoxide dismutase [Cu-Zn]                    | Reacts with: human                     | IHC-P                                  |
| Anti-Superoxide Dismutase 4/CCS Antibody           | BPAB3456 | Copper chaperone for superoxide dismutase                     | Reacts with: human, mouse, rat         | WB,IHC-P                               |
| Anti-SUR1/ABCC8 Antibody                           | BPAB3457 | ATP-binding cassette sub-family C member 8                    | Reacts with: human, mouse, rat         | WB,IHC-F,ICC,FCM                       |
| Anti-Surfactant protein D/SFTPD Antibody           | BPAB3458 | Pulmonary surfactant-associated protein D                     | Reacts with: human, rat                | WB,IHC-P,IHC-F,ICC,ELISA               |
| Anti-survivin/BIRC5 Antibody                       | BPAB3459 | Baculoviral IAP repeat-containing protein 5                   | Reacts with: human                     | WB,IHC-P,ELISA                         |
| Anti-Survivin/BIRC5 Antibody                       | BPAB3460 | Baculoviral IAP repeat-containing protein 5                   | Reacts with: mouse                     | WB                                     |
| Anti-survivin/BIRC5 Antibody                       | BPAB3461 | Baculoviral IAP repeat-containing protein 5                   | Reacts with: human                     | WB                                     |
| Anti-Survivin/BIRC5 Antibody                       | BPAB3462 | Baculoviral IAP repeat-containing protein 5                   | Reacts with: human                     | WB,ELISA                               |
| Anti-SYBL1/VAMP7 Antibody                          | BPAB3463 | Vesicle-associated membrane protein 7                         | Reacts with: human, rat                | WB                                     |
| Anti-Synapsin I/SYN1 Antibody                      | BPAB3464 | Synapsin-1  | Reacts with: human, mouse, rat         | WB,IHC-P                               |
| Anti-Synapsin II/SYN2 Antibody                     | BPAB3465 | Synapsin-2  | Reacts with: human, mouse, rat         | WB                                     |
| Anti-Synaptophysin Antibody (monoclonal, SVP-38)   | BPAB3466 | Synaptophysin   | Human, rat                             | WB,IHC-P,IHC-F                         |
| Anti-Synaptophysin/SYP Antibody                    | BPAB3467 | Synaptophysin   | Reacts with: mouse, rat                | Predicted to work with: WB             |

|  |          |   |   |                                     |
|--|----------|---|---|-------------------------------------|
| Anti-Synaptopodin/SYNPO Antibody           | BPAB3468 | Synaptopodin  | Reacts with: human, mouse                   | WB                                  |
|  | BPAB3469 |   |   |                                     |
| Anti-Synaptotagmin 1/SYT1 Antibody         | BPAB3470 | Synaptotagmin-1                                       | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-SynCAM/CADM1 Antibody                 | BPAB3471 | Cell adhesion molecule 1                              | Reacts with: human, ratPredicted to work wi | WB                                  |
| Anti-SynCAM/CADM1 Antibody                 | BPAB3472 | Cell adhesion molecule 1                              | Reacts with: human, mouse, rat              | WB                                  |
| Anti-Syndecan 2/SDC2 Antibody              | BPAB3473 | Syndecan-2  | Reacts with: human                          | WB,IHC-P,IHC-F                      |
| Anti-Syndecan 3/SDC3 Antibody              | BPAB3474 | Syndecan-3  | Reacts with: human, ratPredicted to work wi | WB,IHC-P                            |
| Anti-Syndecan 4/SDC4 Antibody              | BPAB3475 | Syndecan-4  | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-Syndecan-1/SDC1 Antibody              | BPAB3476 | Syndecan-1  | Reacts with: human                          | WB                                  |
| Anti-Syndecan-1/SDC1 Antibody              | BPAB3477 | Syndecan-1  | Reacts with: human                          | WB                                  |
| Anti-Syntaxin 1a/STX1A Antibody            | BPAB3478 | Syntaxin-1A   | Reacts with: human, mouse, rat              | WB                                  |
| Anti-Syntenin/SDCBP Antibody               | BPAB3805 | Syntenin-1  | Reacts with: human, mouse, rat              | WB,Direct ELISA                     |
| Anti-T-bet/Tbx21 Antibody                  | BPAB3479 | T-box transcription factor TBX21                      | Reacts with: human, ratPredicted to work wi | WB                                  |
| Anti-TAB1 Antibody                         | BPAB3481 | TGF-beta-activated kinase 1/MAP3K7-binding protein 1  | Reacts with: human, mouse, rat              | WB                                  |
| Anti-TAB1 Antibody                         | BPAB3482 | TGF-beta-activated kinase 1/MAP3K7-binding protein 1  | Reacts with: human, rat                     | WB                                  |
|  | BPAB3483 |   |   |                                     |
| Anti-TACC1 Antibody                        | BPAB3484 | Transforming acidic coiled-coil-containing protein 1  | Reacts with: human, mouse                   | WB                                  |
| Anti-TACI/TNFRSF13B Antibody               | BPAB3485 | Tumor necrosis factor receptor superfamily member 13B | Reacts with: human                          | WB,ELISA(Cap)                       |
| Anti-TAF12 Antibody                        | BPAB3486 | Transcription initiation factor TFIID subunit 12      | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-Tafazzin/TAZ Antibody                 | BPAB3487 | Tafazzin  | Reacts with: human, ratPredicted to work wi | WB                                  |
| Anti-TAK1/MAP3K7 Antibody                  | BPAB3488 | Mitogen-activated protein kinase kinase kinase 7      | Reacts with: human, mouse, rat              | WB                                  |
| Anti-Tal1 Antibody                         | BPAB3489 | T-cell acute lymphocytic leukemia protein 1           | Reacts with: human, mouse, rat              | WB,Direct ELISA                     |
| Anti-Talin 1/TLN1 Antibody                 | BPAB3490 | Talin-1   | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-Talin 2/TLN2 Antibody                 | BPAB3491 | Talin-2   | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-Talin Antibody (monoclonal, 8d4)      | BPAB3492 | Talin-1; Talin-2                                      | Human, mouse, rat, chicken                  | WB                                  |
| Anti-TANK Antibody                         | BPAB3493 | TRAF family member-associated NF-kappa-B activator    | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-TAP1 Antibody                         | BPAB3494 | Antigen peptide transporter 1                         | Reacts with: human                          | WB,IHC-P                            |
|  | BPAB3495 |   |   |                                     |
| Anti-TAP2 Antibody                         | BPAB3496 | Antigen peptide transporter 2                         | Reacts with: human                          | WB                                  |
| Anti-TAPA1/CD81 Antibody                   | BPAB3497 | CD81 antigen  | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA |
| Anti-TAPA1/Cd81 Antibody                   | BPAB3498 | CD81 antigen  | Reacts with: mouse, rat                     | WB,IHC-F,ICC,FCM,Direct ELISA       |
| Anti-TARC/CCL17 Antibody                   | BPAB3499 | C-C motif chemokine 17                                | Reacts with: mouse                          | WB,ELISA                            |
| Anti-TATA binding protein TBP Antibody     | BPAB3500 | TATA-box-binding protein                              | Reacts with: humanPredicted to work with: r | WB                                  |
|  | BPAB3501 |   |   |                                     |
| Anti-TATA binding protein TBP Antibody     | BPAB3502 | TATA-box-binding protein                              | Reacts with: mouse, rat                     | WB,Direct ELISA                     |
| Anti-Tau Antibody (monoclonal, TAU-2)      | BPAB3503 | Microtubule-associated protein tau                    | Human, bovine                               | WB,IHC-P                            |
| Anti-Tau/MAPT Antibody                     | BPAB3504 | Microtubule-associated protein tau                    | Reacts with: human, mouse, rat              | WB                                  |
|  | BPAB3505 |   |   |                                     |
| Anti-TBR2/Eomes Antibody                   | BPAB3506 | Eomesodermin homolog                                  | Reacts with: human, mouse, rat              | WB,Direct ELISA                     |
| Anti-TBX5 Antibody                         | BPAB3507 | T-box transcription factor TBX5                       | Reacts with: human, mouse, rat              | WB                                  |
| Anti-TCF7 Antibody                         | BPAB3508 | Transcription factor 7                                | Reacts with: human, mouse                   | WB                                  |
| Anti-TCF7L1 Antibody                       | BPAB3509 | Transcription factor 7-like 1                         | Reacts with: human                          | WB,IHC-P                            |
| Anti-TCP1 alpha Antibody                   | BPAB3510 | T-complex protein 1 subunit alpha                     | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-TCP1 alpha Antibody (monoclonal, 2E7) | BPAB3511 | T-complex protein 1 subunit alpha                     | Reacts with: human                          | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-TCP1 beta/CCT2 Antibody               | BPAB3512 | T-complex protein 1 subunit beta                      | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC/IF,FCM           |
| Anti-TCP1 delta/CCT4 Antibody              | BPAB3513 | T-complex protein 1 subunit delta                     | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-TCP1 epsilon/CCT5 Antibody            | BPAB3514 | T-complex protein 1 subunit epsilon                   | Reacts with: human, mouse, rat              | WB,IHC-P,ICC                        |
| Anti-TCP1 eta/CCT7 Antibody                | BPAB3515 | T-complex protein 1 subunit eta                       | Reacts with: human, mouse, rat              | WB,ICC/IF,Direct ELISA              |
| Anti-TCP1 theta/CCT8 Antibody              | BPAB3516 | T-complex protein 1 subunit theta                     | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC/IF,FCM           |
| Anti-TCPTP/PTPN2 Antibody                  | BPAB3517 | Tyrosine-protein phosphatase non-receptor type 2      | Reacts with: human, rat                     | WB,IHC-P                            |
| Anti-TCR alpha/TRAC Antibody               | BPAB3518 | T-cell receptor alpha chain C region                  | Reacts with: human, mouse, rat              | WB,IHC-F,ICC,FCM,Direct ELISA       |

|  |          |   |   |                           |
|--|----------|---|---|---------------------------|
| Anti-SPCS1 Antibody                        | BPAB3861 | Signal peptidase complex subunit 1                              | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA     |
| Anti-TDRD3 Antibody                        | BPAB3862 | Tudor domain-containing protein 3                               | Reacts with: human, mouse, rat              | WB,IHC-P,IF               |
| Anti-TdT/DNTT Antibody                     | BPAB3519 | DNA nucleotidylexotransferase                                   | Reacts with: human                          | WB                        |
| Anti-TdT/DNTT Antibody                     | BPAB3522 | DNA nucleotidylexotransferase                                   | Reacts with: human                          | WB                        |
| Anti-Tec Antibody                          | BPAB3523 | Tyrosine-protein kinase Tec                                     | Reacts with: human, ratPredicted to work wi | WB,IHC-P                  |
| Anti-Tec Antibody                          | BPAB3524 | Tyrosine-protein kinase Tec                                     | Reacts with: human, mouse, rat              | WB                        |
| Anti-TECTA Antibody                        | BPAB3525 | Alpha-tectorin  | Reacts with: human, mouse, rat              | WB,IHC-P                  |
| Anti-Telomerase/TERT Antibody              | BPAB3526 | Telomerase reverse transcriptase                                | Reacts with: mouse, rat                     | WB                        |
| Anti-Tenascin Antibody (monoclonal, BC-24) | BPAB3527 | Tenascin-N  | Human                                       | WB,IHC-P,IHC-F,ICC        |
|  | BPAB3528 |   |   |                           |
| Anti-TFF2 Antibody                         | BPAB3529 | Trefoil factor 2  | Reacts with: mouse, rat                     | WB,IHC-P,Direct ELISA     |
| Anti-TFF2 Antibody                         | BPAB3530 | Trefoil factor 2  | Reacts with: mouse, rat                     | WB,IHC-P,Direct ELISA     |
| Anti-TFF3 Antibody                         | BPAB3531 | Trefoil factor 3  | Reacts with: mouse, rat                     | WB,IHC-P,Direct ELISA     |
| Anti-TFF3 Antibody                         | BPAB3532 | Trefoil factor 3  | Reacts with: mouse, rat                     | WB,IHC-P,Direct ELISA     |
| Anti-TFPI Antibody                         | BPAB3533 | Tissue factor pathway inhibitor                                 | Reacts with: human                          | WB,IHC-P                  |
| Anti-TFPI Antibody                         | BPAB3534 | Tissue factor pathway inhibitor                                 | Reacts with: human                          | WB                        |
| Anti-TFPI2 Antibody                        | BPAB3535 | Tissue factor pathway inhibitor 2(TFPI-2)                       | Reacts with: human                          | WB,IHC-P                  |
| Anti-TFPI2 Antibody                        | BPAB3536 | Tissue factor pathway inhibitor 2                               | Reacts with: human, mouse                   | WB,IHC-P                  |
| Anti-TGF alpha/TGFA Antibody               | BPAB3537 | Protransforming growth factor alpha                             | Reacts with: humanPredictated to work with: | WB                        |
| Anti-TGF beta 2/TGFB2 Antibody             | BPAB3538 | Transforming growth factor beta-2                               | Reacts with: human, mouse, rat              | WB                        |
| Anti-TGF beta Receptor I/TGFB1 Antibody    | BPAB3539 | TGF-beta receptor type-1(TGFR-1)                                | Reacts with: human, ratPredicted to work wi | WB,IHC-P                  |
| Anti-TGF beta Receptor I/TGFB1 Antibody    | BPAB3540 | TGF-beta receptor type-1  | Reacts with: human                          | WB                        |
| Anti-TGF beta Receptor I/TGFB1 Antibody    | BPAB3541 | TGF-beta receptor type-1  | Reacts with: human, mouse, rat              | WB                        |
| Anti-TGF beta Receptor II/TGFB2 Antibody   | BPAB3542 | TGF-beta receptor type-2(TGFR-2)                                | Reacts with: humanPredicted to work with: r | WB                        |
| Anti-TGF beta Receptor II/TGFB2 Antibody   | BPAB3543 | TGF-beta receptor type-2  | Reacts with: human                          | WB                        |
| Anti-TGM1 Antibody                         | BPAB3544 | Protein-glutamine gamma-glutamyltransferase K                   | Reacts with: human, ratPredicted to work wi | WB                        |
| Anti-Thioredoxin/TRX/Txn Antibody          | BPAB3545 | Thioredoxin   | Reacts with: mouse, rat                     | WB,IHC-P,ICC,Direct ELISA |
| Anti-Thrombin Receptor/F2R Antibody        | BPAB3546 | Proteinase-activated receptor 1                                 | Reacts with: human                          | WB,IHC-P                  |
| Anti-Thrombopoietin/THPO Antibody          | BPAB3547 | Thrombopoietin  | Reacts with: human                          | WB,ELISA                  |
| Anti-Thrombopoietin/Thpo Antibody          | BPAB3548 | Thrombopoietin  | Reacts with: mouse, rat                     | WB,IHC-P,ELISA            |
| Anti-Thrombopoietin/THPO Antibody          | BPAB3549 | Thrombopoietin  | Reacts with: mouse, rat                     | WB,Direct ELISA           |
| Anti-Thrombopoietin/THPO Antibody          | BPAB3550 | Thrombopoietin  | Reacts with: human, mouse, rat              | WB,ELISA(Cap)             |
| Anti-Thrombospondin 2/THBS2 Antibody       | BPAB3551 | Thrombospondin-2  | Reacts with: human                          | WB,IHC-P                  |
| Anti-Thrombospondin 2/THBS2 Antibody       | BPAB3552 | Thrombospondin-2  | Reacts with: human, mouse, rat              | WB                        |
| Anti-Thrombospondin/THBS1 Antibody         | BPAB3553 | Thrombospondin-1  | Reacts with: human                          | WB                        |
| Anti-Thrombospondin/THBS1 Antibody         | BPAB3554 | Thrombospondin-1  | Reacts with: human, mouse, rat              | WB,ELISA                  |
| Anti-Thymidine Kinase 1/TK1 Antibody       | BPAB3555 | Thymidine kinase, cytosolic                                     | Reacts with: human                          | WB                        |
| Anti-TIA1 Antibody                         | BPAB3556 | Nucleolysin TIA-1 isoform p40                                   | Reacts with: humanPredicted to work with: r | WB                        |
| Anti-TIAM1 Antibody                        | BPAB3557 | T-lymphoma invasion and metastasis-inducing protein 1           | Reacts with: human                          | WB                        |
| Anti-TIE2/TEK Antibody                     | BPAB3558 | Angiopoietin-1 receptor   | Reacts with: human                          | WB                        |
| Anti-TIE2/TEK Antibody                     | BPAB3559 | Angiopoietin-1 receptor   | Reacts with: human, mouse, rat              | WB,IHC-P                  |
| Anti-TIF1 gamma/TRIM33 Antibody            | BPAB3560 | E3 ubiquitin-protein ligase TRIM33                              | Reacts with: human                          | WB,IHC-P                  |
| Anti-TIM 1/HAVCR1 Antibody                 | BPAB3561 | Hepatitis A virus cellular receptor 1(HAVcr-1)                  | Reacts with: human                          | WB                        |
| Anti-TIM 1/HAVCR1 Antibody                 | BPAB3562 | Hepatitis A virus cellular receptor 1(HAVcr-1)                  | Reacts with: human                          | WB,IHC-P,ICC              |
| Anti-TIM 1/HAVCR1 Antibody                 | BPAB3563 | Hepatitis A virus cellular receptor 1 homolog(HAVcr-1)          | Reacts with: rat                            | WB,IHC-P,IHC-F            |
| Anti-TIM 1/HAVCR1 Antibody                 | BPAB3564 | Hepatitis A virus cellular receptor 1                           | Reacts with: human                          | WB,ELISA(Cap)             |
| Anti-TIM 3/HAVCR2 Antibody                 | BPAB3565 | Hepatitis A virus cellular receptor 2                           | Reacts with: human                          | WB,Direct ELISA           |
| Anti-TIMM17A Antibody                      | BPAB3566 | Mitochondrial import inner membrane translocase subunit Tim17-A | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM    |
| Anti-TIMP1 Antibody                        | BPAB3567 | Metalloproteinase inhibitor 1                                   | Reacts with: human                          | WB,IHC-P                  |
|  | BPAB3568 |   |   |                           |
|  | BPAB3569 |   |   |                           |

|  |          |   |  |                                     |
|--|----------|---|--|-------------------------------------|
| Anti-TIMP1 Antibody                    | BPAB3570 | Metalloproteinase inhibitor 1                                   | Reacts with: human, mouse, rat               | WB,Direct ELISA                     |
| Anti-TIMP2 Antibody                    | BPAB3571 | Metalloproteinase inhibitor 2                                   | Reacts with: humanPredicted to work with: r  | IHC-P,ELISA                         |
| Anti-TIMP2 Antibody                    | BPAB3572 | Metalloproteinase inhibitor 2                                   | Reacts with: human, mouse, rat               | WB                                  |
| Anti-TIMP3 Antibody                    | BPAB3573 | Metalloproteinase inhibitor 3                                   | Reacts with: humanPredicted to work with: r  | WB,ELISA                            |
| Anti-TIMP3 Antibody                    | BPAB3574 | Metalloproteinase inhibitor 3                                   | Reacts with: human, mouse, rat               | WB,ELISA                            |
| Anti-TIMP3 Antibody                    | BPAB3575 | Metalloproteinase inhibitor 3                                   | Reacts with: human, mouse, rat               | WB,ELISA                            |
| Anti-TIMP4 Antibody                    | BPAB3576 | Metalloproteinase inhibitor 4                                   | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                            |
| Anti-TIMP4 Antibody                    | BPAB3577 | Metalloproteinase inhibitor 4                                   | Reacts with: human                           | WB,ELISA                            |
| Anti-TIMP4 Antibody                    | BPAB3578 | Metalloproteinase inhibitor 4                                   | Reacts with: human, mouse, rat               | WB,IHC-P,ELISA                      |
| Anti-Tissue Factor/F3 Antibody         | BPAB3579 | Tissue factor   | Reacts with: human                           | WB                                  |
| Anti-Tissue Factor/F3 Antibody         | BPAB3580 | Tissue factor   | Reacts with: mouse                           | WB                                  |
| Anti-TJP2 Antibody                     | BPAB3581 | Tight junction protein ZO-2                                     | Reacts with: human                           | WB,IHC-P,IHC-F                      |
| Anti-TJP2 Antibody                     | BPAB3582 | Tight junction protein ZO-2                                     | Reacts with: mouse, rat                      | WB,IHC-P                            |
| Anti-TL1A/TNFSF15 Antibody             | BPAB3583 | Tumor necrosis factor ligand superfamily member 15              | Reacts with: human, mouse, rat               | WB,IHC-P,ELISA(Cap)                 |
| Anti-TLR1 Antibody                     | BPAB3584 | Toll-like receptor 1  | Reacts with: human                           | WB                                  |
| Anti-TLR1 Antibody                     | BPAB3585 | Toll-like receptor 1  | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA |
| Anti-TLR10 Antibody                    | BPAB3586 | Toll-like receptor 10   | Reacts with: human                           | WB                                  |
|  | BPAB3587 |   |  |                                     |
| Anti-TLR2 Antibody                     | BPAB3588 | Toll-like receptor 2  | Reacts with: mouse, ratPredicted to work wit | WB                                  |
| Anti-TLR3 Antibody                     | BPAB3589 | Toll-like receptor 3  | Reacts with: humanPredicted to work with: r  | WB                                  |
| Anti-TLR3 Antibody                     | BPAB3590 | Toll-like receptor 3  | Reacts with: human, mouse, rat               | WB,Direct ELISA                     |
| Anti-TLR4 Antibody                     | BPAB3591 | Toll-like receptor 4  | Reacts with: human                           | WB,IHC-P                            |
| Anti-TLR5 Antibody                     | BPAB3592 | Toll-like receptor 5  | Reacts with: human                           | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-TLR7 Antibody                     | BPAB3593 | Toll-like receptor 7  | Reacts with: human, ratPredicted to work wi  | WB,IHC-P                            |
| Anti-TLR7 Antibody                     | BPAB3594 | Toll-like receptor 7  | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-TLR8 Antibody                     | BPAB3595 | Toll-like receptor 8  | Reacts with: human, rat                      | WB                                  |
| Anti-TLR8 Antibody                     | BPAB3596 | Protein Tlr8  | Reacts with: ratPredicted to work with: mou  | WB                                  |
| Anti-TLS/FUS Antibody                  | BPAB3597 | RNA-binding protein FUS   | Reacts with: human, mouse, rat               | WB                                  |
| Anti-TMEM107 Antibody                  | BPAB3598 | Transmembrane protein 107                                       | Reacts with: human                           | WB,IHC-P                            |
| Anti-TMEM166/EVA1A Antibody            | BPAB3599 | Protein eva-1 homolog A   | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM              |
| Anti-TMEM16A/ANO1 Antibody             | BPAB3600 | Anoctamin-1   | Reacts with: ratPredicted to work with: hum  | WB                                  |
| Anti-TMEM16A/ANO1 Antibody             | BPAB3601 | Anoctamin-1   | Reacts with: human, mouse, rat               | WB                                  |
| Anti-TMEM173 Antibody                  | BPAB3602 | Stimulator of interferon genes protein                          | Reacts with: human                           | WB,IHC-P                            |
| Anti-TMEM199 Antibody                  | BPAB3603 | Transmembrane protein 199                                       | Reacts with: human, mouse, rat               | WB,Direct ELISA                     |
| Anti-TMEM240 Antibody                  | BPAB3604 | Transmembrane protein 240                                       | Reacts with: human, mouse, rat               | WB                                  |
| Anti-TNF alpha Antibody                | BPAB3605 | Tumor necrosis factor   | Reacts with: human, mouse, rat               | WB,IHC-P,ICC/IF                     |
| Anti-TNF alpha Antibody                | BPAB3606 | Tumor necrosis factor   | Reacts with: rat                             | WB                                  |
| Anti-TNF alpha Antibody                | BPAB3607 | Tumor necrosis factor   | Reacts with: mouse                           | WB                                  |
| Anti-TNF alpha Antibody                | BPAB3608 | Tumor necrosis factor   | Reacts with: mouse                           | WB                                  |
| Anti-TNF alpha Antibody                | BPAB3609 | Tumor necrosis factor   | Reacts with: human                           | WB,ELISA(Cap)                       |
| Anti-TNF beta/LTA Antibody             | BPAB3610 | Lymphotoxin-alpha(LT-alpha)                                     | Reacts with: human                           | WB                                  |
| Anti-TNF beta/LTA Antibody             | BPAB3611 | Lymphotoxin-alpha(LT-alpha)                                     | Reacts with: human                           | WB                                  |
| Anti-TNF Receptor I/TNFRSF1A Antibody  | BPAB3612 | Tumor necrosis factor receptor superfamily member 1A            | Reacts with: human                           | WB,IHC-P                            |
| Anti-TNF Receptor I/TNFRSF1A Antibody  | BPAB3613 | Tumor necrosis factor receptor superfamily member 1A            | Reacts with: human, mouse, rat               | WB,IHC-P,IHC-F,ICC,FCM,ELISA(Cap)   |
| Anti-TNF Receptor II/TNFRSF1B Antibody | BPAB3614 | Tumor necrosis factor receptor superfamily member 1B            | Reacts with: human                           | WB,IHC-P                            |
| Anti-TNF Receptor II/TNFRSF1B Antibody | BPAB3615 | Tumor necrosis factor receptor superfamily member 1B            | Reacts with: mouse, rat                      | WB                                  |
| Anti-TNF Receptor II/TNFRSF1B Antibody | BPAB3616 | Tumor necrosis factor receptor superfamily member 1B            | Reacts with: human, rat                      | WB,IHC-F,ICC,FCM                    |
| Anti-TNF Receptor II/TNFRSF1B Antibody | BPAB3617 | Tumor necrosis factor receptor superfamily member 1B            | Reacts with: mouse, rat                      | WB,IHC-P                            |
| Anti-TNFAIP1 Antibody                  | BPAB3618 | BTB/POZ domain-containing adapter for CUL3-mediated RhoA degrac | Reacts with: human, ratPredicted to work wi  | WB,IHC-P,IHC-F,ICC                  |
| Anti-TNFAIP8L3 Antibody                | BPAB3619 | Tumor necrosis factor alpha-induced protein 8-like protein 3    | Reacts with: human                           | WB,IHC-P                            |
| Anti-TNFRSF14 Antibody                 | BPAB3620 | Tumor necrosis factor receptor superfamily member 14            | Reacts with: human                           | WB,ELISA                            |

|   |          |   |  |
|---|----------|---|--|
| Anti-TNFRSF18 Antibody                              | BPAB3621 | Tumor necrosis factor receptor superfamily member 18      | Reacts with: mouse, ratPredicted to work with: WB                    |
| Anti-TNFRSF18 Antibody                              | BPAB3622 | Tumor necrosis factor receptor superfamily member 18      | Reacts with: humanWB, Direct ELISA                                   |
| Anti-TNFRSF1A Antibody                              | BPAB3623 | Tumor necrosis factor receptor superfamily member 1A      | Reacts with: mousePredicted to work with: rWB                        |
| Anti-TNFRSF1A Antibody                              | BPAB3624 | Tumor necrosis factor receptor superfamily member 1A      | Reacts with: mouse, ratPredicted to work with: WB                    |
| Anti-TNFSF18 Antibody                               | BPAB3625 | Tumor necrosis factor ligand superfamily member 18        | Reacts with: humanWB, IHC-P, ELISA (Cap)                             |
|   | BPAB3626 |   |  |
| Anti-TNR Antibody                                   | BPAB3627 | Tenascin-R (TN-R)   | Reacts with: human, mouse, ratWB, IHC-P                              |
| Anti-TNXB Antibody                                  | BPAB3628 | Tenascin-X  | Reacts with: humanWB, IHC-P  |
| Anti-Tollip Antibody                                | BPAB3629 | Toll-interacting protein                                  | Reacts with: humanWB, IHC-P  |
| Anti-Topoisomerase I/TOP1 Antibody                  | BPAB3630 | DNA topoisomerase 1                                       | Reacts with: human, mouse, ratWB, Direct ELISA                       |
| Anti-Topoisomerase II alpha/TOP2A Antibody          | BPAB3631 | DNA topoisomerase 2-alpha                                 | Reacts with: humanWB   |
| Anti-TORC1/CRTC1 Antibody                           | BPAB3632 | CREB-regulated transcription coactivator 1                | Reacts with: human, ratWB  |
| Anti-TORC2/CRTC2 Antibody                           | BPAB3633 | CREB-regulated transcription coactivator 2                | Reacts with: humanWB   |
| Anti-TORC2/CRTC2 Antibody                           | BPAB3634 | CREB-regulated transcription coactivator 2                | Reacts with: human, mouse, ratWB                                     |
| Anti-TPA Tissue Plasminogen Activator/PLAT Antibody | BPAB3635 | Tissue-type plasminogen activator                         | Reacts with: human, mouseWB  |
| Anti-TPMT Antibody                                  | BPAB3636 | Thiopurine S-methyltransferase                            | Reacts with: human, mouse, ratWB, Direct ELISA                       |
| Anti-TPP1 Antibody                                  | BPAB3637 | Tripeptidyl-peptidase 1                                   | Reacts with: humanWB, IHC-P  |
| Anti-TPR Antibody                                   | BPAB3638 | Nucleoprotein TPR   | Reacts with: human, mouse, ratWB, IHC-P, IHC-F, ICC/IF, FCM          |
| Anti-TPX2 Antibody                                  | BPAB3639 | Targeting protein for Xklp2                               | Reacts with: human, mouse, ratWB, Direct ELISA                       |
| Anti-TRAF1 Antibody                                 | BPAB3640 | TNF receptor-associated factor 1                          | Reacts with: humanPredicted to work with: rWB                        |
| Anti-TRAF2 Antibody                                 | BPAB3641 | TNF receptor-associated factor 2                          | Reacts with: human, ratPredicted to work with: WB, IHC-P, ICC        |
| Anti-TRAF2 Antibody                                 | BPAB3642 | TNF receptor-associated factor 2                          | Reacts with: humanWB, IHC-P  |
| Anti-TRAF3 Antibody                                 | BPAB3643 | TNF receptor-associated factor 3                          | Reacts with: humanPredicted to work with: rWB                        |
| Anti-TRAF3 Antibody                                 | BPAB3644 | TNF receptor-associated factor 3                          | Reacts with: human, mouse, ratWB, Direct ELISA                       |
| Anti-TRAF4 Antibody                                 | BPAB3645 | TNF receptor-associated factor 4                          | Reacts with: human, mouse, ratWB, IHC-P                              |
| Anti-TRAF5 Antibody                                 | BPAB3646 | TNF receptor-associated factor 5                          | Reacts with: humanWB   |
| Anti-TRAF5 Antibody                                 | BPAB3647 | TNF receptor-associated factor 5                          | Reacts with: human, mouse, ratWB                                     |
|   | BPAB3648 |   |  |
|   | BPAB3649 |   |  |
| Anti-TRAIL/TNFSF10 Antibody                         | BPAB3650 | Tumor necrosis factor ligand superfamily member 10        | Reacts with: mouse, ratWB, IHC-P                                     |
|   | BPAB3651 |   |  |
| Anti-TRAIL/Tnfsf10 Antibody                         | BPAB3652 | Tumor necrosis factor ligand superfamily member 10        | Reacts with: mouse, ratWB  |
| Anti-TRAIL/TNFSF10 Antibody                         | BPAB3653 | Tumor necrosis factor ligand superfamily member 10        | Reacts with: humanWB, ELISA (Cap)                                    |
| Anti-TRAM1 Antibody                                 | BPAB3654 | Translocating chain-associated membrane protein 1         | Reacts with: human, ratPredicted to work with: WB, IHC-P, IHC-F, ICC |
| Anti-TRAM2 Antibody                                 | BPAB3655 | Translocating chain-associated membrane protein 2         | Reacts with: mousePredicted to work with: hWB                        |
| Anti-Transcription factor Sp4 Antibody              | BPAB3656 | Transcription factor Sp4                                  | Reacts with: human, ratPredicted to work with: WB                    |
| Anti-Transcription factor Sp4 Antibody              | BPAB3657 | Transcription factor Sp4                                  | Reacts with: human, mouse, ratWB                                     |
| Anti-Transferrin Receptor 2/TFR2 Antibody           | BPAB3658 | Transferrin receptor protein 2                            | Reacts with: mouse, ratWB  |
| Anti-Transferrin Receptor/TFRC Antibody             | BPAB3659 | Transferrin receptor protein 1                            | Reacts with: humanWB, IHC-P  |
| Anti-Transferrin/TF Antibody                        | BPAB3660 | Serotransferrin (Transferrin)                             | Reacts with: humanWB, IHC-P, ELISA                                   |
| Anti-Transferrin/TF Antibody                        | BPAB3661 | Serotransferrin   | Reacts with: human, mouse, ratWB, IHC-P                              |
| Anti-Transglutaminase 2/TGM2 Antibody               | BPAB3662 | Protein-glutamine gamma-glutamyltransferase 2             | Reacts with: human, ratWB, IHC-P, ICC                                |
| Anti-Transglutaminase 2/TGM2 Antibody               | BPAB3663 | Protein-glutamine gamma-glutamyltransferase 2             | Reacts with: human, mouse, ratWB, IHC-P, IHC-F                       |
| Anti-TRAP1 Antibody                                 | BPAB3664 | Heat shock protein 75 kDa, mitochondrial                  | Reacts with: human, ratWB, IHC-P                                     |
| Anti-TREM1 Antibody                                 | BPAB3665 | Triggering receptor expressed on myeloid cells 1 (TREM-1) | Reacts with: mouseWB, IHC-P  |
| Anti-TREM1 Antibody                                 | BPAB3666 | Triggering receptor expressed on myeloid cells 1          | Reacts with: humanWB, IHC-F, ICC, FCM                                |
| Anti-TREM1 Antibody                                 | BPAB3667 | Triggering receptor expressed on myeloid cells 1          | Reacts with: mouse, ratWB, ELISA (Cap)                               |
| Anti-TREML1 Antibody                                | BPAB3668 | Trem-like transcript 1 protein                            | Reacts with: humanWB, ELISA  |
| Anti-TREX1 Antibody                                 | BPAB3669 | Three-prime repair exonuclease 1                          | Reacts with: humanWB   |
| Anti-TREX2 Antibody                                 | BPAB3670 | Three prime repair exonuclease 2                          | Reacts with: humanWB   |
| Anti-TRF2/TERF2 Antibody                            | BPAB3671 | Telomeric repeat-binding factor 2                         | Reacts with: human, ratWB, IHC-P                                     |



|  |          |  |  |                       |
|--|----------|--|--|-----------------------|
| Anti-TRFP/MED20 Antibody                           | BPAB3672 | Mediator of RNA polymerase II transcription subunit 20               | Reacts with: human, mouse, rat                       | WB,Direct ELISA       |
| Anti-TRIB2 Antibody                                | BPAB3673 | Tribbles homolog 2   | Reacts with: human, mouse, rat                       | WB,IHC-P              |
| Anti-TRIF/TICAM1 Antibody                          | BPAB3674 | TIR domain-containing adapter molecule 1                             | Reacts with: mouse                                   | WB                    |
| Anti-TRIF/TICAM1 Antibody                          | BPAB3675 | TIR domain-containing adapter molecule 1                             | Reacts with: human                                   | WB,IHC-P,IHC-F        |
| Anti-TRIF/TICAM1 Antibody                          | BPAB3676 | TIR domain-containing adapter molecule 1                             | Reacts with: mouse                                   | WB                    |
| Anti-TRIM5 Antibody                                | BPAB3677 | Tripartite motif-containing protein 5                                | Reacts with: human                                   | WB,Direct ELISA       |
| Anti-TRIO Antibody                                 | BPAB3678 | Triple functional domain protein                                     | Reacts with: human, mouse, rat                       | WB                    |
| Anti-TrkA/NTRK1 Antibody                           | BPAB3679 | High affinity nerve growth factor receptor                           | Reacts with: human, mouse, rat                       | WB,IHC-P              |
| Anti-TrkA/NTRK1 Antibody                           | BPAB3680 | High affinity nerve growth factor receptor                           | Reacts with: human                                   | WB                    |
| Anti-TrkA/NTRK1 Antibody                           | BPAB3681 | High affinity nerve growth factor receptor                           | Reacts with: mouse, rat                              | WB                    |
| Anti-TrkA/NTRK1 Antibody                           | BPAB3682 | High affinity nerve growth factor receptor                           | Reacts with: human, mouse, rat                       | WB                    |
| Anti-TrkB/NTRK2 Antibody                           | BPAB3683 | BDNF/NT-3 growth factors receptor                                    | Reacts with: ratPredicted to work with: hum: WB      |                       |
| Anti-TrkB/NTRK2 Antibody                           | BPAB3684 | BDNF/NT-3 growth factors receptor                                    | Reacts with: mouse, ratPredicted to work wii WB      |                       |
| Anti-TrkB/NTRK2 Antibody                           | BPAB3685 | BDNF/NT-3 growth factors receptor                                    | Reacts with: human, mouse, rat                       | WB                    |
| Anti-TrkC/NTRK3 Antibody                           | BPAB3686 | NT-3 growth factor receptor  | Reacts with: human, mouse, rat                       | WB                    |
| Anti-TrkC/NTRK3 Antibody                           | BPAB3687 | NT-3 growth factor receptor  | Reacts with: human, mouse, rat                       | WB,IHC-P              |
| Anti-Tropomyosin(36/39 kDa) Antibody (monoclonal,  | BPAB3688 | Tropomyosin alpha-1 chain  | Human, mouse, rat, chicken                           | WB                    |
| Anti-Tropomyosin(36kD) Antibody (monoclonal, TM2   | BPAB3689 |  | Human, chicken, rabbit                               | WB,IHC-F              |
| Anti-Tropomyosin(Sarcomeric) Antibody (monoclonal, | BPAB3690 | Tropomyosin alpha-1 chain  | Human, rat, chicken                                  | WB,IHC-P,IHC-F        |
| Anti-Troponin T Antibody (monoclonal, JLT-12)      | BPAB3691 | Troponin T, slow skeletal muscle; Troponin T, cardiac muscle; Tropon | Rat, rabbit, chicken                                 | WB,IHC-P,IHC-F        |
| Anti-TRP 7/TRPC7 Antibody                          | BPAB3692 | Short transient receptor potential channel 7                         | Reacts with: human, mouse                            | WB                    |
| Anti-TRPC3 Antibody                                | BPAB3693 | Short transient receptor potential channel 3(TrpC3)                  | Reacts with: human, ratPredicted to work wi WB,IHC-P |                       |
| Anti-TRPC3 Antibody                                | BPAB3694 | Short transient receptor potential channel 3                         | Reacts with: mouse, ratPredicted to work wii WB      |                       |
| Anti-TRPC4 Antibody                                | BPAB3695 | Short transient receptor potential channel 4                         | Reacts with: human                                   | WB                    |
| Anti-TRPC4 Antibody                                | BPAB3696 | Short transient receptor potential channel 4                         | Reacts with: human, mouse, rat                       | WB                    |
| Anti-TRPC5 Antibody                                | BPAB3697 | Short transient receptor potential channel 5                         | Reacts with: human                                   | WB                    |
| Anti-TRPC5 Antibody                                | BPAB3812 | Short transient receptor potential channel 5                         | Reacts with: human, mouse, rat                       | WB,Direct ELISA       |
| Anti-TRPC6 Antibody                                | BPAB3698 | Short transient receptor potential channel 6(TrpC6)                  | Reacts with: human, ratPredicted to work wi WB,IHC-P |                       |
| Anti-TRPC6 Antibody                                | BPAB3700 | Short transient receptor potential channel 6                         | Reacts with: mouse, ratPredicted to work wii WB      |                       |
| Anti-TRPM1 Antibody                                | BPAB3701 | Transient receptor potential cation channel subfamily M member 1     | Reacts with: human                                   | WB                    |
|  | BPAB3702 |  |  |                       |
| Anti-TRPM4 Antibody                                | BPAB3703 | Transient receptor potential cation channel subfamily M member 4     | Reacts with: human, mouse                            | WB,IHC-P              |
| Anti-TRPM5 Antibody                                | BPAB3704 | Transient receptor potential cation channel subfamily M member 5     | Reacts with: human, mouse, rat                       | WB,IHC-P              |
| Anti-TRPM7 Antibody                                | BPAB3705 | Transient receptor potential cation channel subfamily M member 7     | Reacts with: human, mouse, rat                       | WB,Direct ELISA       |
| Anti-TRPM8 Antibody                                | BPAB3706 | Transient receptor potential cation channel subfamily M member 8     | Reacts with: human                                   | WB                    |
| Anti-TRPV3 Antibody                                | BPAB3707 | Transient receptor potential cation channel subfamily V member 3     | Reacts with: human                                   | WB                    |
| Anti-TRPV4 Antibody                                | BPAB3708 | Transient receptor potential cation channel subfamily V member 4     | Reacts with: humanPredicted to work with: r WB       |                       |
| Anti-TRPV5 Antibody                                | BPAB3709 | Transient receptor potential cation channel subfamily V member 5     | Reacts with: human, rat                              | WB                    |
|  | BPAB3710 |  |  |                       |
| Anti-Tryptophan Hydroxylase Antibody (monoclonal,  | BPAB3711 | Tryptophan 5-hydroxylase 1; Tryptophan 5-hydroxylase 2               | Human, rat, rabbit                                   | WB                    |
| Anti-Tryptophan Hydroxylase/TPH1 Antibody          | BPAB3712 | Tryptophan 5-hydroxylase 1   | Reacts with: human, mouse, rat                       | WB,Direct ELISA       |
| Anti-TSG101 Antibody                               | BPAB3713 | Tumor susceptibility gene 101 protein                                | Reacts with: human, rat                              | WB                    |
| Anti-TSG6/TNFAIP6 Antibody                         | BPAB3714 | Tumor necrosis factor-inducible gene 6 protein                       | Reacts with: human, rat                              | WB                    |
| Anti-TSH Receptor/TSHR Antibody                    | BPAB3715 | Thyrotropin receptor   | Reacts with: human                                   | WB,IHC-P              |
| Anti-TSH Receptor/TSHR Antibody                    | BPAB3716 | Thyrotropin receptor   | Reacts with: mouse, ratPredicted to work wii WB      |                       |
| Anti-TSLP Antibody                                 | BPAB3717 | Thymic stromal lymphopoietin   | Reacts with: human, mouse                            | WB,ELISA(Cap)         |
| Anti-TSLP Antibody                                 | BPAB3718 | Thymic stromal lymphopoietin   | Reacts with: mouse, rat                              | WB                    |
| Anti-TSPAN12 Antibody                              | BPAB3719 | Tetraspanin-12   | Reacts with: human, mouse, rat                       | WB,IHC-P,Direct ELISA |
| Anti-TUB 1 Antibody                                | BPAB3720 | Tubby protein homolog  | Reacts with: human                                   | WB                    |
| Anti-Tuberin/TSC2 Antibody                         | BPAB3721 | Tuberin  | Reacts with: mouse, ratPredicted to work wii WB      |                       |
| Anti-Tuberin/TSC2 Antibody                         | BPAB3722 | Tuberin  | Reacts with: human, mouse, rat                       | WB,IHC-P              |

|   |          |   |                                |   |
|---|----------|---|--------------------------------|---|
| Anti-TWEAK/TNFSF12 Antibody                         | BPAB3723 | Tumor necrosis factor ligand superfamily member 12                | Reacts with: human, mouse, rat | WB,ELISA(Cap)                             |
| Anti-TXNL2/GLRX3 Antibody                           | BPAB3724 | Glutaredoxin-3  | Reacts with: mouse, rat        | Predicted to work with WB                 |
| Anti-TXNRD2 Antibody                                | BPAB3725 | Thioredoxin reductase 2, mitochondrial                            | Reacts with: human, rat        | WB,IHC-P                                  |
|   | BPAB3726 |   |                                |   |
| Anti-Tyrosine Hydroxylase Antibody (monoclonal, TH) | BPAB3727 | Tyrosine 3-monoxygenase   | Human, rat, rabbit             | WB,IHC-P,IHC-F                            |
|   | BPAB3728 |   |                                |   |
| Anti-Tyrosine Hydroxylase/TH Antibody               | BPAB3729 | Tyrosine 3-monoxygenase   | Reacts with: mouse, rat        | Predicted to work with WB,IHC-P           |
| Anti-UBE1C/UBA3 Antibody                            | BPAB3730 | NEDD8-activating enzyme E1 catalytic subunit                      | Reacts with: human, mouse, rat | WB,IHC-P                                  |
| Anti-UBE2I UBC9 Antibody                            | BPAB3731 | SUMO-conjugating enzyme UBC9                                      | Reacts with: human, mouse, rat | WB,IHC-P,IHC-F,ICC/IF,FCM                 |
| Anti-UBE2I/UBC9 Antibody                            | BPAB3732 | SUMO-conjugating enzyme UBC9                                      | Reacts with: rat               | Predicted to work with: hum: WB           |
| Anti-UBE2Q2 Antibody                                | BPAB3733 | Ubiquitin-conjugating enzyme E2 Q2                                | Reacts with: human             | WB,IHC-P                                  |
| Anti-Ubiquitin/UBB Antibody                         | BPAB3734 | Polyubiquitin-B   | Reacts with: human, rat        | Predicted to work with WB,IHC-P           |
| Anti-Ubiquitin/UBB Antibody                         | BPAB3735 | Polyubiquitin-B   | Reacts with: human, mouse, rat | WB,IHC-P                                  |
| Anti-UCP1 Antibody                                  | BPAB3736 | Mitochondrial brown fat uncoupling protein 1                      | Reacts with: human             | WB  |
| Anti-UCP1 Antibody                                  | BPAB3737 | Mitochondrial brown fat uncoupling protein 1                      | Reacts with: mouse, rat        | WB  |
| Anti-UCP1/UCP1 Antibody                             | BPAB3738 | Mitochondrial brown fat uncoupling protein 1                      | Reacts with: mouse, rat        | Predicted to work with WB                 |
| Anti-UCP2 Antibody                                  | BPAB3739 | Mitochondrial uncoupling protein 2                                | Reacts with: human, mouse, rat | WB  |
| Anti-UGT1A1 Antibody                                | BPAB3740 | UDP-glucuronosyltransferase 1-1                                   | Reacts with: human, mouse, rat | WB,IHC-P,Direct ELISA                     |
| Anti-UHRF1 Antibody                                 | BPAB3741 | E3 ubiquitin-protein ligase UHRF1                                 | Reacts with: human             | WB,IHC-P                                  |
| Anti-ULK3 Antibody                                  | BPAB3742 | Serine/threonine-protein kinase ULK3                              | Reacts with: human, mouse, rat | WB,IHC-P                                  |
| Anti-UNC5C Antibody                                 | BPAB3743 | Netrin receptor UNC5C   | Reacts with: human, mouse, rat | WB  |
| Anti-UNG Antibody                                   | BPAB3744 | Uracil-DNA glycosylase  | Reacts with: human, mouse, rat | WB,IHC-P                                  |
| Anti-Unrip/STRAP Antibody                           | BPAB3745 | Serine-threonine kinase receptor-associated protein               | Reacts with: human, mouse, rat | WB,IHC-P                                  |
| Anti-uPA Receptor/PLAUR Antibody                    | BPAB3746 | Urokinase plasminogen activator surface receptor(U-PAR/uPAR)      | Reacts with: human             | WB,IHC-P                                  |
| Anti-uPA Receptor/PLAUR Antibody                    | BPAB3747 | Urokinase plasminogen activator surface receptor(U-PAR/uPAR)      | Reacts with: human             | WB  |
| Anti-uPA Receptor/Plaur Antibody                    | BPAB3748 | Urokinase plasminogen activator surface receptor                  | Reacts with: mouse, rat        | WB,Direct ELISA                           |
| Anti-uPA Receptor/PLAUR Antibody                    | BPAB3749 | Urokinase plasminogen activator surface receptor(U-PAR/uPAR)      | Reacts with: human, mouse, rat | WB,IHC-F,ICC,FCM                          |
| Anti-UPF3B/RENT3B Antibody                          | BPAB3750 | Regulator of nonsense transcripts 3B                              | Reacts with: human, mouse, rat | WB,IHC-P                                  |
| Anti-Uteroglobin/Scgb1a1 Antibody                   | BPAB3751 | Uteroglobin   | Reacts with: mouse, rat        | WB,IHC-P,Direct ELISA                     |
| Anti-Uteroglobin/Scgb1a1 Antibody                   | BPAB3752 | Uteroglobin   | Reacts with: mouse, rat        | WB,IHC-P,Direct ELISA                     |
| Anti-VAPB Antibody                                  | BPAB3753 | Vesicle-associated membrane protein-associated protein B/C        | Reacts with: human, mouse, rat | WB,Direct ELISA                           |
| Anti-VASP Antibody                                  | BPAB3754 | Vasodilator-stimulated phosphoprotein                             | Reacts with: human, mouse, rat | WB,IHC-P                                  |
| Anti-VCAM1 Antibody                                 | BPAB3755 | Vascular cell adhesion protein 1                                  | Reacts with: human, mouse, rat | WB,IHC-P                                  |
| Anti-VCAM1 Antibody                                 | BPAB3756 | Vascular cell adhesion protein 1                                  | Reacts with: mouse, rat        | WB,IHC-P,ELISA(Cap)                       |
| Anti-VCAM1 Antibody                                 | BPAB3757 | Vascular cell adhesion protein 1                                  | Reacts with: human             | WB,ELISA(Cap)                             |
| Anti-VCAM1 Antibody                                 | BPAB3758 | Vascular cell adhesion protein 1                                  | Reacts with: mouse, rat        | WB,IHC-P,Direct ELISA                     |
| Anti-VCP Antibody                                   | BPAB3759 | Transitional endoplasmic reticulum ATPase                         | Reacts with: human, rat        | Predicted to work with WB,IHC-P,IHC-F,ICC |
| Anti-VCP Antibody                                   | BPAB3760 | Transitional endoplasmic reticulum ATPase                         | Reacts with: human, mouse, rat | WB,IHC-P,IHC-F                            |
| Anti-VDAC/Porin/VDAC1 Antibody                      | BPAB3761 | Voltage-dependent anion-selective channel protein 1(VDAC-1/hVDAC) | Reacts with: human, mouse, rat | WB,IHC-P,IHC-F,ICC                        |
| Anti-VDAC/Porin/VDAC1 Antibody                      | BPAB3762 | Voltage-dependent anion-selective channel protein 1               | Reacts with: human, mouse, rat | WB,IHC-P                                  |
| Anti-VE Cadherin/CDH5 Antibody                      | BPAB3763 | Cadherin-5  | Reacts with: human, rat        | Predicted to work with WB,IHC-P           |
| Anti-VE Cadherin/CDH5 Antibody                      | BPAB3764 | Cadherin-5  | Reacts with: human, mouse, rat | WB,IHC-P,Direct ELISA                     |
| Anti-VE Cadherin/Cdh5 Antibody                      | BPAB3765 | Cadherin-5  | Reacts with: mouse, rat        | WB,IHC-P,ELISA(Cap)                       |
| Anti-VEGF Receptor 1/FLT1 Antibody                  | BPAB3766 | Vascular endothelial growth factor receptor 1(VEGFR-1)            | Reacts with: human             | WB  |
|   | BPAB3767 |   |                                |   |
| Anti-VEGF Receptor 1/FLT1 Antibody                  | BPAB3768 | Vascular endothelial growth factor receptor 1                     | Reacts with: rat               | WB  |
| Anti-VEGF Receptor 1/FLT1 Antibody                  | BPAB3769 | Vascular endothelial growth factor receptor 1                     | Reacts with: mouse             | WB  |
| Anti-VEGF Receptor 1/FLT1 Antibody                  | BPAB3770 | Vascular endothelial growth factor receptor 1                     | Reacts with: human, mouse, rat | WB,ELISA(Cap)                             |
| Anti-VEGF Receptor 1/FLT1 Antibody                  | BPAB3771 | Vascular endothelial growth factor receptor 1                     | Reacts with: human, mouse, rat | WB  |
| Anti-VEGF Receptor 2/KDR Antibody                   | BPAB3772 | Vascular endothelial growth factor receptor 2                     | Reacts with: human             | WB,IHC-P,IHC-F,ICC                        |
| Anti-VEGF Receptor 2/KDR Antibody                   | BPAB3773 | Vascular endothelial growth factor receptor 2                     | Reacts with: human             | WB  |

|   |          |  |   |                                   |
|---|----------|--|---|-----------------------------------|
| Anti-VEGF Receptor 2/KDR Antibody                   | BPAB3774 | Vascular endothelial growth factor receptor 2                    | Reacts with: human                          | WB,IHC-P,IHC-F,ICC,FCM,ELISA(Cap) |
| Anti-VEGF Receptor 2/Kdr Antibody                   | BPAB3775 | Vascular endothelial growth factor receptor 2                    | Reacts with: mouse, rat                     | WB,IHC-P,ELISA(Cap)               |
| Anti-VEGF Receptor 3/FLT4 Antibody                  | BPAB3776 | Vascular endothelial growth factor receptor 3                    | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC/IF,FCM         |
| Anti-VEGF Receptor 3/FLT4 Antibody                  | BPAB3777 | Vascular endothelial growth factor receptor 3                    | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA             |
| Anti-VEGF/VEGFA Antibody                            | BPAB3778 | Vascular endothelial growth factor A(VEGF-A)                     | Reacts with: human, mouse, rat              | WB,IHC-P                          |
| Anti-VEGF/VEGFA Antibody                            | BPAB3779 | Vascular endothelial growth factor A                             | Reacts with: human, rat                     | WB,IHC-P                          |
| Anti-VEGF/Vegfa Antibody                            | BPAB3780 | Vascular endothelial growth factor A                             | Reacts with: ratPredicted to work with: mou | WB                                |
| Anti-VEGF/Vegfa Antibody                            | BPAB3781 | Vascular endothelial growth factor A                             | Reacts with: mouse, rat                     | WB,Direct ELISA                   |
| Anti-VEGFB Antibody                                 | BPAB3782 | Vascular endothelial growth factor B                             | Reacts with: human, mouse, rat              | WB,Direct ELISA                   |
| Anti-VEGFB Antibody                                 | BPAB3783 | Vascular endothelial growth factor B                             | Reacts with: mouse, rat                     | WB,IHC-P,Direct ELISA             |
| Anti-VEGFB Antibody                                 | BPAB3784 | Vascular endothelial growth factor B                             | Reacts with: human, mouse, rat              | WB,Direct ELISA                   |
| Anti-VEGFD/FIGF Antibody                            | BPAB3785 | Vascular endothelial growth factor D                             | Reacts with: human, ratPredicted to work wi | WB,IHC-P                          |
| Anti-VEGFD/FIGF Antibody                            | BPAB3786 | Vascular endothelial growth factor D                             | Reacts with: human, mouse, rat              | WB,IHC-P                          |
| Anti-VEGFR2 Antibody (monoclonal, KDR-1)            | BPAB3787 | Vascular endothelial growth factor receptor 2                    | Human                                       | IHC-F                             |
| Anti-Versican/VCAN Antibody                         | BPAB3788 | Versican core protein  | Reacts with: human, ratPredicted to work wi | WB,IHC-P                          |
| Anti-Versican/VCAN Antibody                         | BPAB3789 | Versican core protein  | Reacts with: human, mouse, rat              | WB,IHC-P                          |
| Anti-Vesicular Acetylcholine Transporter/SLC18A3 An | BPAB3790 | Vesicular acetylcholine transporter                              | Reacts with: human, mouse                   | WB                                |
| Anti-VGF Antibody                                   | BPAB3791 | Neurosecretory protein VGF                                       | Reacts with: human, mouse, rat              | WB                                |
| Anti-Villin/VIL1 Antibody                           | BPAB3792 | Villin-1   | Reacts with: human, mouse, rat              | WB,IHC-P                          |
| Anti-Vimentin Antibody                              | BPAB3793 | Vimentin   | Reacts with: human, mouse, rat              | WB,IHC-P                          |
| Anti-Vimentin Antibody (monoclonal, V9)             | BPAB3794 | Vimentin   | Human, rabbit, pig, rat                     | WB,IHC-P                          |
| Anti-Vinculin Antibody (monoclonal, hVIN-1)         | BPAB3795 | Vinculin   | Human, chicken, mouse, rat                  | WB,IHC-F                          |
| Anti-Vinculin/VCL Antibody                          | BPAB3796 | Vinculin   | Reacts with: human, mouse, rat              | WB,IHC-P                          |
| Anti-Vinculin/VCL Antibody                          | BPAB3797 | Vinculin   | Reacts with: human                          | WB                                |
| Anti-VIP Antibody                                   | BPAB3798 | VIP peptides   | Reacts with: human, mouse, rat              | IHC-P                             |
| Anti-VIP Receptor 1/VIPR1 Antibody                  | BPAB3799 | Vasoactive intestinal polypeptide receptor 1(VIP-R-1)            | Reacts with: humanPredicted to work with: r | WB                                |
| Anti-VIP Receptor 1/VIPR1 Antibody                  | BPAB3800 | Vasoactive intestinal polypeptide receptor 1                     | Reacts with: human, mouse, rat              | WB,IHC-P                          |
| Anti-Visfatin/NAMPT Antibody                        | BPAB3801 | Nicotinamide phosphoribosyltransferase                           | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC/IF,FCM,ELISA   |
| Anti-Vitamin D Binding protein/GC Antibody          | BPAB3802 | Vitamin D-binding protein  | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA             |
| Anti-Vitamin D Binding protein/Gc Antibody          | BPAB3803 | Vitamin D-binding protein  | Reacts with: mouse, rat                     | WB,Direct ELISA                   |
| Anti-Vitamin D Receptor/VDR Antibody                | BPAB3804 | Vitamin D3 receptor  | Reacts with: humanPredicted to work with: r | WB                                |
| Anti-Vitamin D Receptor/VDR Antibody                | BPAB3805 | Vitamin D3 receptor  | Reacts with: human, mouse, rat              | WB,IHC-P                          |
|   | BPAB3806 |  |   |                                   |
| Anti-Vitronectin/VTN Antibody                       | BPAB3807 | Vitronectin  | Reacts with: human, mouse, rat              | WB,IHC-P                          |
| Anti-VNN1 Antibody                                  | BPAB3808 | Pantetheinase  | Reacts with: human                          | WB                                |
| Anti-Von Willebrand Factor/VWF Antibody             | BPAB3809 | von Willebrand factor  | Reacts with: human                          | WB,IHC-P,IHC-F                    |
| Anti-Von Willebrand Factor/VWF Antibody             | BPAB3810 | von Willebrand factor  | Reacts with: mouse, rat                     | WB,IHC-P                          |
|   | BPAB3811 |  |   |                                   |
|   | BPAB3812 |  |   |                                   |
| Anti-VRK1 Antibody                                  | BPAB3813 | Serine/threonine-protein kinase VRK1                             | Reacts with: human, rat                     | WB                                |
| Anti-VRL1/TRPV2 Antibody                            | BPAB3814 | Transient receptor potential cation channel subfamily V member 2 | Reacts with: human                          | WB,IHC-P,IHC-F                    |
| Anti-WASP Antibody                                  | BPAB3815 | Wiskott-Aldrich syndrome protein                                 | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC                |
| Anti-WDR1 Antibody                                  | BPAB3816 | WD repeat-containing protein 1                                   | Reacts with: human, mouse, rat              | WB                                |
| Anti-WEE1 Antibody                                  | BPAB3817 | Wee1-like protein kinase   | Reacts with: human, mouse, rat              | WB                                |
| Anti-Werner's syndrome helicase WRN/WRN Antiboc     | BPAB3818 | Werner syndrome ATP-dependent helicase                           | Reacts with: human, rat                     | WB                                |
| Anti-WISP1 Antibody                                 | BPAB3819 | WNT1-inducible-signaling pathway protein 1                       | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC                |
| Anti-WNK1 Antibody                                  | BPAB3820 | Serine/threonine-protein kinase WNK1                             | Reacts with: human, mouse, rat              | WB,IHC-P                          |
|   | BPAB3821 |  |   |                                   |
| Anti-Wnt1 Antibody                                  | BPAB3822 | Proto-oncogene Wnt-1   | Reacts with: human                          | WB                                |
| Anti-Wnt2 Antibody                                  | BPAB3823 | Protein Wnt-2  | Reacts with: human                          | WB                                |
| Anti-Wnt2b Antibody                                 | BPAB3824 | Protein Wnt-2b   | Reacts with: humanPredicted to work with: r | WB                                |

|   |          |  |   |                                     |
|---|----------|--|---|-------------------------------------|
| Anti-Wnt2b Antibody                           | BPAB3825 | Protein Wnt-2b   | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-Wnt3 Antibody                            | BPAB3826 | Proto-oncogene Wnt-3   | Reacts with: human                          | WB                                  |
| Anti-Wnt3a Antibody                           | BPAB3827 | Protein Wnt-3a   | Reacts with: humanPredicted to work with: r | WB                                  |
| Anti-Wnt4 Antibody                            | BPAB3828 | Protein Wnt-4  | Reacts with: humanPredicted to work with: r | WB                                  |
| Anti-WNT4 Antibody                            | BPAB3813 | Protein Wnt-4  | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA               |
| Anti-Wnt5a Antibody                           | BPAB3829 | Protein Wnt-5a   | Reacts with: human, ratPredicted to work wi | WB,IHC-P                            |
| Anti-Wnt7a Antibody                           | BPAB3831 | Protein Wnt-7a   | Reacts with: human, mouse, rat              | WB,IHC-P                            |
|   | BPAB3832 |  |   |                                     |
| Anti-WWOX Antibody                            | BPAB3833 | WW domain-containing oxidoreductase                                  | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F,ICC,FCM,Direct ELISA |
| Anti-WWOX Antibody (monoclonal, 3D10)         | BPAB3834 | WW domain-containing oxidoreductase                                  | Reacts with: human, mouse, rat              | WB,IHC-P,FCM                        |
| Anti-XAF1 Antibody                            | BPAB3835 | XIAP-associated factor 1   | Reacts with: human                          | WB,IHC-P                            |
|   | BPAB3836 |  |   |                                     |
| Anti-Xanthine Oxidase/XDH Antibody            | BPAB3837 | Xanthine dehydrogenase/oxidase                                       | Reacts with: mouse, ratPredicted to work wi | WB,IHC-P                            |
| Anti-XBP1 Antibody                            | BPAB3838 | X-box-binding protein 1  | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-XIAP Antibody                            | BPAB3839 | E3 ubiquitin-protein ligase XIAP                                     | Reacts with: human, ratPredicted to work wi | WB,IHC-P                            |
| Anti-XIAP Antibody                            | BPAB3840 | E3 ubiquitin-protein ligase XIAP                                     | Reacts with: human, mouse, rat              | WB                                  |
| Anti-XPA Antibody                             | BPAB3841 | DNA repair protein complementing XP-A cells                          | Reacts with: mouse, ratPredicted to work wi | WB                                  |
| Anti-XPB/ERCC3 Antibody                       | BPAB3842 | General transcription and DNA repair factor IIH helicase subunit XPB | Reacts with: human, mouse, rat              | WB,Direct ELISA                     |
| Anti-XRCC1 Antibody                           | BPAB3843 | DNA repair protein XRCC1   | Reacts with: human, mouse, rat              | WB,IHC-P,ICC                        |
| Anti-XRCC1 Antibody                           | BPAB3844 | DNA repair protein XRCC1   | Reacts with: human, mouse, rat              | WB,IHC-P,Direct ELISA               |
| Anti-XRCC3 Antibody                           | BPAB3845 | DNA repair protein XRCC3   | Reacts with: human                          | WB                                  |
| Anti-XRCC3 Antibody                           | BPAB3846 | DNA repair protein XRCC3   | Reacts with: mouse, rat                     | WB,IHC-P                            |
| Anti-XRCC4 Antibody                           | BPAB3847 | DNA repair protein XRCC4   | Reacts with: human                          | WB,IHC-P                            |
| Anti-YAP1 Antibody                            | BPAB3848 | Transcriptional coactivator YAP1                                     | Reacts with: human, mouse, rat              | WB                                  |
| Anti-YB1/YBX1 Antibody                        | BPAB3849 | Nuclease-sensitive element-binding protein 1                         | Reacts with: humanPredicted to work with: r | WB                                  |
| Anti-YB1/YBX1 Antibody                        | BPAB3850 | Nuclease-sensitive element-binding protein 1                         | Reacts with: human, mouse, rat              | WB,IHC-P,IHC-F                      |
| Anti-Yes1 Antibody                            | BPAB3851 | Tyrosine-protein kinase Yes  | Reacts with: human                          | WB,IHC-P                            |
| Anti-YIPF3 Antibody                           | BPAB3852 | Protein YIPF3  | Reacts with: human, ratPredicted to work wi | WB,IHC-P                            |
|   | BPAB3853 |  |   |                                     |
| Anti-ZAP70 Antibody                           | BPAB3854 | Tyrosine-protein kinase ZAP-70                                       | Reacts with: human                          | WB,IHC-P                            |
| Anti-ZBTB7A Antibody                          | BPAB3855 | Zinc finger and BTB domain-containing protein 7A                     | Reacts with: human                          | WB,IHC-P                            |
| Anti-ZBTB7A Antibody                          | BPAB3856 | Zinc finger and BTB domain-containing protein 7A                     | Reacts with: mouse, rat                     | WB,IHC-P                            |
| Anti-ZO1 tight junction protein/TJP1 Antibody | BPAB3857 | Tight junction protein ZO-1  | Reacts with: human, mouse, rat              | WB,IHC-P                            |
| Anti-Zonula occludens protein 3/TJP3 Antibody | BPAB3858 | Tight junction protein ZO-3  | Reacts with: human                          | WB                                  |
| Anti-Zonula occludens protein 3/TJP3 Antibody | BPAB3859 | Tight junction protein ZO-3  | Reacts with: ratPredicted to work with: mou | WB,IHC-P                            |
| Anti-ZP1 Antibody                             | BPAB3860 | Zona pellucida sperm-binding protein 1                               | Reacts with: human, rat                     | WB                                  |
| Anti-ZP2 Antibody                             | BPAB3861 | Zona pellucida sperm-binding protein 2                               | Reacts with: human                          | WB,IHC-P,IHC-F                      |
| Anti-ZP3 Antibody                             | BPAB3862 | Zona pellucida sperm-binding protein 3                               | Reacts with: human                          | WB                                  |
| Anti-ZWINT Antibody                           | BPAB3863 | ZW10 interactor  | Reacts with: human, mouse, rat              | WB,IHC-P                            |





































































